

**Database of bibliography of living/fossil sharks and rays
(Chondrichthyes: Selachii)**

Papers of the year 2009

**published by
Jürgen Pollerspöck, Stephansposching, Germany**

Inhalt

Fossil	- 1 -
Complete list (arrange in alphabetical order)	- 1 -
- A, B, C-	- 1 -
- D, E, F, G -	- 2 -
- H, I, J, K -	- 3 -
- L, M, N, O -	- 4 -
- P, Q, R, S -	- 5 -
- T, U, V, W, X, Y, Z -	- 6 -
Rezent	- 7 -
Complete list (arrange in alphabetical order)	- 7 -
- A, B, C-	- 7 -
- D, E, F, G -	- 11 -
- H, I, J, K -	- 15 -
- L, M, N, O -	- 18 -
- P, Q, R, S -	- 23 -
- T, U, V, W, X, Y, Z -	- 27 -

Fossil

Complete list (arrange in alphabetical order)

- A, B, C-

ADNET, S. & HOSSEINZADEH, R. & ANTUNES, M.T. & BALBINO, A.C. & KOZLOV, V.A. & CAPPETTA, H. (2009): Review of the enigmatic Eocene shark genus *Xiphodolamia* (Chondrichthyes, Lamniformes) and description of a new species recovered from Angola, Iran and Jordan. *Journal of African Earth Sciences*, 55 (3-4): 197-204

BERMUDEZ-ROCHAS, D.D. (2009): New hybodont shark assemblage from the Early Cretaceous of the Basque-Cantabrian Basin. *Geobios*, 42 (6): 675-686; Abstract: <http://dx.doi.org/10.1016/j.geobios.2009.06.004>

- BIENKOWSKA-WASILUK, M. & RADWANSKI, A. (2009):** A new occurrence of sharks in the Menilite Formation (Lower Oligocene) from the Outer (Flysch) Carpathians of Poland. *Acta Geologica Polonica*, 59 (2): 235-243
- BOTELLA, H. & DONOGHUE, P.C.J. & MARTÍNEZ-PÉREZ, C. (2009):** Enameloid microstructure in the oldest known chondrichthyan teeth. *Acta Zoologica (Stockholm)*, 90 (1): 103-108; Abstract: <http://dx.doi.org/10.1111/j.1463-6395.2008.00337.x>
- BOTELLA, H. & PLASENCIA, P. & MARQUEZ-ALIAGA, A. & CUNY, G. & DORKA, M. (2009):** *Pseudodalatias henarejensis* nov. sp. a new pseudodalatiid (Elasmobranchii) from the Middle Triassic of Spain. *Journal of Vertebrate Paleontology*, 29 (4): 1-7
- BOTELLA, H. & VALENZUELA-RÍOS, J.I. & MARTÍNEZ-PÉREZ, C. (2009):** Tooth replacement rates in early chondrichthyans: a qualitative approach. *Lethaia*, 42 (3): 365-376
- BURROW, C.J. & TURNER, S. (2009):** CAVEPS 2009, Cartilaginous fish fauna from the Viséan (Carboniferous, Mississippian) Ducabrook Formation, Central Queensland. 12th Conference on Australasian Vertebrate Evolution Palaeontology and Systematics, University of New South Wales, Sydney, June 22-26, 2009, Abstracts, 1 p.
- CIGALA-FULGOSI, F. & CASATI, S. & ORLANDINI, A. & PERSICO, D. (2009):** A small fossil fish fauna, rich in *Chlamydoselachus* teeth, from the Late Pliocene of Tuscany (Siena, central Italy). *Cainozoic Research*, 6 (1-2): 3-23
- CIONE, A.L. & MEDINA, F.A. (2009):** The oldest hexanchiform shark from Southern Hemisphere (Neoselachii; Early Cretaceous, Antarctica). *Antarctic Science*, 21 (5): 501-504
- COSTA, S. A. F. & RICHTERI, M. & TOLEDO, P.M. & MORAES-SANTOS, H.M. (2009):** Shark teeth from Pirabas Formation (Lower Miocene), northeastern Amazonia, Brazil. *Boletim do Museu Paraense Emílio Goeldi Ciências Naturais*, 4 (3): 221-230
- CUNY, G. & BENTON, M.J. & COBBETT, A. (2009):** Vertebrate microremains from the Aptian-Albian of Tunisia. In: *Lundadagarna i historisk geologi och paleontologi XI*, MELLGREN J. & EINARSSON E. (eds), Lund University, Lund.
- CUNY, G. & CAVIN, L. & SUTEETHORN, V. (2009):** Specialized dentition in lower Cretaceous freshwater hybodont sharks. In: *Tribute to Charles Darwin and Bernissart Iguanodonts: New perspectives on vertebrate evolution and Early Cretaceous ecosystems*, GODEFROIT P. & LAMBERT O. (eds), Institut Royal des Sciences naturelles de Belgique, Brussels: 30
- CUNY, G. & SRISUK, P. & KHAMHA, S. & SUTEETHORN, V. & TONG, H. (2009):** A new elasmobranch fauna from the Middle Jurassic of southern Thailand. In: *Late Palaeozoic and Mesozoic Ecosystems in SE Asia*, BUUFETAUT E., CUNY G., LE LOEUFF J. & SUTEETHORN V. (eds), The Geological Society, London, Special Publications, 315: 97-113.

- D, E, F, G -

- DELSATE, D. (2009):** Microrestes de poissons du Lias et du Rhétien de Moselle et de Meurthe-et-Moselle (N-E France). *Bulletin de la Société d'histoire naturelle de la Moselle*, 51: 19-33

DIETRICH, C. (2009): The vertebrates of the Anisian/Ladinian boundary (Middle Triassic) from Bissendorf (NW Germany) and their contribution to the anatomy, palaeoecology, and palaeobiogeography of the Germanic Basin reptiles. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 273 (1): 1-16

EHRET, D.J. & HUBBELL, G. & MACFADDEN, B.J. (2009): Exceptional preservation of the white shark *Carcharodon* (Lamniformes, Lamnidae) from the early Pliocene of Peru. *Journal of Vertebrate Paleontology*, 29 (1): 1-13

EHRET, D.J. & MACFADDEN, B.J. & SALAS-GISMONDI, R. (2009): Caught in the act: trophic interactions between a 4-million-year-old white shark (*Carcharodon*) and mysticete whale from Peru. *Palaios*, 24: 329-333

EVERHART, M.J. (2009): First occurrence of marine vertebrates in the Early Cretaceous of Kansas: Champion Shell Bed, basal Kiowa Formation. *Transactions of the Kansas Academy of Science*, 112 (3/4): 201-210

FARRÉS, F. & FIERSTINE, H.L. (2009): First record of the extinct sawfish *Propristis schweinfurthi* Dames, 1883 (Batoidea: Pristiformes: Pristidae) from the middle Eocene of Spain. *Paläontologische Zeitschrift*, 83 (4): 459-466

FISCHER, J. & BUCHWITZ, M. & VOIGT, S. & SCHNEIDER, J.W. (2009): How certain is the assignment of fossil chondrichthyan egg capsule types to potential producer groups? In: Daniela SCHWARZ-WINGS, Oliver WINGS & Franziska SATTLER (Editors); 7th Annual Meeting of the European Association of Vertebrate Palaeontologists: 29

FISCHER, J. & VOIGT, S. & BUCHWITZ, M. & SCHNEIDER, J.W. (2009): The selachian fauna from the non-marine middle to late Triassic Madygen Formation (Kyrgyzstan, Central Asia): preliminary results. Abstract. *Journal of Vertebrate Paleontology*, 29 (Supplement to Number 3): 95A-96A

FISCHER, J. & VOIGT, S. & SCHNEIDER, J.W. & FRANZ, M. & JOACHIMSKI, M.M. (2009): Reconstructing the palaeoecology of the hybodont shark. *Lissodus* of the Rhaetian Central European Basin using oxygen isotopes. 79. Jahrestagung der Paläontologischen Gesellschaft, Abstracts: 33-34

GARCÍA, E.X.M. & TELLES-ANTUNES, M. & CÁCERES-BALBINO, A. & RUIZ-MUÑOZ, F. & CIVIS-LLOVERA, J. (2009): Los tiburones Lamniformes (Chondrichthyes, Galeomorphii) del Plioceno inferior de la Formación Arenas de Huelva, suroeste de la cuenca del Guadalquivir, España. *Revista Mexicana de Ciencias Geológicas*, 26 (3): 674-686

GINTER, M. (2009): The dentition of *Goodrichthys*, a Carboniferous ctenacanthiform shark from Scotland. *Acta Zoologica (Stockholm)*, 90 (1): 152-158; Abstract: <http://dx.doi.org/10.1111/j.1463-6395.2008.00339.x>

GROGAN, E.D. & LUND, R. (2009): Two new iniopterygians (Chondrichthyes) from the Mississippian (Serpukhovian) Bear Gulch Limestone of Montana with evidence of a new form of chondrichthyan neurocranium. *Acta Zoologica (Stockholm)*, 90 (1): 134-151; Abstract: <http://dx.doi.org/10.1111/j.1463-6395.2008.00371.x>

- H, I, J, K -

- HAIRAPETIAN, V. & GINTER, M. (2009):** Famennian chondrichthyan remains from the Chahriseh section, central Iran. *Acta Geologica Polonica*, 59 (2): 173-200
- IVANOV, A. & LUCAS, S.G. & KRAINER, K. (2009):** Pennsylvanian fishes from the Sandia Formation, Socorro County, New Mexico. *New Mexico Geological Society Guidebook, 60th Field Conference, Geology of the Chupadera Mesa Region*: 243-248
- JOHNSON, G.D. & THAYER, D.W. (2009):** Early Pennsylvanian xenacanth chondrichthyans from the Swisshelm Mountains, Arizona, U.S.A. *Acta Palaeontologica Polonica*, 54 (4): 649-668
- KADDUMI, H.F. (2009):** A new genus and species of sawfishes (Chondrichthyes: Batoidea) from the late Maastrichtian sediments of Harrana. In: *Fossils of the Harrana Fauna and the Adjacent Areas. Publications of the Eternal River Museum of Natural History, Amman*: 178-187
- KLUG, S. (2009):** A New Palaeospinacid Shark (Chondrichthyes, Neoselachii) from the Upper Jurassic of Southern Germany. *Journal of Vertebrate Paleontology*, 29 (2): 326-335
- KLUG, S. (2009):** Monophyly, Phylogeny and Systematic Position of the Synechodontiformes (Chondrichthyes, Neoselachii). *Zoologica Scripta*, 39 (1): 37-49; Abstract: <http://dx.doi.org/10.1111/j.1463-6409.2009.00399.x>
- KLUG, S. & KRIWET, J. & BÖTTCHER, R. & SCHWEIGERT, G. & DIETL, G. (2009):** Skeletal anatomy of the extinct shark *Paraorthacodus jurensis* (Chondrichthyes; Palaeospinacidae), with comments on synechodontiform and palaeospinacid monophyly. *Zoological Journal of the Linnean Society*, 157 (1): 107-134
- KOGAN, I. & SCHÖNBERGER, K. & FISCHER, J. & VOIGT, S. (2009):** A nearly complete skeleton of *Saurichthys orientalis* (Pisces, Actinopterygii) from the Madygen Formation (Middle to Late Triassic, Kyrgyzstan, Central Asia) – preliminary results. *Freiberger Forschungshefte, C532*: 139-152
- KRIWET, J. & KIESSLING, W. & KLUG, S. (2009):** Diversification trajectories and evolutionary life-history traits in early sharks and batoids. *Proceedings of the Royal Society, Biological Series*, 276: 945-951
- KRIWET, J. & KLUG, S. (2009):** Fossil record and origin of squaliform sharks (Chondrichthyes, Neoselachii). In: Gallucci, V., McFarlane, G. & Bargmann, G. (eds). *Biology and Management of dogfish sharks*. American Fisheries Society, Bethesda, Maryland: 19-38
- KRIWET, J. & NUNN, E.V. & KLUG, S. (2009):** Neoselachians (Chondrichthyes, Elasmobranchii) from the Lower and lower Upper Cretaceous of north-eastern Spain. *Zoological Journal of the Linnean Society*, 155: 316-347

- L, M, N, O -

LANE, J.A. & MAISEY, J.G. (2009): Pectoral anatomy of *Tribodus limae* (Elasmobranchii: Hybodontiformes) from the Lower Cretaceous of Northeastern Brazil." *Journal of Vertebrate Paleontology*, 29 (1): 25-38; Abstract: <http://dx.doi.org/10.1671/039.029.0120>

LEBEDEV, O.A. (2009): A new specimen of *Helicoprion* Karpinsky, 1899 from Kazakhstania Cisurals and a new reconstruction of its tooth whorl position and function.

Acta Zoologica (Stockholm), 90 (1): 171-182; Abstract: <http://dx.doi.org/10.1111/j.1463-6395.2008.00353.x>

LUCAS, S.G. & SPIELMANN, J.A. (2009): Low diversity selachian assemblage from the upper cretaceous Greenhorn Limestone, Socorro County, New Mexico. New Mexico Geological Society Guidebook, 60th Field Conference, Geology of the Chupadera Mesa Region: 311-314

MAISEY, J.G. (2009): Heslerodidae (Chondrichthyes, Elasmobranchii), a new family of Paleozoic phalacanthous sharks. Kirtlandia, (Williams memorial volume).

MAISEY, J.G. (2009): The spine-brush complex in symmoriiform sharks (Chondrichthyes; Symmoriiformes), with comments on dorsal fin modularity. Journal of Vertebrate Paleontology, 29 (1): 14-24

MAISEY, J.G. & MILLER, R.F. & TURNER, S. (2009): The braincase of the chondrichthyan *Doliodus* from the Lower Devonian Campbellton Formation of New Brunswick, Canada. Acta Zoologica (Stockholm), 90 (Suppl. 1): 109-122; Abstract: <http://dx.doi.org/10.1111/j.1463-6395.2008.00330.x>

MANSBY, U. (2009): Late Cretaceous coprolites from the Kristianstad Basin, southern Sweden. Bachelor Thesis, Department of Geology, Lund University

NÉRAUDEAU, D. & VULLO, R. & GOMEZ, B. & GIRARD, V. & LAK, M. & VIDET, B. & DÉPRÉ, É. & PERRICHOT, V. (2009): Amber, plant and vertebrate fossils from the Lower Cenomanian paralic facies of Aix Island (Charente-Maritime, SW France). Geodiversitas, 31 (1) : 13-27

- P, Q, R, S -

PEREA, D. & SOTO, M. & VEROSLAVSKY, G. & MARTÍNEZ, S. & UBILLA, M. (2009): A Late Jurassic fossil assemblage in Gondwana: Biostratigraphy and correlations of the Tacuarembó Formation, Parana Basin, Uruguay. Journal of South American Earth Sciences, 28 (2): 168

PRADEL, A. & LANGER, M. & MAISEY, J.G. & GEFARD-KURIYAMA, D. & CLOETENS, P. & JANVIER, P. & TAFFOREAU, P. (2009): Skull and brain of a 300-million-year-old chimaeroid fish revealed by synchrotron holotomography. Proceedings of the National Academy of Sciences, 106 (13): 5224-5228; Abstract: <http://dx.doi.org/10.1073/pnas.0807047106>

PYENSON, N.D. & IRMIS, R.B. & LIPPS, J.H. & BARNES, L.G. & MITCHELL, E.D. & McLEOD, S.A. (2009): Origin of a widespread marine bonebed deposited during the middle Miocene Climatic Optimum. Geology, 2009 (37): 519-522; Abstract: <http://dx.doi.org/10.1130/G25509A.1>

SCHNEIDER, C. (2009): Die Haie des Campans von Hannover - Teil 2. Arbeitskreis Paläontologie Hannover, 37: 71-76

SCHNEIDER, S. & BERNING, B. & BITNER, M.A. & CARRIOL, R.-P. & JÄGER, M. & KRIWET, J. & KROH, A. & WERNER, W. (2009): A parautochthonous shallow marine fauna from the Late Burdigalian (early Ottnangian) of Gurlarn (Lower Bavaria, SE Germany): Macrofaunal inventory and paleoecology. Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen, 254: 63-103

SCHUTTER, P.de (2009): The presence of *Megachasma* (Chondrichthyes: Lamniformes) in the Neogene of Belgium, first occurrence in Europe. *Geologica Belgica*, 12 (3-4): 179-203

SHIMADA, K. (2009): The first associated teeth of the Late Cretaceous anacoracid shark, *Pseudocorax laevis* (Lerliche), from the Mooreville Chalk of Alabama. *Transactions of the Kansas Academy of Science*, 112 (3/4): 164-168

SHIMADA, K. & RIGSBY, C.K. & KIM, S.H. (2009): Partial Skull of Late Cretaceous Durophagous Shark, *Ptychodus occidentalis* (Elasmobranchii: Ptychodontidae), from Nebraska, U.S.A. *Journal of Vertebrate Paleontology*, 29 (2): 336–349

SUÁREZ, M.E. & OTERO, R.A. (2009): Nuevos hallazgos de vertebrados marinos en el Campaniano-Maastrichtiano de Loanco, VII Región. Libro de Actas, I Simposio - Paleontología en Chile - 2008: 78-82

SPIELMANN, J.A. & PENCE, R. & LUCAS, S.G. (2009): A nearshore vertebrate assemblage from the late cretaceous (Turonian) Atarque Sandstone, Socorro County, New Mexico. *New Mexico Geological Society Guidebook, 60th Field Conference, Geology of the Chupadera Mesa Region*: 315-320

- T, U, V, W, X, Y, Z -

VAN DEN EECKHAUT, G. & DE SCHUTTER, P. (2009): The Elasmobranch Fauna of the Lede Sand Formation at Oosterzele (Lutetian, Middle Eocene of Belgium). *Palaeofocus*, 1: 1-57, 2 fig., 2 tab., 22 pl.

VULLO, R. & ARNAUD, E. (2009): Presence de *Ptychodus latissimus* Agassiz, 1843 (Elasmobranchii, Hybodontiformes) dans le Crétacé Supérieur des Charentes. *Annales de la Société des Sciences Naturelles de la Charente-Maritime*, 9 (9) : 962-966

VULLO, R. & BERNÁRDEZ, E. & BUSCALIONI, A.D. (2009): Vertebrates from the middle?-late Cenomanian La Cabaña Formation (Asturias, northern Spain): Palaeoenvironmental and palaeobiogeographic implications. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 276 (1): 120-129

WANG, N.-Z. & ZHANG, X. & ZHU, M. & ZHAO, W.-J. (2009): A new articulated hybodontoid from Late Permian of northwestern China. *Acta Zoologica (Stockholm)*, 90 (1): 159-170; Abstract: <http://dx.doi.org/10.1111/j.1463-6395.2008.00382.x>

WUERINGER, B.E. & SQUIRE, L. & COLLIN, S.P. (2009): The biology of extinct and extant sawfish (Batoidea: Sclerorhynchidae and Pristidae). *Reviews in Fish Biology and Fisheries*, 19 (4): 445-464; Abstract: <http://dx.doi.org/10.1007/s11160-009-9112-7>

ZACKE, A. & VOIGT, S. & JOACHIMSKI, M.M. & GALE, A.S. & WARD, D.J. & TÜTKEN, T. (2009): Surface-water freshening and high-latitude river discharge in the Eocene North Sea. *Journal of the Geological Society*, 166: 969-980; Abstract: <http://dx.doi.org/10.1144/0016-76492008-068>

Rezent

Complete list (arrange in alphabetical order)

- A, B, C-

ABERNATHY, J.W. & LU, J. & LIU, H. & KUCUKTAS, H. & LIU, Z. (2009): Molecular characterization of complement factor I reveals constitutive expression in channel catfish. *Fish and Shellfish Immunology*, 27 (3): 529-534 Abstract: <http://dx.doi.org/10.1016/j.fsi.2009.06.007>

ADTIM, F. & ADTIM, M. (2009): The first record of a shark of the genus *Glyphis* in Indonesia. *Raffles Bulletin of Zoology*, 57 (1): 113-118

AHONEN, H. & HARCOURT, R.G. & STOW, A.J. (2009): Nuclear and mitochondrial DNA reveals isolation of imperilled grey nurse shark populations (*Carcharias taurus*). *Molecular Ecology*, 18 (21): 4409-4421 Abstract: <http://dx.doi.org/10.1111/j.1365-294X.2009.04377.x>

AIRES-DA-SILVA, A.M. & MAUNDER, M.N. & GALLUCCI, V.F. & KOHLER, N.E. & HOEY, J.J. (2009): A spatially structured tagging model to estimate movement and fishing mortality rates for the blue shark (*Prionace glauca*) in the North Atlantic Ocean. *Marine and Freshwater Research*, 60 (10): 1029-1043

AKHILESH, K.V. & MANJEBRAYAKATH, H. & GANGA, U. & PILLAI, N.G.K. & SEBASTINE, M. (2009): Morphometric characteristics of deepwater stingray *Plesiobatis daviesi* (Wallace, 1967) collected from the Andaman Sea. *Journal of the Marine Biological Association of India*, 51 (2): 246-249

ALMEIDA, M.P. & BARTHEM, R.B. & VIANA, A.S. & CHARVET-ALMEIDA, P. (2009): Factors affecting the distribution and abundance of freshwater stingrays (Chondrichthyes: Potamotrygonidae) at Marajó Island, mouth of the Amazon River. *Pan-American Journal of Aquatic Sciences*, 4 (1): 1-11

ANADON, R. & FERREIRO-GALVE, S. & SUEIRO, C. & GRANA, P. & CARRERA, I. & YANEZ, J. & RODRIGUEZ-MOLDES, I. (2009): Calretinin-immunoreactive systems in the cerebellum and cerebellum-related lateral-line medullary nuclei of an elasmobranch, *Scyliorhinus canicula*. *Journal of Chemical Neuroanatomy*, 37 (1): 46-54

ANDERSON, G. & TAYLOR, J.R. & GROSELL, M. & WEIHRAUCH, D. (2009): Waste not want not? Intestinal handling of solutes and water in elasmobranchs. *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 153 (2 Supplement 1): S65

AWRUCH, C.A. & PANKHURST, N.W. & FRUSHER, S.D. & STEVENS, J.D. (2009): Reproductive seasonality and embryo development in the draughtboard shark *Cephaloscyllium laticeps*. *Marine and Freshwater Research*, 60 (12): 1265-1272

AYBAR, L. & SHIN, D.H. & SMITH, S.L. (2009): Molecular characterization of the alpha subunit of complement component C8 (GcC8a) in the nurse shark (*Ginglymostoma cirratum*). *Fish and Shellfish Immunology*, 27 (3): 397-406 Abstract: <http://dx.doi.org/10.1016/j.fsi.2009.05.020>

AZEVEDO, C. & CASAL, G. & GARCIA, P. & MATOS, P. & TELES-GRILLO, L. & MATOS, E. (2009): Ultrastructural and phylogenetic data of *Chloromyxum riorajum* sp. nov.

(Myxozoa), a parasite of the stingray *Rioraja agassizii* in Southern Brazil. *Diseases of aquatic organisms*, 85 (1): 41-51

BAREMORE, I.E. & ANDREWS, K.I. & HALE, L.F. (2009): Difficulties associated with modeling growth in the Atlantic angel shark (*Squatina dumeril*). *Fisheries Research*, 99 (3): 203-209

BARNETT, L.A.K. & EARLEY, R.L. & EBERT, D.A. & CAILLIET, G.M. (2009): Maturity, fecundity, and reproductive cycle of the spotted ratfish, *Hydrolagus coliei*. *Marine Biology*, 156 (3): 301-316 Abstract: <http://dx.doi.org/10.1007/s00227-008-1084-y>

BARNETT, L.A.K. & EBERT, D.A. & CAILLIET, G.M. (2009): Assessment of the dorsal fin spine for chimaeroid (Holocephali: Chimaeriformes) age estimation. *Journal of Fish Biology*, 75 (6): 1258-1270 Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2009.02362.x>

BARON, A. & VEO, K. & ANGLESON, J. & DORES, R.M. (2009): Modeling the evolution of the MC2R and MC5R genes: Studies on the cartilaginous fish, *Heterodontus francisci*. *General and Comparative Endocrinology*, 161 (1): 13-19

BASTEN, B.L. & SHERMAN, R.L. & LAMETSCHWANDTNER, A. & SPIELER, R.E. (2009): A unique vascular configuration among the efferent branchial arteries and splanchnic arteries in the yellow stingray, *Urobatis jamaicensis*. *Microscopy and microanalysis : the official journal of Microscopy Society of America, Microbeam Analysis Society, Microscopical Society of Canada*, 15 (3): 194-196

BASTEN, B.L. & SHERMAN, R.L. & LAMETSCHWANDTNER, A. & SPIELER, R.E. (2009): Development of embryonic gill vasculature in the yellow stingray, *Urobatis jamaicensis*. *Comparative Biochemistry and Physiology - Part A*, 153 (2): S69-S69

BERNAL, D. & SEPULVEDA, C. & MUSYL, M. & BRILL, R. (2009): The eco-physiology of swimming and movement patterns of tunas, billfishes, and large pelagic sharks. Chapter 14. In *Fish Locomotion - an etho-ecological perspective*. (Eds. Domenici, P. Kapoor, D.) Science Publishers: 436-483

BIZZARRO, J.J. & SMITH, W.D. & CASTILLO-GÉNIZ, J.L. & OCAMPO-TORRES, A. & MÁRQUEZ-FARÍAS, J.F. & HUETER, R.E. (2009): The seasonal importance of small coastal sharks and rays in the artisanal elasmobranch fishery of Sinaloa, Mexico. *Pan-American Journal of Aquatic Sciences*, 4 (4): 513-531

BIZZARRO, J.J. & SMITH, W.D. & HUETER, R.E. & VILLAVICENCIO-GARAYZAR, C.J. (2009): Activities and Catch Composition of Artisanal Elasmobranch Fishing Sites on the Eastern Coast of Baja California Sur, Mexico. *Bulletin of Southern California Academy of Sciences*, 108 (3): 137-151

BIZZARRO, J.J. & SMITH, W.D. & MARQUEZ-FARIAS, J.F. & TYMINSKI, J. & HUETER, R.E. (2009): Temporal variation in the artisanal elasmobranch fishery of Sonora, Mexico. *Fisheries Research*, 97 (1-2): 103-117

BIZZARRO, J.J. & VAUGHN, M.T. (2009): Aspects of the biology and species composition of skates (Rajiformes) from Insular Waters of Southeastern Alaska. *Northwestern Naturalist*, 90: 247-256

BLABER, S.J.M. & DICHMONT, C.M. & WHITE, W. & BUCKWORTH, R. & SADIYAH, L. & ISKANDAR, B. & NURHAKIM, S. & PILLANS, R. & ANDAMARI, R. & DHARMADI & FAHMI (2009): Elasmobranchs in southern Indonesian fisheries: the fisheries, the status of

the stocks and management options. Reviews in Fish Biology and Fisheries, 19 (3): 367-391
Abstract: <http://dx.doi.org/10.1007/s11160-009-9110-9>

BORUCINSKA, J.D. & KOTRAN, K. & SHACKETT, M. & BARKER, T. (2009):

Melanomacrophages in three species of free-ranging sharks from the northwestern Atlantic, the blue shark *Prionace glauca* (L.), the shortfin mako, *Isurus oxyrinchus* Rafinesque, and the thresher, *Alopias vulpinus* (Bonnaterre). *Journal of Fish Diseases*, 32 (10): 883-891

BORUCINSKA, J.D. & TAFUR, M. (2009): Comparison of histological features, and description of histopathological lesions in thyroid glands from three species of free-ranging sharks from the northwestern Atlantic, the blue shark, *Prionace glauca* (L.), the shortfin mako, *Isurus oxyrinchus* Rafinesque, and the thresher, *Alopias vulpinus* (Bonnaterre). *Journal of Fish Diseases*, 32 (9): 785-793

BOUGATEF, A. & HAJJI, M. & BALTI, R. & LASSOUED, I. & TRIKI-ELLOUZ, Y. & NASRI, M. (2009): Antioxidant and free radical-scavenging activities of smooth hound (*Mustelus mustelus*) muscle protein hydrolysates obtained by gastrointestinal proteases. *Food Chemistry*, 114 (4): 1198-1205 Abstract:

<http://dx.doi.org/10.1016/j.foodchem.2008.10.075>

BRILL, R. & BUSHNELL, P. & SUNDARAM, R. & SMITH, L. & STROUD, E. & SPEAKS, C. & WANG, J. (2009): The repulsive and feeding-deterrent effects of electropositive metals on juvenile sandbar sharks (*Carcharhinus plumbeus*). *Fishery Bulletin*, 107 (3): 298-307

BRUNNSCHWEILER, J.M. (2009): Species record and mistaken identifications: the case of bull sharks at Chumphon Pinnacle, Thailand. *Marine Biodiversity Records*, 2: e94

BRUNNSCHWEILER, J.M. (2009): Tracking free-ranging sharks with hand-fed intra-gastric acoustic transmitters. *Marine and Freshwater Behaviour and Physiology*, 42: 201-209

BRUNNSCHWEILER, J.M. & BAENSCH, H. & PIERCE, S.J. & SIMS, D.W. (2009): Deep-diving behaviour of a whale shark *Rhincodon typus* during long-distance movement in the western Indian Ocean. *Journal of Fish Biology*, 74 (3): 706-714 Abstract:

<http://dx.doi.org/10.1111/j.1095-8649.2008.02155.x>

CAIRA, J.N. & JENSEN, K. (2009): Erection of a new onchobothriid genus (Cestoda: Tetraphyllidea) and the description of five new species from whaler sharks (Carcharhinidae). *Journal of Parasitology*, 95 (4): 924-940

CAMPANA, S.E. & JOYCE, W. & KULKA, D.W. (2009): Growth and reproduction of spiny dogfish off the eastern coast of Canada, including inferences on stock structure In: Gallucci, V. F., McFarlane, G. A., and Bargmann, G. G. [eds]. *Biology and management of dogfish sharks*. American Fisheries Society. Bethesda, Maryland: 195-208

CAMPANA, S.E. & JOYCE, W. & MANNING, M.J. (2009): Bycatch and discard mortality in commercially caught blue sharks *Prionace glauca* assessed using archival satellite pop-up tags. *Marine Ecology Progress Series*, 387: 241-253

CAMPOS, B.R. & FISH, M.A. & JONES, G. & RILEY, R.W. & ALLEN, P.J. & KLIMLEY, P.A. & CECH, J.J. & KELLY, J.T. (2009): Movements of brown smoothhounds, *Mustelus henlei*, in Tomales Bay, California. *Environmental Biology of Fishes*, 85 (1): 3-13 Abstract: <http://dx.doi.org/10.1007/s10641-009-9462-y>

CASPER, B.M. & MANN, D.A. (2009): Field hearing measurements of the Atlantic sharpnose shark *Rhizoprionodon terraenovae*. *Journal of Fish Biology*, 75: 2768-2776;

- CASTRO, J.I. (2009):** Observations on the reproductive cycles of some viviparous North American sharks. *Aqua, International Journal of Ichthyology*, 15 (4): 205-222
- CERNA, F. & LICANDEO, R. (2009):** Age and growth of the shortfin mako (*Isurus oxyrinchus*) in the south-eastern Pacific off Chile. *Marine and Freshwater Research*, 60 (5): 394-403
- CHABOT, C.L. & ALLEN, L.G. (2009):** Global population structure of the tope (*Galeorhinus galeus*) inferred by mitochondrial control region sequence data. *Molecular Ecology*, 18 (3): 545-552 Abstract: <http://dx.doi.org/10.1111/j.1365-294X.2008.04047.x>
- CHANG, J.H. & LIU, K.-M. (2009):** Stock assessment of the shortfin mako shark (*Isurus oxyrinchus*) in the Northwest Pacific Ocean using per recruit and virtual population analyses. *Fisheries Research*, 98 (1-3): 92-101
- CHAPMAN, C.A. & RENSHAW, G.M.C. (2009):** Hematological Responses of the Grey Carpet Shark (*Chiloscyllium punctatum*) and the Epaulette Shark (*Hemiscyllium ocellatum*) to Anoxia and Re-Oxygenation. *Journal of Experimental Zoology Part A: Comparative Experimental Biology*, 311: 422-438
- CHAPMAN, D.D. & BABCOCK, E.A. & GRUBER, S.H. & DiBATTISTA, J.D. & FRANKS, B. & KESSEL, S. & GUTTRIDGE, T.L. & PIKITCH, E.K. & FELDHEIM, K.A. (2009):** Long term natal site-fidelity by immature lemon sharks (*Negaprion brevirostris*) at a subtropical island. *Molecular Ecology*, 18 (16): 3500-3507 Abstract: <http://dx.doi.org/10.1111/j.1365-294X.2009.04289.x>
- CHAPMAN, D.D. & PINHAL, D. & SHIVJI, M.S. (2009):** Tracking the fin trade: genetic stock identification in western Atlantic scalloped hammerhead sharks *Sphyrna lewini*. *Endangered Species Research*, 2009: 1-8
- CHEN, H. & KSHIRSAGAR, S. & JENSEN, I. & LAU, K. & COVARRUBIAS, R. & SCHLUTER, S.F. & MARCHALONIS, J.J. (2009):** Characterization of arrangement and expression of the T cell receptor gamma locus in the sandbar shark. *Proceedings of the National Academy of Sciences of the United States of America*, 106 (21): 8591-8596
- CHISHOLM, L. & WHITTINGTON, I. (2009):** *Dendromonocotyle urogymni* sp. nov. (Monogenea, Monocotylidae) from *Urogymnus asperrimus* (Elasmobranchii, Dasyatidae) off eastern Australia. *Acta Parasitologica*, 54 (2): 113-118 Abstract: <http://dx.doi.org/10.2478/s11686-009-0023-5>
- CHISHOLM, L.A. & WHITTINGTON, I.D. (2009):** *Malalophus jensenae* n. g., n. sp. (Monogenea: Monocotylidae) from the gills of *Aetomylaeus vespertilio* (Myliobatidae) off northern Australia. *Systematic Parasitology*, 73 (2): 81-86 Abstract: <http://dx.doi.org/10.1007/s11230-009-9176-8>
- CHO, Y.S. & JUNG, W.K. & LEE, S.H. & MENDIS, E. & KIM, S.K. (2009):** A novel visceral excitatory neuropeptide from the brain tissue of cloudy dogfish (*Scyliorhinus torazame*). *Food Chemistry*, 115 (4): 1306-1311 Abstract: <http://dx.doi.org/10.1016/j.foodchem.2009.01.048>
- CLAES, J.M. & MALLEFET, J. (2009):** Hormonal control of luminescence from lantern shark (*Etmopterus spinax*) photophores. *Journal of Experimental Biology*, 212 (22): 3684-3692
- CLAES, J.M. & MALLEFET, J. (2009):** Ontogeny of photophore pattern in the velvet belly lantern shark, *Etmopterus spinax*. *Zoology*, 112 (6): 433-441

CLARKE, M.W. (2009): Sharks, skates and rays in the northeast Atlantic: population status, advice and management. *Journal of Applied Ichthyology*, 25 (S1): 3-8

COETZEE, M.L. & SMIT, N.J. & GRUTTER, A.S. & DAVIES, A.J. (2009): *Gnathia trimaculata* n. sp. (Crustacea: Isopoda: Gnathiidae), an ectoparasite found parasitising requiem sharks from off Lizard Island, Great Barrier Reef, Australia. *Systematic Parasitology*, 72 (2): 97-112 Abstract: <http://dx.doi.org/10.1007/s11230-008-9158-2>

COLONELLO, J.H. (2009): Ecología reproductiva de tres batoideos (Chondrichthyes): *Atlantoraja castelnaui* (Rajidae), *Rioraja agassizi* (Rajidae) y *Zapteryx brevirostris* (Rhinobatidae). Implicancias de distintas estrategias adaptativas en un escenario de explotación comercial intensiva. Ph.D. thesis, Facultad de Ciencias Naturales y Museo, Universidad Nacional de La Plata: 1-183

CONCEICAO, K. & SANTOS, J.M. & BRUNI, F.M. & KLITZKE, C.F. & MARQUES, E.E. & BORGES, M.H. & MELO, R.L. & FERNANDEZ, J.H. & LOPES-FERREIRA, M. (2009): Characterization of a new bioactive peptide from *Potamotrygon* gr. *orbigny* freshwater stingray venom. *Peptides*, 30 (12): 2191-2199

CONCHA, F. & HERNÁNDEZ, S. & ODDONE, M.C. (2009): Egg capsules of the raspthorn sand skate, *Psammobatis scobina* (Philippi, 1857) (Rajiformes, Rajidae). *Revista de Biología Marina y Oceanografía*, 44 (1): 253-256 Abstract: <http://dx.doi.org/10.4067/S0718-19572009000100026>

COOLEN, M. & MENUET, A. & MAZAN, S. (2009): Towards a synthetic view of axis specification mechanisms in vertebrates: insights from the dogfish. *Comptes Rendus - Biologies*, 332 (2): 210-218 Abstract: <http://dx.doi.org/10.1016/j.crv.2008.07.008>

CORRIGAN, S. & BEHEREGARAY, L.B. (2009): A recent shark radiation: Molecular phylogeny, biogeography and speciation of wobbegong sharks (family: Orectolobidae). *Molecular Phylogenetics and Evolution*, (2009) Abstract: <http://dx.doi.org/10.1016/j.ympev.2009.03.007>

COX, J. & ABEL, R. & XUAN, V.B. & COTTON, R. & YOUNG, P. & BAKER, M. & TABOR, G. & NICKELS, T. (2009): Fluid flow in and around the olfactory organ of a hammerhead shark. *Comparative Biochemistry and Physiology - Part A*, 153 (2): S68-S68

CUTLER, C.P. & CRAMB, G. (2009): Immunohistochemical localization and expression of aquaporin water channel membrane transport protein homologues in the osmoregulatory tissues of the dogfish (*Squalus acanthias*). *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 153 (2 Supplement 1): S65

CUTMORE, S.C. & BENNETT, M.B. & CRIBB, T.H. (2009): *Paraorygmatobothrium taylori* n. sp. (Tetracanthida: Phyllobothriidae) from the Australian weasel shark *Hemigaleus australiensis* White, Last & Compagno (Carcharhiniformes: Hemigaleidae). *Systematic Parasitology*, 74 (1): 49-58 Abstract: <http://dx.doi.org/10.1007/s11230-009-9201-y>

- D, E, F, G -

DALLAS, L.J. & SHULTZ, A.D. & MOODY, A.J. & DANYLCHUK, A.J. & SLOMAN, K.A. (2009): Does the stress associated with catch-and-release angling of bonefish (*Albula vulpes*) affect predation by juvenile lemon sharks (*Negaprion brevirostris*)? *Comparative*

Biochemistry and Physiology - Part A: Molecular & Integrative Physiology, 153 (2 Supplement 1): S69

DAVIES, WAYNE.L. & CARVALHO, LIVIA.S. & TAY, BOON-HUI. & BRENNER, SYDNEY. & HUNT, DAVID.M. & VENKATESH, BYRAPPA. (2009): Into the blue: gene duplication and loss underlie color vision adaptations in a deep-sea chimaera, the elephant shark *Callorhynchus milii*. *Genome research*, 19 (3): 415-426

DE BOECK, G. & EYCKMANS, M. & LARDON, I. & BOBBAERS, R. & SINHA, A.K. & BLUST, R. (2009): Metal accumulation and metallothionein induction in the spotted dogfish *Scyliorhinus canicula*. *Comparative Biochemistry and Physiology - Part A*, 154 (1): S14-S14

DE BOECK, G. & EYCKMANS, M. & LARDON, I. & BOBBAERS, R. & SINHA, A.K. & BLUST, R. (2009): Metal toxicity in the spotted dogfish *Scyliorhinus canicula*. *Comparative Biochemistry and Physiology - Part A*, 153 (2): S70-S70

DE MADDALENA, A. & ZUFFA, M. (2009): Historical and contemporary presence of the great white shark, *Carcharodon carcharias* (Linnaeus, 1758), along the Mediterranean coast of France. *Bollettino del Museo civico di Storia Naturale di Venezia*, 59: 81-94

DEAN, M.N. & MULL, C.G. & GORB, S.N. & SUMMERS, A.P. (2009): Ontogeny of the tessellated skeleton: insight from the skeletal growth of the round stingray *Urobatis halleri*. *Journal of Anatomy*, 215 (3): 227-372

DEGHANI, H. & SAJJADI, M.M. & RAJAIAN, H. & SAJEDIANFARD, J. & PARTO, P. (2009): Study of patient's injuries by stingrays, lethal activity determination and cardiac effects induced by *Himantura gerrardi* venom. *Toxicon*, 54 (6): 881-886

DEL MONTE-LUNA, P. & CASTRO-AGUIRRE, J.L. & BROOK, B.W. & DE LA CRUZ-AGÜERO, J. & CRUZ-ESCALONA, V.H. (2009): Putative extinction of two sawfish species in Mexico and the United States: Neotropical Ichthyology, 7 (3): 205-212 Abstract: <http://dx.doi.org/10.1590/S1679-62252009000300020>

DEL PILAR BLANCO-PARRA, M. & MÁRQUEZ-FARÍAS, F. & GALVÁN-MAGAÑA, F. (2009): Fishery and morphometric relationships of the banded guitarfish, *Zapteryx exasperata* (Elasmobranchii, Rhinobatidae), from the Gulf of California, Mexico. *Pan-American Journal of Aquatic Sciences*, 4 (4): 456-465

DENIAU, A.-L. & MOSSET, P. & LE BOT, D. & LEGRAND, A.B. (2009): Which alkylglycerols from shark liver oil have anti-tumour activities? *Biochimie*, In Press, Corrected Proof Abstract: <http://dx.doi.org/10.1016/j.biochi.2009.12.010>

DÍAZ-ANDRADE, M.C. & GALINDEZ, E.J. & ESTECONDO, S. (2009): The ovary of the bignose fanskate *Sympterygia acuta* Garman, 1877 (Chondrichthyes, Rajidae) in the Bahía Blanca estuary, Argentina: morphology and reproductive features. *Brazilian Journal of Biology*, 69 (2): 405-413

DICKEN, M.L. & HOSKING, S.G. (2009): Socio-economic aspects of the tiger shark diving industry within the Aliwal Shoal Marine Protected Area, South Africa *African Journal of Marine Science*, 31 (2): 227-232

DRAGICEVIC, B. & DULCIC, J. & CAPAPÉ, C. (2009): Capture of a rare shark, *Oxynotus centrina* (Chondrichthyes: Oxynotidae) in the eastern Adriatic Sea. *Journal of Applied Ichthyology*, 25 (S1): 56-59

- DRIGGERS, W.B. & HOFFMAYER, E.R. (2009):** Variability in the Reproductive Cycle of Finetooth Sharks, *Carcharhinus isodon*, in the Northern Gulf of Mexico. *Copeia*, 2009 (2): 390-393
- DUDGEON, C.L. & BRODERICK, D. & OVENDEN, J.R. (2009):** IUCN classification zones concord with, but underestimate, the population genetic structure of the zebra shark *Stegostoma fasciatum* in the Indo-West Pacific. *Molecular Ecology*, 18 (2): 248-261 Abstract: <http://dx.doi.org/10.1111/j.1365-294X.2008.04025.x>
- DULVY, N.K. & REYNOLDS, J.D. (2009):** Biodiversity: Skates on thin ice. *Nature*, 462 (7272): 417-417 Abstract: <http://dx.doi.org/10.1038/462417a>
- DYMOWSKA, A.K. & GOSS, G.G. (2009):** sAC mediated translocation of V-H⁺-ATPase to the basolateral membrane in the Pacific spiny dogfish gill ionocytes. *Comparative Biochemistry and Physiology - Part A*, 153 (2): S64-S65 Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.04.005>
- EBERT, D.A. & COMPAGNO, L.J.V. (2009):** *Chlamydoselachus africana*, a new species of frilled shark from southern Africa (Chondrichthyes, Hexanchiformes, Chlamydoselachidae). *Zootaxa*, 2173: 1-18
- EL KAMEL, O. & MNASRI, N. & BEN SOUISSI, J. & BOUMAÏZA, M. & BEN AMOR, M.M. & CAPAPÉ, C. (2009):** Inventory of elasmobranch species caught in the Lagoon of Bizerte (North-eastern Tunisia, central Mediterranean). *Pan-American Journal of Aquatic Sciences*, 4 (4): 383-412
- ENDO, T. & HISAMICHI, Y. & KIMURA, O. & KOTAKI, Y. & KATO, Y. & OHTA, C. & KOGA, N. & HARAGUCHI, K. (2009):** Contamination levels of mercury in the muscle of female and male spiny dogfishes (*Squalus acanthias*) caught off the coast of Japan. *Chemosphere*, 77 (10): 1333-1337
- ENEVER, R. & CATCHPOLE, T.L. & ELLIS, J.R. & GRANT, A. (2009):** The survival of skates (Rajidae) caught by demersal trawlers fishing in UK waters. *Fisheries Research*, 97 (1-2): 72-76 Abstract: <http://dx.doi.org/10.1016/j.fishres.2009.01.001>
- ESTALLES, M. & PEREZ COMESAÑA, J.E. & TAMINI, L.L. & CHIARAMONTE, G.E. (2009):** Reproductive biology of the skate, *Rioraja agassizii* (Müller and Henle, 1841), off Puerto Quequén, Argentina. *Journal of Applied Ichthyology*, 25 (S1): 60-65
- ESTUPIÑÁN-MONTAÑO, C. & CEDEÑO-FIGUEROA, L.G. & GALVÁN-MAGAÑA, F. (2009):** Feeding habits of the scalloped hammerhead shark *Sphyrna lewini* (Griffith & Smith, 1834) (Chondrichthyes) in the Ecuadorian Pacific. *Revista de Biología Marina y Oceanografía*, 44 (2): 379-386
- FANELLI, E. & REY, J. & TORRES, P. & GIL DE SOLA, L. (2009):** Feeding habits of blackmouth catshark *Galeus melastomus* Rafinesque, 1810 and velvet belly lantern shark *Etmopterus spinax* (Linnaeus, 1758) in the western Mediterranean. *Journal of Applied Ichthyology*, 25 (S1): 83-93
- FARRELL, E.D. & CLARKE, M.W. & MARIANI, S. (2009):** A simple genetic identification method for Northeast Atlantic smoothhound sharks (*Mustelus* spp.). *ICES Journal of Marine Science*, 66: 561-565 Abstract: <http://dx.doi.org/10.1093/icesims/fsn218>
- FERRANDO, S. & GAMBARDILLA, C. & RAVERA, S. & BOTTERO, S. & FERRANDO, T. & GALLUS, L. & MANNO, V. & SALATI, A.P. & RAMOINO, P. & TAGLIAFIERRO, G. (2009):** Immunolocalization of G-protein alpha subunits in the olfactory system of the

cartilaginous fish *Scyliorhinus canicula*. *Anatomical Record*, 292 (11): 1771-1779 Abstract: <http://dx.doi.org/10.1002/ar.21003>

FIELD, I.C. & MEEKAN, M.G. & BUCKWORTH, R.C. & BRADSHAW, C.J.A. (2009): Chapter 4 Susceptibility of Sharks, Rays and Chimaeras to Global Extinction. *Advances in Marine Biology*, 56: 275

FIELD, I.C. & MEEKAN, M.G. & BUCKWORTH, R.C. & BRADSHAW, C.J.A. (2009): Susceptibility of sharks, rays and chimaeras to global extinction. *Advances in Marine Biology*, 56: 275-363 Abstract: [http://dx.doi.org/10.1016/S0065-2881\(09\)56004-X](http://dx.doi.org/10.1016/S0065-2881(09)56004-X)

FISCHER, A.F. & HAZIN, F.H.V. & CARVALHO, F. & VIANA, D.L. & RÉGO, M.G. & WOR, C. (2009): Biological aspects of sharks caught off the Coast of Pernambuco, Northeast Brazil. *Brazilian journal of biology*, 69 (4): 1173-1181

FLAJNIK, M.F. & DOOLEY, H. (2009): The generation and selection of single-domain, v region libraries from nurse sharks. *Methods in molecular biology* (Clifton, N.J.), 562 (.): 71-82

FOWLER, G.M. & CAMPANA, S.E. (2009): Commercial by-catch rates of blue shark (*Prionace glauca*) from longline fisheries in the Canadian Atlantic. *Collect. Vol. Sci. Pap. ICCAT*, 64 (5): 1650-1667

FOWLER, G.M. & CAMPANA, S.E. (2009): Commercial by-catch rates of shortfin mako (*Isurus oxyrinchus*) from longline fisheries in the Canadian Atlantic. *Collect. Vol. Sci. Pap. ICCAT*, 64 (5): 1668-1676

FREITAS, R.H.A. & ROSA, R.S. & WETHERBEE, B.M. & GRUBER, S.H. (2009): Population size and survivorship for juvenile lemon sharks (*Negaprion brevirostris*) on their nursery grounds at a marine protected area in Brazil. *Neotropical Ichthyology*, 7 (2): 205-212

FYLER, C.A. & CAIRA, J.N. & JENSEN, K. (2009): Five new species of *Acanthobothrium* (Cestoda: Tetraphylliidea) from an unusual species of *Himantura* (Rajiformes: Dasyatidae) from northern Australia. *Folia parasitologica*, 56 (2): 107-128

GARGIULO, VALENTINA. & LANZETTA, ROSA. & PARRILLI, MICHELANGELO. & DE CASTRO, CRISTINA. (2009): Structural analysis of chondroitin sulfate from *Scyliorhinus canicula*: a useful source of this polysaccharide. *Glycobiology*, 19 (12): 1485-1491

GEORGE, M.R. (2009): An annotated checklist of North Sea cartilaginous fish species. *Journal of Applied Ichthyology*, 25 (S1): 33-39

GERTSEVA, V.V. (2009): The population dynamics of the longnose skate, *Raja rhina*, in the northeast Pacific Ocean. *Fisheries Research*, 95 (2-3): 139-145 Abstract: <http://dx.doi.org/10.1016/j.fishres.2008.08.006>

GERTSEVA, V.V. (2009): The population dynamics of the longnose skate, *Raja rhina*, in the northeast Pacific Ocean. *Fisheries Research*, 95 (2-3): 146-153 Abstract: <http://dx.doi.org/10.1016/j.fishres.2008.08.006>

GILLIS, J.A. & DAHN, R.D. & SHUBIN, N.H. (2009): Chondrogenesis and homology of the visceral skeleton in the little skate, *Leucoraja erinacea* (Chondrichthyes: Batoidea). *Journal of Morphology*, 270 (5): 628-643 Abstract: <http://dx.doi.org/10.1002/jmor.10710>

GLEISS, A.C. & NORMAN, B. & LIEBSCH, N. & FRANCIS, C. & WILSON, R.P. (2009): A new prospect for tagging large free-swimming sharks with motion-sensitive data-loggers. *Fisheries Research*, 97 (1-2): 11-16

GRAHAM, M. & SHIN, D.H. & SMITH, S.L. (2009): Molecular and expression analysis of complement component C5 in the nurse shark (*Ginglymostoma cirratum*) and its predicted functional role. *Fish and Shellfish Immunology*, 27 (1): 40-49 Abstract:

<http://dx.doi.org/10.1016/j.fsi.2009.04.001>

GUBILI, C. & JOHNSON, R. & GENNARI, E. & OOSTHUIZEN, W.H. & KOTZE, D. & MEYER, M. & SIMS, D.W. & JONES, C.S. & NOBLE, L.R. (2009): Concordance of genetic and fin photo identification in the great white shark, *Carcharodon carcharias*, off Mossel Bay, South Africa. *Marine Biology*, 156 (10): 2199-2207 Abstract:

<http://dx.doi.org/10.1007/s00227-009-1233-y>

GUTIÉRREZ-MEJÍA, E. & LARES, M.L. & SOSA-NISHIZAKI, O. (2009): Mercury and Arsenic in Muscle and Liver of the Golden Cownose Ray, *Rhinoptera steindachneri*, Evermann and Jenkins, 1891, from the Upper Gulf of California, México. *Bulletin of Environmental Contamination and Toxicology*, 83: 230-234 Abstract:

<http://dx.doi.org/10.1007/s00128-009-9730-8>

GUTTRIDGE, T.L. (2009): The Social Organisation and Behaviour of the juvenile lemon shark, *Negaprion brevirostris* Unpublished PhD thesis, The University of Leeds, Institute of Integrative and Comparative Biology: 1-193

GUTTRIDGE, T.L. & GRUBER, S.H. & GLEDHILL, K.S. & CROFT, D.P. & SIMS, D.W. & KRAUSE, J. (2009): Social preferences of juvenile lemon sharks, *Negaprion brevirostris*. *Animal Behaviour*, 78 (2): 543-548

GUTTRIDGE, T.L. & MYRBERG, A.A. & PORCHER, I.F. & SIMS, D.W. & KRAUSE, J. (2009): The role of learning in shark behaviour. *Fish and Fisheries*, 10 (4): 450-469

- H, I, J, K -

HARAGUCHI, K. & HISAMICHI, Y. & KOTAKI, Y. & KATO, Y. & ENDO, T. (2009): Halogenated bipyrroles and methoxylated tetrabromodiphenyl ethers in tiger shark (*Galeocerdo cuvier*) from the southern coast of Japan. *Environmental science & technology*, 43 (7): 2288-2294

HARAHUSH, B.K. & HART, N.S. & GREEN, KATHRYN. & COLLIN, S.P. (2009): Retinal neurogenesis and ontogenetic changes in the visual system of the brown banded bamboo shark, *Chiloscyllium punctatum* (Hemiscyllidae, Elasmobranchii). *Journal of Comparative Neurology*, 513 (1): 83-97

HEITHAUS, M.R. & DELIUS, B.K. & WIRSING, A.J. & DUNPHY-DALY, M.M. (2009): Physical factors influencing the distribution of a top predator in a subtropical oligotrophic estuary. *Limnology and Oceanography*, 54 (2): 472-482

HENDERSON, A.C. & MCILWAIN, J.L. & AL-OUFI, H.S. & AL-SHEILE, S. & AL-ABRI, N. (2009): Size distributions and sex ratios of sharks caught by Oman's artisanal fishery African *Journal of Marine Science*, 31 (2): 233-239

HEUPEL, M.R. & WILLIAMS, A.J. & WELCH, D.J. & BALLAGH, A. & MAPSTONE, B.D. & CARLOS, G. & DAVIES, C. & SIMPFENDORFER, C.A. (2009): Effects of fishing on tropical reef associated shark populations on the Great Barrier Reef. *Fisheries Research*, 95 (2-3): 350-361

- HLEAP, J.S. & CARDENAS, H. & GARCÍA-VALLEJO, F. (2009):** Preservación no criogénica de tejido y extracción de ADN: una aplicación para peces cartilagosos. Pan-American Journal of Aquatic Sciences, 4 (4): 283-293
- HOBBS, J-P.A. & FRISCH, A.J. & HAMANAKA, T. & MCDONALD, C.A. & GILLIGAN, J.J. & NEILSON, J. (2009):** Seasonal aggregation of juvenile whale sharks (*Rhincodon typus*) at Christmas Island, Indian Ocean. Coral Reefs, 28 (3): 577 Abstract: <http://dx.doi.org/10.1007/s00338-009-0491-y>
- HOFF, G.R. (2009):** Embryo developmental events and the egg case of the Aleutian skate *Bathyraja aleutica* (Gilbert) and the Alaska skate *Bathyraja parmifera* (Bean). Journal of Fish Biology, 74 (3): 483-501 Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2008.02138.x>
- HOFF, G.R. (2009):** Skate *Bathyraja* spp. egg predation in the eastern Bering Sea. Journal of Fish Biology, 74 (1): 250-269 Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2008.02137.x>
- HOLLAND, K.N. & MEYER, C.G. & DAGORN, L.C. (2009):** Inter-animal telemetry: results from first deployment of acoustic 'business card' tags. Endangered Species Research, 2009: 1-7 Abstract: <http://dx.doi.org/10.3354/esr00226>
- HOLMES, B.H. & STEINKE, D. & WARD, R.D. (2009):** Identification of shark and ray fins using DNA barcoding. Fisheries Research, 95 (2-3): 280-288
- HUANG, H.-Q. & HU, X.-H. & FANG, X.-P. & CAO, T.-M. & KONG, B. (2009):** Characteristics of H and L Subunits with Mass Spectrometry, Electrophoresis and Transmission Electron Microscopy in Liver Ferritin of *Dasyatis akajei*. Chinese Journal of Analytical Chemistry, 37 (5): 631
- HUBER, D.R. & CLAES, J.M. & MALLEFET, J. & HERREL, A. (2009):** Is Extreme Bite Performance Associated with Extreme Morphologies in Sharks? Physiological and Biochemical Zoology, 82 (1): 20-28
- HUSSEY, N.E. & McCARTHY, I.D. & DUDLEY, S.F.J. & MANN, B.Q. (2009):** Nursery grounds, movement patterns and growth rates of dusky sharks, *Carcharhinus obscurus*: a long-term tag and release study in South African waters Marine and Freshwater Research, 60 (6): 571-583
- HUSSEY, N.E. & WINTNER, S.P. & DUDLEY, S.F.J & CLIFF, G. & COCKS, D.T. (2009):** Questioning maternal resource allocation in sharks. Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology, 153 (2 Supplement 1): S65
- IP, Y.K. & LOONG, A.M. & CHING, B. & THAM, G.H.Y. & WONG, W.P. & CHEW, S.F. (2009):** The freshwater Amazonian stingray, *Potamotrygon motoro*, up-regulates glutamine synthetase activity and protein abundance, and accumulates glutamine when exposed to brackish (15 per thousand) water. Journal of Experimental Biology, 212 (23): 3828-3836
- ISMEN, A. & YIGIN, C.C. & ALTINAGAC, U. & AYAZ, A. (2009):** Length–weight relationships for ten shark species from Saros Bay (North Aegean Sea). Journal of Applied Ichthyology, 25 (S1): 109-112
- JACOBSEN, I.P. & BENNETT, M.B. (2009):** A Taxonomic Review of the Australian Butterfly Ray *Gymnura australis* (Ramsay & Ogilby, 1886) and Other Members of the family Gymnuridae (Order Rajiformes) from the Indo-West Pacific. Zootaxa, 2228: 1-28

- JAMES, K.C. & EBERT, D.A. & LONG, D.J. & DIDIER, D.A. (2009):** A new species of chimaera, *Hydrolagus melanopasma* sp. nov. (Chondrichthyes: Chimaeriformes: Chimaeridae), from the eastern North Pacific. *Zootaxa*, 2218: 59-68
- JANOWSKI, E. & DAY, R. & KRAEV, A. & CLEEMANN, L. & MORAD, M. (2009):** Beta-adrenergic Regulation of a Novel Isoform of NCX: Sequence & Expression of Shark Heart NCX in Human Kidney Cells. *Biophysical Journal*, 96 (3 Supplement 1): 686a
- JEONG, C.-H. & NAKABO, T. (2009):** Hongoe, a new skate genus (Chondrichthyes: Rajidae), with redescription of the type specie. *Ichthyological Research*, 56: 140-155
Abstract: <http://dx.doi.org/10.1007/s10228-008-0083-9>
- JOHNSON, R. & BESTER, M.N. & DUDLEY, S.F.J. & OOSTHUIZEN, W.H. & MEYER, M. & HANCKE, L. & GENNARI, E. (2009):** Coastal swimming patterns of white sharks (*Carcharodon carcharias*) at Mossel Bay, South Africa. *Environmental Biology of Fishes*, 85 (3): 189-200 Abstract: <http://dx.doi.org/10.1007/s10641-009-9477-4>
- JONES, A.A. & POTTER, I.C. (2009):** Description of the reproductive tract and gonad histology of a second form of hermaphroditism in the Port Jackson shark *Heterodontus portusjacksoni*. *Journal of the Marine Biological Association of the United Kingdom*, 89: 1403-1407
- JORDAN, L.K. & KAJIURA, S.M. & GORDON, M.S. (2009):** Functional consequences of structural differences in stingray sensory systems. Part I: mechanosensory lateral line canals. *Journal of Experimental Biology*, 212: 3037-3043
- JORDAN, L.K. & KAJIURA, S.M. & GORDON, M.S. (2009):** Functional consequences of structural differences in stingray sensory systems. Part II: electrosensory system. *Journal of Experimental Biology*, 212: 3044-3050
- JORGENSEN, S.J. & KLIMLEY, A.P. & MUHLIA-MELO, A.F. (2009):** Scalloped hammerhead shark *Sphyrna lewini*, utilizes deep-water, hypoxic zone in the Gulf of California. *Journal of Fish Biology*, 74 (7): 1682-1687 Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2009.02230.x>
- JORGENSEN, S.J. & REEB, C.A. & CHAPPLE, T.K. & ANDERSON, S.D. & PERLE, C. & VAN SOMMERAN, S.R. & FRITZ-COPE, C. & BROWN, A.C. & KLIMLEY, A.P. & BLOCK, B.A. (2009):** Philopatry and migration of Pacific white sharks. *Proceedings of the Royal Society of London, Series B*: 1-10 Abstract: <http://dx.doi.org/10.1098/rspb.2009.1155>
- JUSTINE, J.-L. (2009):** A new species of *Triloculotrema* Kearns, 1993 (Monogenea: Monocotylidae) from a deep-sea shark, the blacktailed spurdog *Squalus melanurus* (Squaliformes: Squalidae), off New Caledonia. *Systematic Parasitology*, 74 (1): 59-63
Abstract: <http://dx.doi.org/10.1007/s11230-009-9202-x>
- KAIYA, H. & KODAMA, S. & ISHIGURO, K. & MATSUDA, K. & UCHIYAMA, M. & MIYAZATO, M. & KANGAWA, K. (2009):** Ghrelin-like peptide with fatty acid modification and O-glycosylation in the red stingray, *Dasyatis akajei*. *BMC Biochemistry*, 10 (1): 30
- KAJIURA, S.M. & FITZGERALD, T.P. (2009):** Response of juvenile scalloped hammerhead sharks to electric stimuli. *Zoology*, 112: 241-250
- KAJIURA, S.M. & MACESIC, L.J. & MEREDITH, T.L. & COCKS, K.L. & DIRK, L.J. (2009):** Commensal foraging between double-crested cormorants and a Southern stingray. *The Wilson Journal of Ornithology*, 121 (3): 646-648

KAJIURA, S.M. & TALLACK, S.M.L. (2009): Pupil dilation in the spiny dogfish, *Squalus acanthias*. MDI Biological Laboratory Bulletin, 48: 68

KAKUMURA, K. & WATANABE, S. & BELL, J.D. & DONALD, J.A. & TOOP, T. & KANEKO, T. & HYODO, S. (2009): Multiple urea transporter proteins in the kidney of holocephalan elephant fish (*Callorhynchus milii*). Comparative Biochemistry and Physiology - Part B, 154 (2): 239-247

KESSEL, S.T. & GRUBER, S.H. & GEDAMKE, T. & PERKINS, R.G. (2009): Seasonal residency and migration of mature lemon sharks (*Negaprion brevirostris*) off the southeast Florida Coast. Comparative Biochemistry and Physiology - Part A, 153 (2): S66-S66
Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.04.010>

KIMBER, J.A. & SIMS, D.W. & BELLAMY, P.H. & GILL, A.B. (2009): Male-female interactions affect foraging behaviour within groups of small-spotted catshark, *Scyliorhinus canicula*. Animal Behaviour, 77 (6): 1435

KIMURA, A. & NONAKA, M. (2009): Molecular cloning of the terminal complement components C6 and C8b of cartilaginous fish. Fish and Shellfish Immunology, 27 (6): 768-772 Abstract: <http://dx.doi.org/10.1016/j.fsi.2009.08.008>

KOLMANN, M.A. & HUBER, D.R. (2009): Scaling of feeding biomechanics in the horn shark *Heterodontus francisci*: ontogenetic constraints on durophagy. Zoology, 112 (5): 351-361

KRSTULOVIC SIFNER, S. & VRGOC, N. & DADIC, V. & ISAJLOVIC, I. & PEHARDA, M. & PICCINETTI, C. (2009): Long-term changes in distribution and demographic composition of thornback ray, *Raja clavata*, in the northern and central Adriatic Sea. Journal of Applied Ichthyology, 25 (S1): 40-46

KUME, G. & FURUMITSU, K. & TANAKA, S. & YAMAGUCHI, A. (2009): Reproductive biology of the guitarfish *Rhinobatos hynnicephalus* (Batoidea: Rhinobatidae) in Ariake Bay, Japan. Environmental Biology of Fishes, 85 (4): 289-298 Abstract: <http://dx.doi.org/10.1007/s10641-009-9487-2>

- L, M, N, O -

LACERDA, A.C.F. & TAKEMOTO, R.M. & PAVANELLI, G.C. (2009): Ecology of endoparasites of the fluvial stingray *Potamotrygon falkneri* (Chondrichthyes: Potamotrygonidae) from the upper Paraná River floodplain, Brazil. Brazilian journal of biology, 69 (2): 297-303

LARSSON, TOMAS.A. & TAY, BOON-HUI. & SUNDSTRÖM, GÖREL. & FREDRIKSSON, ROBERT. & BRENNER, SYDNEY. & LARHAMMAR, DAN. & VENKATESH, BYRAPPA. (2009): Neuropeptide Y-family peptides and receptors in the elephant shark, *Callorhynchus milii* confirm gene duplications before the gnathostome radiation. Genomics, 93 (3): 254-260

LAST, P.R. & STEVENS, J.D. (2009): Sharks and Rays of Australia. CSIRO Publishing, Collingwood, Vic.

LESSA, R. & SANTANA, F.M. & DE ALMEIDA, Z.S. (2009): Age and growth of the Brazilian sharpnose shark, *Rhizoprionodon lalandii* and Caribbean sharpnose shark, *R. porosus* (Elasmobranchii, Carcharhinidae) on the northern coast of Brazil (Maranhão). Pan-American Journal of Aquatic Sciences, 4 (4): 532-544

- LIMPISOPHON, K. & TANAKA, M. & WENG, W. & ABE, S. & OSAKO, K. (2009):** Characterization of gelatin films prepared from under-utilized blue shark (*Prionace glauca*) skin. *Food Hydrocolloids*, 23 (7): 1993-2000 Abstract: <http://dx.doi.org/10.1016/j.foodhyd.2009.03.014>
- LIPEJ, L. & MAVRIC, B. & DULCIC, J. (2009):** Size of the bull ray, *Pteromylaeus bovinus* (Geoffroy Saint-Hilaire, 1817), from the northern Adriatic. *Journal of Applied Ichthyology*, 25 (S1): 103-105
- LITHERLAND, L. & COLLIN, S.P. & FRITSCHES, K.A. (2009):** Eye growth in sharks: ecological implications for changes in retinal topography and visual resolution. *Visual Neuroscience*, 26 (4): 397-409
- LITHERLAND, L. & COLLIN, S.P. & FRITSCHES, K.A. (2009):** Visual optics and ecomorphology of the growing shark eye: a comparison between deep and shallow water species. *Journal of Experimental Biology*, 212 (21): 3583-3594
- LONARDONI, A.P. & DE OLIVEIRA, E.F. & GOULART, E. (2009):** Trophic ecomorphology of *Potamotrygon falkneri* and *Potamotrygon motoro* (Chondrichthyes - Potamotrygonidae) on the upper Paraná river floodplain, Brazil. *Pan-American Journal of Aquatic Sciences*, 4 (4): 436-445
- LÓPEZ, J.G. (2009):** Aspectos biológicos de la raya látigo *Dasyatis longa* (Pisces: Dasyatidae) de la zona central del Pacífico colombiano. Thesis, Universidad del Valle, Facultad de Ciencias, PROGRAMA ACADEMICO DE BIOLOGIA
- LOPEZ, S. & MELÉNDEZ, R. & BARRÍA, P. (2009):** Feeding of the shortfin mako shark *Isurus oxyrinchus Rafinesque, 1810* (Lamniformes: Lamnidae) in the Southeastern Pacific. *Revista de Biología Marina y Oceanografía*, 44 (2): 439-451
- LOWRY, D. & CASTRO, A.L.F. & MARA, K.R. & WHITENACK, L.B. & DELIUS, B. & BURGESS, G.H. & MOTTA, P.J. (2009):** Determining shark size from forensic analysis of bite damage. *Marine Biology*, 156 (12): 2483-2492 Abstract: <http://dx.doi.org/10.1007/s00227-009-1273-3>
- LOZANO, G. & BRITO, A. & HARDISSON, A. & GUTIÉRREZ, A. & GONZÁLEZ-WELLER, D. & LOZANO, I.J. (2009):** Content of lead and cadmium in barred hogfish, *Bodianus scrofa*, island grouper, *Mycteroperca fusca*, and Portuguese dogfish, *Centroscymnus coelolepis*, from Canary Islands, Spain. *Bulletin of Environmental Contamination and Toxicology*, 83 (4): 591-594 Abstract: <http://dx.doi.org/10.1007/s00128-009-9809-2>
- LUIZ, O.J. & BALBONI, A.P. & KODJA, G. & ANDRADE, M. & MARUM, H. (2009):** Seasonal occurrences of *Manta birostris* (Chondrichthyes: Mobulidae) in southeastern Brazil. *Ichthyological Research*, 56: 96-99 Abstract: <http://dx.doi.org/10.1007/s10228-008-0060-3>
- MACDONALD, E. & VOLKOFF, H. (2009):** Neuropeptide Y (NPY), cocaine- and amphetamine-regulated transcript (CART) and cholecystokinin (CCK) in winter skate (*Raja ocellata*): cDNA cloning, tissue distribution and mRNA expression responses to fasting. *General and Comparative Endocrinology*, 161 (2): 252-261
- MACESIC, L.J. & KAJIURA, S.M. (2009):** Electric organ morphology and function in the lesser electric ray, *Narcine brasiliensis*. *Zoology*, 112: 442-450
- MacNEIL, M.A. & CARLSON, J.K. & BEERKIRCHER, L.R. (2009):** Shark depredation rates in pelagic longline fisheries: a case study from the Northwest Atlantic. *ICES Journal of Marine Science*, 66: 1-12

- MADEJCZYK, M.S. & BOYER, J.L. & BALLATORI, N. (2009):** Hepatic uptake and biliary excretion of manganese in the little skate, *Leucoraja erinacea*. *Comparative Biochemistry and Physiology - Part C*, 149 (4): 566-571
- MANDELMAN, J.W. & SKOMAL, G.B. (2009):** Differential sensitivity to capture stress assessed by blood acid–base status in five carcharhinid sharks. *Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology*, 179: 267-277
- MARA, K.R. & MOTTA, P.J. & HUBER, D.R. (2009):** Bite Force and Performance in the Durophagous Bonnethead Shark, *Sphyrna tiburo*. *Journal of Experimental Biology*, 311A: 1-11
- MARIGUELA, T.C. & DE-FRANCO, B. & ALMEIDA, T.V.V. & MENDONÇA, F.F. & GADIG, O.B.F. & FORESTI, F. & OLIVEIRA, C. (2009):** Identification of guitarfish species *Rhinobatos percellens*, *R. horkelli*, and *Zapteryx brevirostris* (Chondrichthyes) using mitochondrial genes and RFLP technique. *Conservation Genetics Resources*, 1 (1): 393-396 Abstract: <http://dx.doi.org/10.1007/s12686-009-9091-y>
- MARSHALL, A.D. & COMPAGNO, L.J.V. & BENNETT, M.B. (2009):** Redescription of the genus *Manta* with resurrection of *Manta alfredi* (Krefft, 1868) (Chondrichthyes; Myliobatoidei; Mobulidae). *Zootaxa*, 2301: 1-28
- MARTINS, P.R.M. & ASSUNÇÃO, R. & SCHWINGEL, P.R. (2009):** Distribuição e abundância de *Narcine brasiliensis* (Olfers, 1931) (Elasmobranchii, Narcinidae) no litoral norte do Estado de Santa Catarina, Brasil. *Pan-American Journal of Aquatic Sciences*, 4 (4): 423-435
- MATHEWS, T. & FISHER, N.S. (2009):** Dominance of dietary intake of metals in marine elasmobranch and teleost fish. *Science of the Total Environment*, 407 (18): 5156-5161
- MAXWELL, D.L. & STELZENMULLER, V. & EASTWOOD, P.D. & ROGERS, S.I. (2009):** Modelling the spatial distribution of plaice (*Pleuronectes platessa*), sole (*Solea solea*) and thornback ray (*Raja clavata*) in UK waters for marine management. *Journal of Sea Research*, 61 (4): 258-267
- McCOMB, D.M. & TRICAS, T.C. & KAJIURA, S.M. (2009):** Enhanced visual fields in hammerhead sharks. *Journal of Experimental Biology*, 212: 4010-4018
- McCORD, M.E. & LAMBERTH, S.J. (2009):** Catching and tracking the world's largest Zambezi (bull) shark *Carcharhinus leucas* in the Breede Estuary, South Africa: the first 43 hours. *African Journal of Marine Science*, 31 (1): 107-111
- McGOWAN, D.W. & KAJIURA, S.M. (2009):** Electroreception in the euryhaline stingray, *Dasyatis sabina*. *Journal of Experimental Biology*, 212: 1544-1552
- McPHIE, R.P. & CAMPANA, S.E. (2009):** Bomb dating and age determination of skates (Family Rajidae) off the eastern coast of Canada. *ICES Journal of Marine Science*, 66: 546-560
- McPHIE, R.P. & CAMPANA, S.E. (2009):** Reproductive characteristics and population decline of four species of skate (Rajidae) off the eastern coast of Canada. *Journal of Fish Biology*, 75 (1): 223-246 Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2009.02282.x>

MEEKAN, M.G. & JARMAN, S.N. & McLEAN, C. & SCHULTZ, M.B. (2009): DNA evidence of whale sharks (*Rhincodon typus*) feeding on red crab (*Gecarcoidea natalis*) larvae at Christmas Island, Australia. *Marine and Freshwater Research*, 60 (6): 607-609

MEGALOFONOU, P. & DAMALAS, D. & DEFLORIO, M. & DE METRIO, G. (2009): Modeling environmental, spatial, temporal, and operational effects on blue shark by-catches in the Mediterranean long-line fishery. *Journal of Applied Ichthyology*, 25 (S1): 47-55

MEJÍA-FALLA, P.A. & NAVIA, A.F. (2009): New records of *Urobatis tumbesensis* (Chirichigno & McEachran, 1979) in the Tropical Eastern Pacific. *Pan-American Journal of Aquatic Sciences*, 4 (3): 255-258

MELLO, W. (2009): The electrosensorial pore system of the cephalofoil in the four most common species of hammerhead shark (Elasmobranchii: Sphyrnidae) from the Southwestern Atlantic.. *Comptes Rendus - Biologies*, 332 (4): 404-412 Abstract: <http://dx.doi.org/10.1016/j.crv.2008.11.003>

MENDONÇA, F.F. & HASHIMOTO, D.T. & DE-FRANCO, B. & PORTO-FORESTI, F. & GADIG, O.B.F. & OLIVEIRA, C. & FORESTI, F. (2009): Genetic identification of lamniform and carcharhiniform sharks using multiplex-PCR. *Conservation Genetics Resources*, (): 40299 Abstract: <http://dx.doi.org/10.1007/s12686-009-9131-7>

MENDONÇA, F.F. & OLIVEIRA, C. & GADIG, O.B.F. & FORESTI, F. (2009): Populations analysis of the Brazilian Sharpnose Shark *Rhizoprionodon lalandii* (Chondrichthyes: Carcharhinidae) on the São Paulo coast, Southern Brazil: inferences from mt DNA sequences. *Neotropical Ichthyology*, 7 (2): 213-216

MENORET, A. & IVANOV, V.A. (2009): A new species of tetraphyllidean (Cestoda) from the Largespot River stingray, *Potamotrygon falkneri* (Potamotrygonidae: Chondrichthyes), from the Parana basin. *Journal of Parasitology*, 95 (4): 994-999

MENORET, A. & IVANOV, V.A. (2009): New name for *Progrillotia dollfusi* Carvajal et Rego, 1983 (Cestoda: Trypanorhyncha): description of adults from *Squatina guggenheim* (Chondrichthyes: Squatiniformes) off the coast of Argentina. *Folia parasitologica*, 56 (4): 284-294

MEYER, C.G. & CLARK, T.B. & PAPASTAMATIOU, Y.P. & WHITNEY, N.M. & HOLLAND, K.N. (2009): Long-term movement patterns of tiger sharks *Galeocerdo cuvier* in Hawaii. *Marine Ecology Progress Series*, 381: 223-235 Abstract: <http://dx.doi.org/10.3354/meps07951>

MEYER, C.G. & DALE, J.J. & PAPASTAMATIOU, Y.P. & WHITNEY, N.M. & HOLLAND, K.N. (2009): Seasonal cycles and long-term trends in abundance and species composition of sharks associated with cage diving ecotourism activities in Hawaii. *Environmental Conservation*, 36 (2): 104-111 Abstract: <http://dx.doi.org/10.1017/S0376892909990038>

MNASRI, N. & BOUMAÏZA, M. & CAPAPÉ, C. (2009): Morphological data, biological observations and occurrence of a rare skate, *Leucoraja circularis* (Chondrichthyes: Rajidae), off the northern coast of Tunisia (central Mediterranean). *Pan-American Journal of Aquatic Sciences*, 4 (1): 70-78

MOLTENO, T.C.A. & KENNEDY, W.L. (2009): Navigation by Induction-Based Magnetoreception in Elasmobranch Fishes. *Journal of Biophysics*, 2009 (.): 1-7 Abstract: <http://dx.doi.org/10.1155/2009/380976>

- MONTEALEGRE-QUIJANO, S. & VOOREN, C.M. (2009):** Estimativas de mortalidade e tabelas de vida do tubarão-azul, *Prionace glauca* (Carcharhinidae), no sul do Brasil e águas internacionais adjacentes. *Pan-American Journal of Aquatic Sciences*, 4 (4): 476-489
- MORENO, F. & ACEVEDO, K. & GRIJALBA-BENDECK, M. & POLO-SILVA, C. & ACERO, A.P. (2009):** Espectro trófico de la raya eléctrica *Narcine bancroftii* (Griffith & Smith 1834) (Elasmobranchii, Narcinidae) en playa Salguero, Santa Marta, Caribe Colombiano. *Pan-American Journal of Aquatic Sciences*, 4 (4): 413-422
- MUCIENTES, G.R. & QUEIROZ, N. & SOUSA, L.L. & TARROSO, P. & SIMS, D.W. (2009):** Sexual segregation of pelagic sharks and the potential threat from fisheries. *Biology Letters*, 5 (2): 156-159 Abstract: <http://dx.doi.org/10.1098/rsbl.2008.0761>
- MULLEY, J.F. & ZHONG, Y.-F. & HOLLAND, P.W. (2009):** Comparative genomics of chondrichthyan Hoxa clusters. *BMC Evolutionary Biology*, 9 (1): 218 Abstract: <http://dx.doi.org/10.1186/1471-2148-9-218>
- MULVEY, J.M. & RENSHAW, G.M.C. (2009):** GABA is not elevated during neuroprotective neuronal depression in the hypoxic epaulette shark (*Hemiscyllium ocellatum*). *Comparative Biochemistry and Physiology - Part A*, 152 (2): 273-277 Abstract: <http://dx.doi.org/10.1016/j.cbpa.2008.10.017>
- MURADO, M.A. & DEL PILAR GONZÁLEZ, M. & VÁZQUEZ, J.A. (2009):** Recovery of Proteolytic and Collagenolytic Activities from Viscera By-products of Rayfish (*Raja clavata*). *Marine Drugs*, 7 (4): 803-815
- NASBY-LUCAS, N. & DEWAR, H. & LAM, C.H. & GOLDMAN, K.J. & DOMEIER, M.L. (2009):** White Shark Offshore Habitat: A Behavioral and Environmental Characterization of the Eastern Pacific Shared Offshore Foraging Area. *PLoS ONE*, 4 (12)
- NAVIA, A.F. (2009):** Hábitos alimentarios, relaciones tróficas e importancia ecológica de *Urotrygon rogersi* (Elasmobranchii: Batoidea) en la zona central del océano pacífico colombiano. Thesis, Universidad del Valle, FACULTAD DE CIENCIAS, NATURALES Y EXACTAS, MAESTRÍA EN CIENCIAS BIOLÓGICA
- NAZEMROAYA, S. & SAHARI, M.A. & REZAEI, M. (2009):** Effect of frozen storage on fatty acid composition and changes in lipid content of *Scomberomorus commersoni* and *Carcharhinus dussumieri*. *Journal of Applied Ichthyology*, 25 (1): 91-95
- O'NEILL, P. & MCCOLE, R.B. & BAKER, C.V.H. (2009):** Corrigendum to "A molecular analysis of neurogenic placode and cranial sensory ganglion development in the shark,..". *Developmental Biology*, 332 (1): 186-188
- ORTEGA, L.A. & HEUPEL, M.R. & VAN BEYNEN, P. & MOTTA, P.J. (2009):** Movement patterns and water quality preferences of juvenile bull sharks (*Carcharhinus leucas*) in a Florida estuary. *Environmental Biology of Fishes*, 84 (4): 361-373 Abstract: <http://dx.doi.org/10.1007/s10641-009-9442-2>
- OVENDEN, J.R. & KASHIWAGI, T. & BRODERICK, D. & GILES, J. & SALINI, J. (2009):** The extent of population genetic subdivision differs among four co-distributed shark species in the Indo-Australian archipelago. *BMC Evolutionary Biology*, 9 (1): 40 Abstract: <http://dx.doi.org/10.1186/1471-2148-9-40>

- P, Q, R, S -

PADE, N.G. & QUEIROZ, N. & HUMPHRIES, N.E. & WITT, M.J. & JONES, C.S. & NOBLE, L.R. & SIMS, D.W. (2009): First results from satellite-linked archival tagging of porbeagle shark, *Lamna nasus*: Area fidelity, wider-scale movements and plasticity in diel depth changes. *Journal of Experimental Marine Biology and Ecology*, 370 (1): 64-74

PAESCH, L. & ODDONE, M.C. (2009): Size at maturity and egg capsules of the softnose skates *Bathyraja brachyurops* (Fowler, 1910) and *Bathyraja macloviana* (Norman, 1937) (Elasmobranchii: Rajidae) in the SW Atlantic (37°00'–39°30'S). *Journal of Applied Ichthyology*, 25 (S1): 66-71

PAPASTAMATIOU, Y.P. & CASELLE, J.E. & FRIEDLANDER, A.M. & LOWE, C.G. (2009): Distribution, size frequency, and sex ratios of blacktip reef sharks *Carcharhinus melanopterus* at Palmyra Atoll: a predator-dominated ecosystem. *Journal of Fish Biology*, 75 (3): 647-654 Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2009.02329.x>

PAPASTAMATIOU, Y.P. & LOWE, C.G. & CASELLE, J.E. & FRIEDLANDER, A.M. (2009): Scale-dependent effects of habitat on movements and path structure of reef sharks at a predator-dominated atoll. *Ecology*, 90 (4): 996-1008

PEACH, M.B. & MARSHALL, N.J. (2009): The comparative morphology of pit organs in elasmobranchs. *Journal of Morphology*, 270: 688-701

PETERSEN, S.L. & HONIG, M.B. & RYAN, P.G. & UNDERHILL, L.G. & COMPAGNO, LJV (2009): Pelagic shark bycatch in the tuna- and swordfish-directed longline fishery off southern Africa *African Journal of Marine Science*, 31 (2): 215-225

PIERCE, S.J. & PARDO, S.A. & BENNETT, M.B. (2009): Reproduction of the blue-spotted maskray *Neotrygon kuhlii* (Myliobatoidei: Dasyatidae) in south-east Queensland, Australia. *Journal of Fish Biology*, 74 (6): 1291-1308 Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2009.02202.x>

PILGRIM, B.L. & FRANZ-ODENDAAL, T.A. (2009): A comparative study of the ocular skeleton of fossil and modern chondrichthyans. *Journal of Anatomy*, 214 (6): 848-858

PILLANS, R.D. & STEVENS, J.D. & KYNE, P.M. & SALINI, J. (2009): Observations on the distribution, biology, short-term movements and habitat requirements of river sharks *Glyphis* spp. in northern Australia. *Endangered Species Research*, 10: 321-332 Abstract: <http://dx.doi.org/10.3354/esr00206>

PINHAL, D. & GADIG, O.B.F. & MARTINS, C. (2009): Genetic identification of the sharks *Rhizoprionodon porosus* and *R. lalandii* by PCR-RFLP and nucleotide sequence analyses of 5S rDNA. *Conservation Genetics Resources*, 1 (1): 35-38 Abstract: <http://dx.doi.org/10.1007/s12686-009-9008-9>

PINHAL, DANILLO. & ARAKI, CARLOS.S. & GADIG, OTTO.B.F. & MARTINS, CESAR. (2009): Molecular organization of 5S rDNA in sharks of the genus *Rhizoprionodon*: insights into the evolutionary dynamics of 5S rDNA in vertebrate genomes. *Genetical research*, 91 (1): 61-72

PORTER, M.E. & ROQUE, C.M. & LONG, J.H. (2009): Turning Maneuvers in Sharks: Predicting Body Curvature From Axial Morphology. *Journal of Morphology*, 270 (8): 954-965 Abstract: <http://dx.doi.org/10.1002/jmor.10732>

PORTNOY, D.S. & McDOWELL, J.R. & McCANDLESS, C.T. & MUSICK, J.A. & GRAVES, J.E. (2009): Effective size closely approximates the census size in the heavily exploited western Atlantic population of the sandbar shark, *Carcharhinus plumbeus*. Conservation Genetics, 10 (6): 1697-1705 Abstract: <http://dx.doi.org/10.1007/s10592-008-9771-2>

PRECIADO, I. & CARTES, J.E. & SERRANO, A. & VELASCO, F. & OLASO, I. & SÁNCHEZ, F. & FRUTOS, I. (2009): Resource utilization by deep-sea sharks at the Le Danois Bank, Cantabrian Sea, north-east Atlantic Ocean. Journal of Fish Biology, 75 (6): 1331-1355 Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2009.02367.x>

PRIEDE, I.G. & MILLER, P.I. (2009): A basking shark (*Cetorhinus maximus*) tracked by satellite together with simultaneous remote sensing II: New analysis reveals orientation to a thermal front. Fisheries Research, 95 (2-3): 370-372

PRISCO, M. & DEL GIUDICE, G. & AGNESE, M. & RICCHIARI, L. & CAMPANELLA, C. & ANDREUCETTI, P. (2009): Organization of the Vitelline Envelope in Ovarian Follicles of *Torpedo marmorata* Risso, 1810 (Elasmobranchii: Torpediniformes) Journal of Experimental Zoology Part B: Molecular and Developmental Evolution, 312: 714-721 Abstract: <http://dx.doi.org/10.1002/jez.b.21289>

PRISCO, M. & DONIZETTI, A. & ANIELLO, F. & LOCASCIO, A. & DEL GIUDICE, G. & AGNESE, M. & ANGELINI, F. & ANDREUCETTI, P. (2009): Expression of Prothymosin alpha during the spermatogenesis of the spotted ray *Torpedo marmorata*. General and Comparative Endocrinology, 164 (1): 70-76

PROKOFIEV, A.M. & KUKUEV, E.I. (2009): New findings of rare fish species from families mitsukurinidae (Chondrichthyes), muraenidae, lophiidae, macrouridae, and psychrolutidae (Teleostei) on raises of the atlantic ocean with the description of *Gymnothorax walvisensis* sp. nova. Journal of Ichthyology, 49 (3): 215-227 Abstract: <http://dx.doi.org/10.1134/S0032945209030023>

QUIROZ, J.C. & WIFF, R. & CÉSPEDES, R. (2009): Reproduction and population aspects of the yellownose skate, *Dipturus chilensis* (Pisces, Elasmobranchii: Rajidae), from southern Chile. Journal of Applied Ichthyology, 25 (S1): 72-77

RAVI, V. & LAM, K. & TAY, B.-H. & TAY, A. & BRENNER, S. & VENKATESH, B. (2009): Elephant shark (*Callorhynchus milii*) provides insights into the evolution of Hox gene clusters in gnathostomes. Proceedings of the National Academy of Sciences of the United States of America, 106 (38): 16327-16332

REEVE, A. & HANDY, R.D. & GRUBER, S.H. (2009): Prey selection and functional response of juvenile lemon sharks *Negaprion brevirostris*. Journal of Fish Biology, 75 (1): 276-281 Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2009.02265.x>

REVILL, A.T. & YOUNG, J.W. & LANSDELL, M. (2009): Stable isotopic evidence for trophic groupings and bio-regionalization of predators and their prey in oceanic waters off eastern Australia. Marine Biology, 156 (6): 1241-1253 Abstract: <http://dx.doi.org/10.1007/s00227-009-1166-5>

RICHARDS, V.P. & HENNING, M. & WITZELL, W. & SHIVJI, M.S. (2009): Species Delineation and Evolutionary History of the Globally Distributed Spotted Eagle Ray (*Aetobatus narinari*). Journal of Heredity, 100 (3): 273-283

RILEY, M.J. & HARMAN, A. & REES, R.G. (2009): Evidence of continued hunting of whale sharks *Rhincodon typus* in the Maldives. Environmental Biology of Fishes, 86 (3): 371-374 Abstract: <http://dx.doi.org/10.1007/s10641-009-9541-0>

ROCCO, L. & BENCIVENGA, S. & ARCHIMANDRITIS, A. & STINGO, V. (2009): Molecular characterization and chromosomal localization of spermatogenesis related sequences in *Torpedo torpedo* (Chondrichthyes, Torpediniformes). *Marine Genomics*, 2 (2): 99-102
Abstract: <http://dx.doi.org/10.1016/j.margen.2009.06.001>

RODRÍGUEZ-MOLDES, I. (2009): A developmental approach to forebrain organization in elasmobranchs: new perspectives on the regionalization of the telencephalon. *Brain, Behavior and Evolution*, 74 (1): 20-29

ROMANOV, E.V. & WARD, P. & LEVESQUE, J.C. & LAWRENCE, E. (2009): Preliminary analysis of crocodile shark (*Pseudocarcharias kamoharai*) distribution and abundance trends in pelagic longline fisheries. IOTC Working Party on Environment and Bycatch (WPEB) Bangkok, Thailand.

ROMINE, J.G. & MUSICK, J.A. & BURGESS, G.H. (2009): Demographic analyses of the dusky shark, *Carcharhinus obscurus*, in the Northwest Atlantic incorporating hooking mortality estimates and revised reproductive parameters. *Environmental Biology of Fishes*, 84 (3): 277-289
Abstract: <http://dx.doi.org/10.1007/s10641-008-9435-6>

ROTENSTEIN, L. & MILANES, A. & JUAREZ, M. & REYES, M. & DE BELLARD, M.E. (2009): Embryonic development of glial cells and myelin in the shark, *Chiloscyllium punctatum*. *Gene Expression Patterns*, 9 (8): 572-585

ROWAT, D. & GORE, M. & MEEKAN, M.G. & LAWLER, I.R. & BRADSHAW, C.J.A. (2009): Aerial survey as a tool to estimate whale shark abundance trends. *Journal of Experimental Marine Biology and Ecology*, 368 (1): 1-8

ROWAT, D. & SPEED, C.W. & MEEKAN, M.G. & GORE, M.A. & BRADSHAW, C.J.A. (2009): Population abundance and apparent survival of the vulnerable whale shark *Rhincodon typus* in the Seychelles aggregation. *Oryx*, 43 (4): 591-598

RUHNKE, T.R. & CAIRA, J.N. (2009): Two new species of *Anthobothrium* van Beneden, 1850 (Tetraphyllidea: Phyllobothriidae) from carcharhinid sharks, with a redescription of *Anthobothrium laciniatum* Linton, 1890. *Systematic Parasitology*, 72 (3): 217-227
Abstract: <http://dx.doi.org/10.1007/s11230-008-9168-0>

RUHNKE, T.R. & SEAMAN, H.B. (2009): Three new species of *Anthocephalum* Linton, 1890 (Cestoda: Tetraphyllidea) from dasyatid stingrays of the Gulf of California. *Systematic Parasitology*, 72 (2): 81-95
Abstract: <http://dx.doi.org/10.1007/s11230-008-9170-6>

RUOCCO, N.L. & LUCIFORA, L.O. & DÍAZ DE ASTARLOA, J.M. & BREMEC, C. (2009): Diet of the white-dotted skate, *Bathyraja albomaculata*, in waters of Argentina. *Journal of Applied Ichthyology*, 25 (S1): 94-97

SAÏDI, B. & BRADAÏ, M.N. & BOUAÏN, A. (2009): Reproductive biology and diet of *Mustelus punctulatus* (Risso, 1826) (Chondrichthyes: Triakidae) from the Gulf of Gabès, central Mediterranean Sea. *Scientia Marina*, 73 (2): 249-258

SAÏDI, B. & ENAJJAR, S. & BRADAÏ, M.N. & BOUAÏN, A. (2009): Diet composition of smooth-hound shark, *Mustelus mustelus* (Linnaeus, 1758), in the Gulf of Gabès, southern Tunisia. *Journal of Applied Ichthyology*, 25 (S1): 113-118

SALOMÓN-AGUILAR, C.A. & VILLAVICENCIO-GARAYZAR, C.J. & REYES-BONILLA, H. (2009): Shark breeding grounds and seasons in the Gulf of California: Fishery management and conservation strategy. *Ciencias Marinas*, 35 (4): 369-388

SANDBLOM, E. & COX, G.K. & PERRY, S.F. & FARRELL, A.P. (2009): The role of venous capacitance, circulating catecholamines, and heart rate in the hemodynamic response to increased temperature and hypoxia in the dogfish. *American Journal of Physiology. Regulatory, Integrative and Comparative Physiology*, 296 (5): 1547-1556 Abstract: <http://dx.doi.org/10.1152/ajpregu.90961.2008>

SANTANA, F.M. & DUARTE-NETO, P. & LESSA, R. (2009): Demographic analysis of the night shark (*Carcharhinus signatus*, Poey, 1868) in the equatorial Southwestern Atlantic.... *Fisheries Research*, 100 (3): 210-214 Abstract: <http://dx.doi.org/10.1016/j.fishres.2009.07.009>

SCHMIDT, J.V. & SCHMIDT, C.L. & OZER, F. & ERNST, R.E. & FELDHEIM, K.A. & ASHLEY, M.V. & LEVINE, M. (2009): Low Genetic Differentiation across Three Major Ocean Populations of the Whale Shark, *Rhincodon typus*. *PLoS ONE* 4(4): e4988 Abstract: <http://dx.doi.org/10.1371/journal.pone.000498>

SCHWINGEL, P.R. & ASSUNÇÃO, R. (2009): Hábitos alimentares da raia Atlantoraja platana (Günther, 1880) (Elasmobranchii, Rajidae) no litoral norte de Santa Catarina, Brasil. *Pan-American Journal of Aquatic Sciences*, 4 (4): 446-455

SEGURA, A.M. & MILESSI, A.C. (2009): Biological and reproductive characteristics of the Patagonian smoothhound *Mustelus schmitti* (Chondrichthyes, Triakidae) as documented from an artisanal fishery in Uruguay. *Journal of Applied Ichthyology*, 25 (S1): 78-82

SEMBA, Y. & NAKANO, H. & AOKI, I. (2009): Age and growth analysis of the shortfin mako, *Isurus oxyrinchus*, in the western and central North Pacific Ocean. *Environmental Biology of Fishes*, 84 (4): 377-391 Abstract: <http://dx.doi.org/10.1007/s10641-009-9447-x>

SENTHIL.KUMAR, K. & ZUSHI, Y. & MASUNAGA, S. & GILLIGAN, M. & PRIDE, C. & SAJWAN, K.S. (2009): Perfluorinated organic contaminants in sediment and aquatic wildlife, including sharks, from Georgia, USA. *Marine Pollution Bulletin*, 58 (4): 621-629

SÉRET, B. & LAST, P.R. (2009): *Notoraja sapphira* sp. nov. (Rajoidei: Arhynchobatidae), a new deepwater skate from the slopes of the Norfolk Ridge (South-West Pacific). *Zootaxa*, 2153: 24-34

SEVERINO, R.B. & AFONSO- DIAS, I. & DELGADO, J. & AFONSO- DIAS, M. (2009): Aspects of the biology of the leaf- scale gulper shark *Centrophorus squamosus* (Bonnaterre, 1788) off Madeira archipelago. *Arquipélago. Life and Marine Sciences*, 26: 57-61

SHIBUYA, A. & ARAÚJO, M.L.G. & ZUANON, J.A.S. (2009): Analysis of stomach contents of freshwater stingrays (Elasmobranchii, Potamotrygonidae) from the middle Negro River, Amazonas, Brazil. *Pan-American Journal of Aquatic Sciences*, 4 (4): 466-475

SHIMADA, K. & RIGSBY, C.K. & KIM, S.H. (2009): Labial Cartilages in the Smalltooth Sandtiger Shark, *Odontaspis ferox* (Lamniformes: Odontaspidae) and Their Significance to the Phylogeny of Lamniform Sharks. *Anatomical Record*, 292 (6): 813-817 Abstract: <http://dx.doi.org/10.1002/ar.20903>

SHIN, D.H. & WEBB, B.M. & NAKAO, M. & SMITH, S.L. (2009): Characterization of shark complement factor I gene(s): Genomic analysis of a novel shark-specific sequence. *Molecular Immunology*, 46 (11): 2299-2308

SILVA, C.E.D.A.E. & AZEREDO, A. & DIAS, A.D.C.L. & COSTA, P. & LAILSON-BRITO, J. & MALM, O. & GUIMARAES, J.R.D. & TORRES, J.P.M. (2009): Organochlorine compounds in sharks from the Brazilian coast. *Marine Pollution Bulletin*, 58 (2): 294-298

SIMPFENDORFER, C.A. & KYNE, P.M. (2009): Limited potential to recover from overfishing raises concerns for deep-sea sharks, rays and chimaeras. *Environmental Conservation*, 36 (2): 97-103 Abstract: <http://dx.doi.org/10.1017/S0376892909990191>

SISNEROS, J.A. & FAY, RICHARD.R. (2009): Auditory saccular potentials of the little skate, *Raja erinacea*. *Journal of the Acoustical Society of America*, 125 (4): 2506-

SKOMAL, G.B. & ZEEMAN, S.I. & CHISHOLM, J.H. & SUMMERS, E.L. & WALSH, H.J. & McMAHON, K.W. & THORROLD, S.R. (2009): Transequatorial Migrations by Basking Sharks in the Western Atlantic Ocean. *Current Biology*, 19 (12): 1019-1022

SLEEMAN, J.C. & MEEKAN, M.G. & FITZPATRICK, B.J. & STEINBERG, C.R. & ANCEL, R. & BRADSHAW, C.J.A. (2009): Oceanographic and atmospheric phenomena influence the abundance of whale sharks at Ningaloo Reef, Western Australia. *Journal of Experimental Marine Biology and Ecology*, 382 (2): 77-81

SMITH, W.D. & BIZZARRO, J.J. & CAILLIET, G.M. (2009): The artisanal elasmobranch fishery on the east coast of Baja California, Mexico: Characteristics and management considerations. *Ciencias Marinas*, 35 (2): 209-236

SMITH, W.D. & BIZZARRO, J.J. & RICHARDS, V.P. & NIELSEN, J. & MÁRQUEZ-FARÍAS, J.F. & SHIVJI, M.S. (2009): Morphometric convergence and molecular divergence: the taxonomic status and evolutionary history of *Gymnura crebripunctata* and *Gymnura marmorata* in the eastern Pacific Ocean. *Journal of Fish Biology*, 75 (4): 761-783 Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2009.02300.x>

SPEED, C.W. & MEEKAN, M.G. & RUSSELL, B.C. & BRADSHAW, C.J.A. (2009): Recent whale shark (*Rhincodon typus*) beach strandings in Australia. *Marine Biodiversity Records*, 2: 1-3

STEHMANN, M. & THIEL, R. & ROSENTHAL, H. (2009): Research on Elasmobranchs (sharks, skates and rays) – improving our knowledge base to conserve and manage these highly endangered and ancient fish. *Journal of Applied Ichthyology*, 25 (S1): 1-2

STORRIE, M.T. & WALKER, T.I. & LAURENSEN, L.J. & HAMLETT, W.C. (2009): Gestational Morphogenesis of the Uterine Epithelium of the Gummy Shark (*Mustelus antarcticus*). *Journal of Morphology*, 270 (3): 319-336 Abstract: <http://dx.doi.org/10.1002/jmor.10693>

SWAIN, D.P. & JONSEN, I.D. & SIMON, J.E. & MYERS, R.A. (2009): Assessing threats to species at risk using stage-structured state-space models: mortality trends in skate populations. *Ecological applications* : a publication of the Ecological Society of America, 19 (5): 1347-1364

- T, U, V, W, X, Y, Z -

TAN, R.-H. & ZHOU, L. & YANG, W.-C. (2009): A new cestode (Tetraphyllidea: Phyllobothriidae) in elasmobranchs from the Taiwan Strait. *Journal of Parasitology*, 95 (3): 739-742

- TAVARES, R. (2009):** Fishery biology of the Caribbean reef sharks, *Carcharhinus perezi* (Poey, 1876), in a Caribbean insular platform: Los Roques Archipelago National Park, Venezuela. *Pan-American Journal of Aquatic Sciences*, 4 (4): 500-512
- TAZEROUTI, F. & KECHEMIR-ISSAD, N. & EUZET, L. (2009):** [*Acanthobothrium minus* n. sp. (Tetraphyllidea: Onchobotriidae) parasite of c (Elasmobranchii: Rajidae) in Mediterranean Sea]. *Parasite (Paris, France)*, 16 (3): 203-207
- THEISS, S.M. & HART, N.S. & COLLIN, S.P. (2009):** Morphological indicators of olfactory capability in Wobbegong sharks (Orectolobidae, Elasmobranchii). *Brain, Behavior and Evolution*, 73 (2): 91-101
- THIEL, R. & EIDUS, I. & NEUMANN, R. (2009):** The Zoological Museum Hamburg (ZMH) fish collection as a global biodiversity archive for elasmobranchs and actinopterygians as well as other fish taxa. *Journal of Applied Ichthyology*, 25 (S1): 9-32
- THORPE, T. & FRIERSON, D. (2009):** Bycatch mitigation assessment for sharks caught in coastal anchored gillnets. *Fisheries Research*, 98 (1-3): 102-112 Abstract: <http://dx.doi.org/10.1016/j.fishres.2009.04.003>
- THORSON, J.T. & SIMPFENDORFER, C.A. (2009):** Gear selectivity and sample size effects on growth curve selection in shark age and growth studies. *Fisheries Research*, 98 (1-3): 75-84
- TOVAR-ÁVILA, J. & IZZO, C. & WALKER, T.I. & BRACCINI, J.M. & DAY, R.W. (2009):** Assessing growth band counts from vertebrae and dorsal-fin spines for ageing sharks: comparison of four methods applied to *Heterodontus portusjacksoni*. *Marine and Freshwater Research*, 60 (9): 898-903
- TOVAR-ÁVILA, J. & TROYNIKOV, V.S. & WALKER, T.I. & DAY, R.W. (2009):** Use of stochastic models to estimate the growth of the Port Jackson shark, *Heterodontus portusjacksoni*, off eastern Victoria, Australia. *Fisheries Research*, 95 (2-3): 230-235
- TOVAR-ÁVILA, J. & ARENAS-FUENTES, V. & CHIAPPA-CARRARA, X. (2009):** Edad y crecimiento del tiburón puntas negras, *Carcharhinus limbatus*, en el Golfo de México. *Ciencia Pesquera*, 17 (1): 47-58
- TRICAS, T.C. & KAJIURA, S.M. & SUMMERS, A.P. (2009):** Response of the hammerhead shark olfactory epithelium to amino acid stimuli. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology*, 195 (1): 947-954 Abstract: <http://dx.doi.org/10.1007/s00359-009-0470-3>
- TSUTSUI, S. & YAMAGUCHI, M. & HIRASAWA, A. & NAKAMURA, O. & WATANABE, T. (2009):** Common skate (*Raja kenjoi*) secretes pentraxin into the cutaneous secretion: The first skin mucus lectin in cartilaginous fish. *Journal of Biochemistry*, 146 (2): 295-306
- UBEDA, A.J. & SIMPFENDORFER, C.A. & HEUPEL, M.R. (2009):** Movements of bonnetheads, *Sphyrna tiburo*, as a response to salinity change in a Florida estuary. *Environmental Biology of Fishes*, 84 (3): 293-303 Abstract: <http://dx.doi.org/10.1007/s10641-008-9436-5>
- VAUDO, J.J. & HEITHAUS, M.R. (2009):** Spatiotemporal variability in a sandflat elasmobranch fauna in Shark Bay, Australia. *Marine Biology*, 156 (12): 2579-2590 Abstract: <http://dx.doi.org/10.1007/s00227-009-1282-2>

- VAUGHAN, D.B. & CHISHOLM, L.A. (2009):** Three Dendromonocotyle species (Monogenea: Monocotylidae) reported from captive rays, including *D. lotteri* sp. n. from *Himantura gerrardi* (Elasmobranchii: Dasyatidae) in the public aquarium at the Atlantis resort, Dubai. *Folia parasitologica*, 56 (2): 99-106
- VÉLEZ-MARÍN, R. & MÁRQUEZ-FARÍAS, J.F. (2009):** Distribution and size of the shortfin mako (*Isurus oxyrinchus*) in the Mexican Pacific Ocean. *Pan-American Journal of Aquatic Sciences*, 4 (4): 490-499
- VÖGLER, R. & MILESSI, A.C. & DUARTE, L.O. (2009):** Changes in trophic level of *Squatina guggenheim* with increasing body length: relationships with type, size and trophic level of its prey. *Environmental Biology of Fishes*, 84 (4): 41-52 Abstract: <http://dx.doi.org/10.1007/s10641-008-9387-x>
- WALLACE, S.S. & McFARLANE, G.A. & CAMPANA, S.E. & KING, J.R. (2009):** Status of spiny dogfish in Atlantic and Pacific Canada. In: Gallucci, V. F., McFarlane, G. A., and Bargmann, G. G. [eds]. *Biology and management of dogfish sharks*. American Fisheries Society. Bethesda, Maryland: 313-334
- WATANABE, T. & INOUE, K. & TAKEI, Y. (2009):** Identification of angiotensinogen genes with unique and variable angiotensin sequences in chondrichthyans. *General and Comparative Endocrinology*, 161 (1): 115-122
- WEARMOUTH, V.J. & SIMS, D.W. (2009):** Movement and behaviour patterns of the critically endangered common skate *Dipturus batis* revealed by electronic tagging. *Journal of Experimental Marine Biology and Ecology*, 380 (1): 77-87
- WEARMOUTH, V.J. & SOUTHALL, E.J. & MORRITT, D. & THOMPSON, R.C. & BUDD, G.C. & CUTHILL, I.C. & PARTRIDGE, J.C. & SIMS, D.W. (2009):** Sexual segregation as a behavioural mediator of elasmobranch population dynamics. *Comparative Biochemistry and Physiology - Part A*, 153 (2): S67-S67 Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.04.014>
- WEINER, L. & SHNYROV, V.L. & KONSTANTINOVSKII, L. & ROTH, E. & ASHANI, Y. & SILMAN, I. (2009):** Stabilization of *Torpedo californica* acetylcholinesterase by reversible inhibitors. *Biochemistry*, 48 (3): 563-574 Abstract: <http://dx.doi.org/10.1021/bi801196y>
- WHITE, W.T. & COMPAGNO, L.J.V. & DHARMADI (2009):** *Hemitriakis indroyonoi* sp. nov., a new species of houndshark from Indonesia (Carcharhiniformes: Triakidae). *Zootaxa*, 2110: 41-57
- WHITTINGTON, I.D. & KEARN, G.C. (2009):** Two new species of entobdelline skin parasites (Monogenea, Capsalidae) from the blotched fantail ray, *Taeniura meyeni*, in the Pacific Ocean, with comments on spermatophores and the male copulatory apparatus. *Acta Parasitologica*, 54 (1): 12-21 Abstract: <http://dx.doi.org/10.2478/s11686-009-0013-7>
- WHITTINGTON, I.D. & KEARN, G.C. (2009):** Two new species of *Neotentobdella* (Monogenea: Capsalidae: Entobdellinae) from the skin of Australian stingrays (Dasyatidae). *Folia parasitologica*, 56 (1): 29-35
- WONG, E.H.-K. & SHIVJI, M.S. & HANNER, R.H. (2009):** Identifying sharks with DNA barcodes: assessing the utility of a nucleotide diagnostic approach. *Molecular Ecology Resources*, 9: 243-256
- WONG, M.K.S. & TAKEI, Y. (2009):** Cyclostome and chondrichthyan adrenomedullins reveal ancestral features of the adrenomedullin family. *Comparative Biochemistry and Physiology - Part B*, 154 (3): 317-325

WOOD, A.D. & WETHERBEE, B.M. & JUANES, F. & KOHLER, N.E. & WILGA, C. (2009): Recalculated diet and daily ration of the shortfin mako (*Isurus oxyrinchus*), with a focus on quantifying predation on bluefish (*Pomatomus saltatrix*) in the northwest Atlantic Ocean. *Fishery Bulletin*, 107 (1): 76-88

WOOD, C.M. & SCHULTZ, A.G. & MUNGER, R.S. & WALSH, P.J. (2009): Using omeprazole to link the components of the post-prandial alkaline tide in the spiny dogfish, *Squalus acanthias*. *Journal of Experimental Biology*, 212 (5): 684-692

WOOD, C.M. & WALSH, P.J. & KAJIMURA, M. & McCLELLAND, G. & CHEW, S.F. (2009): The influence of feeding and fasting on plasma metabolites in the dogfish shark (*Squalus acanthias*). *Comparative Biochemistry and Physiology - Part A*, 153 (2): S66-S67
Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.04.012>

WUERINGER, B.E. & TIBBETTS, I.R. & WHITEHEAD, D.L. (2009): Ultrastructure of the ampullae of Lorenzini of *Aptychotrema rostrata* (Rhinochimaeridae). *Zoomorphology*, 128 (2): 45-52
Abstract: <http://dx.doi.org/10.1007/s00435-008-0073-5>

WYNEN, L. & LARSON, H. & THORBURN, D. & PEVERELL, S.C. & MORGAN, D. & FIELD, I. & GIBB, K. (2009): Mitochondrial DNA supports the identification of two endangered river sharks (*Glyphis glyphis* and *Glyphis garricki*) across northern Australia. *Marine and Freshwater Research*, 60 (6): 554-562

YAMAGUCHI, A. & KUME, G. (2009): Reproductive biology of the fanray, *Platyrrhina sinensis* (Batoidea: Platyrrhinidae) in Ariake Bay, Japan. *Ichthyological Research*, 56 (2): 133-139
Abstract: <http://dx.doi.org/10.1007/s10228-008-0078-6>

YAMAGUCHI, Y. & TAKAKI, S. & HYODO, S. (2009): Subcellular Distribution of Urea Transporter in the Collecting Tubule of Shark Kidney is Dependent on Environmental Salinity. *Journal of Experimental Zoology Part A: Comparative Experimental Biology*, 311: 705-718

YELDAN, H. & AVSAR, D. & MANASIRLI, M. (2009): Age, growth and feeding of the common stingray (*Dasyatis pastinaca*, L., 1758) in the Cilician coastal basin, northeastern Mediterranean Sea. *Journal of Applied Ichthyology*, 25 (S1): 98-102

YIGIN, C.C. & ISMEN, A. (2009): Length–weight relationships for seven rays from Saros Bay (North Aegean Sea). *Journal of Applied Ichthyology*, 25 (S1): 106-108

YOPAK, K. & FRANK, LR. (2009): Brain size and brain organization of the whale shark, *Rhincodon typus*, using magnetic resonance imaging. *Brain, Behavior and Evolution*, 74 (2): 121-142

ZARBALIS, K. & CHOE, Y. & MAUTE, R.L. & PETERSON, A.S. & PLEASURE, S.J. (2009): Manta ray a novel ENU mutant with brain and craniofacial defects. *Developmental Biology*, 331 (2): 494-495

Aetobatus	- 25 -
Aetomylaeus	- 11 -
Alopias	- 9 -
Aptychotrema	- 31 -
Atlantoraja	- 11 -, - 27 -
Bathyraja	- 16 -, - 23 -, - 26 -
Callorhynchus	- 12 -, - 18 -, - 19 -, - 25 -
Carcharhinus	- 9 -, - 13 -, - 17 -, - 21 -, - 23 -, - 24 -, - 26 -, - 28 -, - 29 -
Carcharias	- 7 -
Carcharodon	- 3 -, - 12 -, - 15 -, - 17 -
Centrophorus	- 27 -
Centroscymnus	- 20 -
Cephaloscyllium	- 7 -
Cetorhinus	- 24 -
Chiloscyllium	- 10 -, - 16 -, - 26 -
Chlamydoselachus	- 2 -, - 13 -
Dasyatis	- 16 -, - 18 -, - 20 -, - 21 -, - 31 -
Dipturus	- 25 -, - 30 -
Doliodus	- 5 -
Etmopterus	- 11 -, - 14 -
Galeocerdo	- 16 -, - 22 -
Galeorhinus	- 10 -
Galeus	- 14 -
Ginglymostoma	- 7 -, - 15 -
Glyphis	- 7 -, - 24 -, - 31 -
Goodrichthys	- 3 -
Gymnura	- 17 -, - 28 -
Helicoprion	- 4 -
Hemigaleus	- 12 -
Hemiscyllium	- 10 -, - 23 -
Hemitriakis	- 30 -
Heterodontus	- 8 -, - 17 -, - 18 -, - 29 -
Himantura	- 12 -, - 14 -, - 30 -
Hongoe	- 17 -
Hydrolagus	- 8 -, - 17 -
Isurus	- 9 -, - 10 -, - 14 -, - 20 -, - 27 -, - 30 -, - 31 -
Lamna	- 23 -
Lamniformes	- 1 -, - 3 -, - 6 -, - 27 -
Leucoraja	- 15 -, - 20 -, - 22 -
Lissodus	- 3 -
Manta	- 20 -, - 21 -, - 31 -
Megachasma	- 6 -
Mustelus	- 9 -, - 10 -, - 14 -, - 26 -, - 27 -, - 28 -
Narcine	- 20 -, - 21 -, - 22 -
Negaprion	- 10 -, - 12 -, - 14 -, - 15 -, - 18 -, - 25 -
Neotrygon	- 24 -
Notoraja	- 27 -
Oxynotus	- 13 -
Paraorthacodus	- 4 -
Platyrhina	- 31 -
Plesiobatis	- 7 -
	- 31 -

Potamotrygon	- 11 -, - 17 -, - 19 -, - 22 -
Prionace	- 7 -, - 9 -, - 10 -, - 14 -, - 19 -, - 22 -
Propristis	- 3 -
Psammobatis	- 11 -
Pseudocorax	- 6 -
Pseudodalatias	- 2 -
Pteromylaeus	- 19 -
Ptychodus	- 6 -
Raja	- 15 -, - 19 -, - 20 -, - 21 -, - 23 -, - 28 -, - 29 -
Rhincodon	- 9 -, - 16 -, - 21 -, - 25 -, - 26 -, - 27 -, - 28 -, - 31 -
Rhinobatos	- 19 -, - 20 -
Rhinoptera	- 15 -
Rhizoprionodon	- 10 -, - 19 -, - 22 -, - 24 -
Rioraja	- 8 -, - 11 -, - 14 -
Scyliorhinus	- 7 -, - 11 -, - 12 -, - 14 -, - 15 -, - 18 -
Sphyrna	- 10 -, - 14 -, - 18 -, - 20 -, - 29 -
Squalus	- 12 -, - 13 -, - 18 -, - 31 -
Squatina	- 8 -, - 22 -, - 30 -
Sympterygia	- 13 -
Torpedo	- 25 -, - 30 -
Tribodus	- 4 -
Urobatis	- 8 -, - 12 -, - 21 -
Urogymnus	- 10 -
Urotrygon	- 23 -
Xiphodolamia	- 1 -
Zapteryx	- 11 -, - 12 -, - 20 -