

**Database of bibliography of living/fossil sharks and rays
(Chondrichthyes: Selachii)**

Papers of the year 2010

**published by
Jürgen Pollerspöck, Stephansposching, Germany**

Inhalt

Fossil	- 1 -
Complete list (arrange in alphabetical order)	- 1 -
- A, B, C-	- 1 -
- D, E, F, G -	- 3 -
- H, I, J, K -	- 4 -
- L, M, N, O -	- 5 -
- P, Q, R, S -	- 5 -
- T, U, V, W, X, Y, Z -	- 6 -
Rezent	- 7 -
Complete list (arrange in alphabetical order)	- 7 -
- A, B, C-	- 7 -
- D, E, F, G -	- 11 -
- L, M, N, O -	- 19 -
- P, Q, R, S -	- 24 -
- T, U, V, W, X, Y, Z -	- 28 -
Index (only genus)	- 31 -

Fossil

Complete list (arrange in alphabetical order)

- A, B, C-

ADNET, S. & BALBINO, A.C. & ANTUNES, M.T. & MARÍN-FERRER, J.M. (2010): New fossil teeth of the White Shark (*Carcharodon carcharias*) from the Early Pliocene of Spain. Implication for its paleoecology in the Mediterranean. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 256 (1): 7-16
Abstract: <http://dx.doi.org/10.1127/0077-7749/2009/0029>

ADNET, S. & CAPPETTA, H. & TABUCE, R. (2010): A Middle-Late Eocene vertebrate fauna (marine fish and mammals) from southwestern Morocco; preliminary report: age and palaeobiogeographical implications. *Geological Magazine*, 147 (6): 860-870
Abstract: <http://dx.doi.org/10.1017/S0016756810000348>

- AMIOT, R. & WANG, X. & LÉCUYER, C. & BUFFETAUT, E. & BOUDAD, L. & CAVIN, L. & DING, Z. & FLUTEAU, F. & KELLNER, A.W.A. & TONG, H. & ZHANG, F. (2010):** Oxygen and carbon isotope compositions of middle Cretaceous vertebrates from North Africa and Brazil: Ecological and environmental significance. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 297 (2): 439-451
Abstract: <http://dx.doi.org/10.1016/j.palaeo.2010.08.027>
- ANDREEV, P.S. (2010):** Enameloid Microstructure of the Serrated Cutting Edges in Certain Fossil Carcharhiniform and Lamniform Sharks. *Microscopy Research and Technique*, 73 (7): 704-713
Abstract: <http://dx.doi.org/10.1002/jemt.20811>
- BECKER, M.A. & WELLNER, R.W. & MALLERY, C.S. & CHAMBERLAIN, J.A. (2010):** Chondrichthyans from the Lower Ferron Sandstone Member of the Mancos Shale (upper Cretaceous: Middle Turonian) of Emery and Carbon Counties, Utah, USA. *Journal of Paleontology*, 84 (2): 248-266
- BÖTTCHER, R. (2010):** Description of the shark egg capsule *Palaeoxyris friessi* n. sp. from the Ladinian (Middle Triassic) of SW Germany and discussion of all known egg capsules from the Triassic of the Germanic Basin. *Palaeodiversity*, 3: 123–139
- BOURDON, J. & EVERHART, M.J. (2010):** Occurrence of the extinct Carpet shark, *Orectoloboides*, in the Dakota Formation (Late Cretaceous; Middle Cenomanian) of Kansas. *Transactions of the Kansas Academy of Science*, 113 (3-4): 237-242
- CAVIN, L. & TONG, H. & BOUDAD, L. & MEISTER, C. & PIUZ, A. & TABOUELLE, J. & AARAB, M. & AMIOT, R. & BUFFETAUT, E. & DYKE, G. & HUA, S. & LE LOEUFF, J. (2010):** Vertebrate assemblages from the early Late Cretaceous of southeastern Morocco: An overview. *Journal of African Earth Sciences*, 57 (5): 391-412
Abstract: <http://dx.doi.org/10.1016/j.jafrearsci.2009.12.007>
- CHAHUD, A. & FAIRCHILD, T.R. & PETRI, S. (2010):** Chondrichthyans from the base of the Irati Formation (Early Permian, Paraná Basin), São Paulo, Brazil. *Gondwana Research*, 18 (2-3): 528-537
Abstract: <http://dx.doi.org/10.1016/j.gr.2010.01.006>
- CICIMURRI, D.J. & KNIGHT, J.L. (2010):** Late Oligocene sharks and rays from the Chandler Bridge Formation, Dorchester County, South Carolina, USA. *Acta Palaeontologica Polonica*, 54 (4): 627-647
Abstract: <http://dx.doi.org/10.4202/app.2008.0077>
- CIONE, A.L. & ACOSTA HOSPITALECHE, C. & PÉREZ, L. & LAZA, J. & CÉSAR, I. (2010):** Trace fossils on penguin bones from the Miocene of Chubut, southern Argentina. *Alcheringa*, 34 (4): 433-454
Abstract: <http://dx.doi.org/10.1080/03115511003793470>
- CIONE, A.L. & GOURIC-CAVALLI, S. & MENNUCCI, J.A. & CABRERA, D.A. & FREIJE, R.H. (2010):** First vertebrate body remains from the Permian of Argentina (Elasmobranchii and Actinopterygii). *Proceedings of the Geologists' Association*, 121: 301-312
Abstract: <http://dx.doi.org/10.1016/j.pgeola.2010.04.003>
- CLAESON, K.M. & O'LEARY, M.A. & ROBERTS, E.M. & SISSOKO, F. & BOUARÉ, M. & TAPANILA, L. & GOODWIN, D. & GOTTFRIED, M.D. (2010):** First Mesozoic Record of the Stingray *Myliobatis wurnoensis* from Mali and a Phylogenetic Analysis of Myliobatidae Incorporating Dental Characters. *Acta Palaeontologica Polonica*, 55 (4): 655-674
Abstract: <http://dx.doi.org/10.4202/app.2009.1117>
- CLAESON, K.M. & WARD, D.J. & UNDERWOOD, C.J. (2010):** 3D digital imaging of a concretion-preserved batoid (Chondrichthyes, Elasmobranchii) from the Turonian (Upper Cretaceous) of Morocco. *Comptes Rendus Palevol*, 9 (6-7): 283-287
Abstract: <http://dx.doi.org/10.1016/j.crvp.2010.07.013>
- CUNY, G. & COBBETT, A.M. & MEUNIER, F.J. & BENTON, M.J. (2010):** Vertebrate microremains from the Early Cretaceous of southern Tunisia. *Geobios*, 43: 615–628
Abstract: <http://dx.doi.org/10.1016/j.geobios.2010.07.001>

CUNY, G. & LAOJUMPON, C. & CHEYCHIW, O. & LAUPRASERT, K. (2010): Fossil vertebrate remains from Kut Island (Gulf of Thailand, Early Cretaceous). *Cretaceous Research*, 31: 415-423
Abstract: <http://dx.doi.org/10.1016/j.cretres.2010.05.007>

- D, E, F, G -

DE CARVALHO, M.R. (2010): Morphology and phylogenetic relationships of the giant electric ray from the Eocene of Monte Bolca, Italy (Chondrichthyes: Torpediniformes). In: *ELLIOTT, D.K. & MAISEY, J.G. & YU, X. & Desui MIAO (editors): Morphology, Phylogeny and Paleobiogeography of Fossil Fishes*, Verlag Dr. Friedrich Pfeil: 183-198, 9 figs.

DELSATE, D. & WEIS, R. (2010): La Couche à Crassum (Toarcien moyen) au Luxembourg: stratigraphie et faunes de la coupe de Dudelange-Zoufftgen. In: *Robert Weis & Simone Guérin-Franjatte (éditeurs) 2010. - Le Jurassique inférieur et moyen au Luxembourg - Nouvelles données paléontologiques et biostratigraphiques*. *Ferrantia* 62, Musée national d'histoire naturelle, Luxembourg: 35-62

FISCHER, J. & AXSMITH, B.J. & ASH, S.R. (2010): First unequivocal record of the hybodont shark egg capsule Palaeoxyris in the Mesozoic of North America. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 255 (3): 327-344, 7 fig., 3 tab.
Abstract: <http://dx.doi.org/10.1127/0077-7749/2009/0028>

FISCHER, J. & SCHNEIDER, J.W. & RONCHI, A. (2010): New hybodontoid shark from the Permocarboniferous (Gzhelian-Asselian) of Guardia Pisano (Sardinia, Italy). *Acta Palaeontologica Polonica*, 55 (2): 241-264
Abstract: <http://dx.doi.org/10.4202/app.2009.0019>

FISCHER, J. & VOIGT, S. & SCHNEIDER, J.W. & FRANZ, M. & JOACHIMSKI, M.M. & TICHOMIROWA, M. (2010): Oxygen isotopes from hybodont shark tooth enameloid - Palaeoenvironmental implications for the late Triassic Central European Basin.
Abstract *Geophysical Research Abstracts*, 12, EGU2010-11782

FISCHER, J. & VOIGT, S. & SCHNEIDER, J.W. & JOACHIMSKI M.M. & BERNER, U. (2010): Oxygen isotopes from non-marine shark tooth enameloid - environmental and ecological implications for the Late Palaeozoic of Central Europe.
Abstract. *Zitteliana*, 29: 36

GINTER, M. (2010): Teeth of Late Famennian ctenacanth sharks from the Cleveland Shale. In: *ELLIOTT, D.K. & MAISEY, J.G. & YU, X. & Desui MIAO (editors): Morphology, Phylogeny and Paleobiogeography of Fossil Fishes*, Verlag Dr. Friedrich Pfeil: 145-158, 6 figs.

GINTER, M. & HAMPE, O. & DUFFIN, C.J. (2010): Handbook of Paleichthyology, Vol. 3D: Chondrichthyes Paleozoic Elasmobranchii: Teeth Verlag Dr. Friedrich Pfeil, pp. 168, 154 fig., 4 Tab.

GINTER, M. & TURNER, S. (2010): The middle Paleozoic Selachian genus *Thrinacodus*. *Journal of Vertebrate Paleontology*, 30 (6): 1666-1672
Abstract: <http://dx.doi.org/10.1080/02724634.2010.520785>

GODFREY, S.J. & SMITH, J.B. (2010): Shark-bitten vertebrate coprolites from the Miocene of Maryland. *Naturwissenschaften*, 97 (5): 461-467
Abstract: <http://dx.doi.org/10.1007/s00114-010-0659-x>

- H, I, J, K -

- HAMM, S.A. (2010):** The Late Cretaceous shark, *Ptychodus rugosus*, (Ptychodontidae) in the Western Interior Sea. *Transactions of the Kansas Academy of Science*, 113 (1/2): 45-55
Abstract: <http://dx.doi.org/10.1660/062.113.0203>
- HAMM, S.A. (2010):** The Late Cretaceous shark *Ptychodus marginalis* in the Western Interior Seaway. *Journal of Paleontology*, 84 (3): 537-547
- HANKE, G.F. & WILSON, M.V.H. (2010):** The putative stem-group chondrichthyans *Kathemacanthus* and *Seretolepis* from the Lower Devonian MOTH locality, Mackenzie Mountains, Canada. In: *ELLIOTT, D.K. & MAISEY, J.G. & YU, X. & Desui MIAO (editors): Morphology, Phylogeny and Paleobiogeography of Fossil Fishes*, Verlag Dr. Friedrich Pfeil: 159-182, 14 figs.
- HERMAN, J. & VAN DEN EECKHAUT, G. (2010):** Inventaire systématique des Invertebrata, Vertebrata, Plantae et Fungi des Sables de Bruxelles. *Geominpal Belgica Découvertes géologiques, minéralogiques et paléontologiques en Belgique*, 1 (2): 35-65
- HOVESTADT, D.C. & HOVESTADT-EULER, M. (2010):** *Urobatis molleni* nov.sp. (Chondrichthyes, Myliobatiformes, Urolophidae) in the Eocene of Belgium. *Geominpal Belgica Découvertes géologiques, minéralogiques et paléontologiques en Belgique*, 1 (3): 67-69
- HOVESTADT, D.C. & HOVESTADT-EULER, M. (2010):** A partial skeleton of *Carcharias gustrowensis* (Winkler, 1875) (Chondrichthyes, Odontaspidae) including embryos, a chimaeroid dorsal fin spine and a myliobatoid tail spine from the Oligocene of Germany. *Cainozoic Research*, 7 (1-2): 83-97
- HOVESTADT, D.C. & HOVESTADT-EULER, M. & MICKLICH, N. (2010):** A review of the chondrichthyan fauna of Grube Unterfeld (Frauenweiler) clay pit. *Kaupia, Darmstädter Beiträge zur Naturgeschichte*, 17: 57-71
- HÜBNER, T. & MÜLLER, A. (2010):** Selachian teeth from Campanian sediments (Upper Cretaceous) of the Münsterland Cretaceous Basin (NW-Germany). *Paläontologische Zeitschrift*, 84 (4): 437-455
Abstract: <http://dx.doi.org/10.1007/s12542-010-0056-y>
- KLUG, C. & KRÖGER, B. & KIESSLING, W. & MULLINS, G.L. & SERVAIS, T. & FRÝDA, J. & KORN, D. & TURNER, S. (2010):** The Devonian ecological revolution, an underrated radiation. *Lethaia*, 43 (4): 465-477
Abstract: <http://dx.doi.org/10.1111/j.1502-3931.2009.00206.x>
- KLUG, S. (2010):** Monophyly, Phylogeny and Systematic Position of the Synchondontiformes (Chondrichthyes, Neoselachii). *Zoologica Scripta*, 39 (1): 37-49
Abstract: <http://dx.doi.org/10.1111/j.1463-6409.2009.00399.x>
- KLUG, S. & KRIWET, J. (2010):** A new Late Jurassic species of the rare synchondontiform shark, *Welcommia* (Chondrichthyes, Neoselachii). *Paläontologische Zeitschrift*, 84: 413-419
Abstract: <http://dx.doi.org/10.1007/s12542-010-0058-9>
- KLUG, S. & KRIWET, J. (2010):** Timing of deep-sea adaptation in dogfish sharks: insights from a supertree of extinct and extant taxa. *Zoologica Scripta*, 39 (4): 331-342
Abstract: <http://dx.doi.org/10.1111/j.1463-6409.2010.00427.x>
- KLUG, S. & TÜTKEN, T. & WINGS, O. & PFRETZSCHNER, H.-U. & MARTIN, T. (2010):** A Late Jurassic freshwater shark assemblage (Chondrichthyes, Hybodontiformes) from the southern Junggar Basin, Xinjiang, Northwest China. *Palaeobiodiversity and Palaeoenvironments*, 90 (3): 241-257
Abstract: <http://dx.doi.org/10.1007/s12549-010-0032-2>
- KOGAN, I. & FISCHER, J. & VOIGT, S. & LICHT, M. & SCHNEIDER, J.W. (2010):** The Madygen lake deposits a unique multi-taxa kindergarten for Triassic fishes?
Abstract. *Zitteliana*, 29: 61

- L, M, N, O -

LANE, J.A. (2010): Morphology of the Braincase in the Cretaceous Hybodont Shark *Tribodus limae* (Chondrichthyes: Elasmobranchii), Based on CT Scanning. *American Museum Novitates*, 3681: 1-70

LE LOEUFF, J. & MÉTAIS, E. & DUTHEIL, D.B. & RUBINO, J.L. & BUFFETAUT, E. & LAFONT, F. & CAVIN, L. & MOREAU, F. & TONG, H. & BLANPIED, C. & SBETA, A. (2010): An Early Cretaceous vertebrate assemblage from the Cabao Formation of NW Libya. *Geological Magazine*, 147 (5): 750-759
Abstract: <http://dx.doi.org/10.1017/S0016756810000178>

MAISEY, J.G. & LANE, J.A. (2010): Labyrinth morphology and the evolution of low-frequency phonoreception in elasmobranchs. *Comptes Rendus Palevol*, 9 (6-7): 289-309
Abstract: <http://dx.doi.org/10.1016/j.crpv.2010.07.021>

MARTÍNEZ-PÉREZ, C. & DUPRET, V. & MANZANARES, E. & BOTELLA, H. (2010): New data on the Lower Devonian chondrichthyan fauna from Celtiberia (Spain). *Journal of Vertebrate Paleontology*, 30 (5): 1622-1627
Abstract: <http://dx.doi.org/10.1080/02724634.2010.501451>

MOLLEN, F.H. (2010): A partial rostrum of the porbeagle shark *Lamna nasus* (Lamniformes, Lamnidae) from the Miocene of the North Sea Basin and the taxonomic importance of rostral morphology in extinct sharks. *Geologica Belgica*, 13: 61-76

MYERS, C.E. & LIEBERMAN, B.S. (2010): Sharks that pass in the night: using Geographical Information Systems to investigate competition in the Cretaceous Western Interior Seaway. *Proceedings of the Royal Society of London, Series B*, 278 (1706): 681-689
Abstract: <http://dx.doi.org/10.1098/rspb.2010.1617>

- P, Q, R, S -

PIMIENTO, C. (2010): Systematics, paleobiology, and paleoecology of late Miocene sharks (Elasmobranchii, Selachii) from Panama: integration of research and education. *Master Thesis: Gainesville: University of Florida*. 131 p.

PIMIENTO, C. & EHRET, D.J. & MacFADDEN, B.J. & HUBBELL, G. (2010): Ancient Nursery Area for the Extinct Giant Shark *Megalodon* from the Miocene of Panama. *PLoS ONE* 5(5): e10552
Abstract: <http://dx.doi.org/10.1371/journal.pone.0010552>

PRADEL, A. (2010): Skull and brain anatomy of Late Carboniferous Sibirhynchidae (Chondrichthyes, Iniopterygia) from Kansas and Oklahoma (USA). *Geodiversitas*, 32 (4): 595-661
Abstract: <http://dx.doi.org/10.5252/g2010n4a2>

PRADEL, A. & TAFFOREAU, P. & JANVIER, P. (2010): Study of the pectoral girdle and fins of the Late Carboniferous sibirhynchid iniopterygians (Vertebrata, Chondrichthyes, Iniopterygia) from Kansas and Oklahoma (USA) by means of microtomography, with comments on iniopterygian relationships. *Comptes Rendus Palevol*, 9 (6-7): 377-387
Abstract: <http://dx.doi.org/10.1016/j.crpv.2010.07.015>

ROMANO, C. & BRINKMANN, W. (2010): A new specimen of the hybodont shark *Palaeobates polaris* with three-dimensionally preserved Meckel's cartilage from the Smithian (Early Triassic) of Spitsbergen. *Journal of Vertebrate Paleontology*, 30 (6): 1673-1683
Abstract: <http://dx.doi.org/10.1080/02724634.2010.521962>

SHIMADA, K. & EVERHART, M.J. & DECKER, R. & DECKER, P.D. (2010): A new skeletal remain of the durophagous shark, *Ptychodus mortoni*, from the Upper Cretaceous of North America: an indication of gigantic body size. *Cretaceous Research*, 31 (2): 249-254
Abstract: <http://dx.doi.org/10.1016/j.cretres.2009.11.005>

SHIMADA, K. & NAGRODSKI, M. (2010): Occurrence of the Fossil Lamniform Shark, *Cretoxyrhina mantelli*, from the Upper Cretaceous Hartland Shale, Central Kansas. *Transactions of the Kansas Academy of Science*, 113 (3-4): 235-236
Abstract: <http://dx.doi.org/10.1660/062.113.0313>

SHIMADA, K. & TSUIHIJI, T. & SATO, T. & HASEGAWA, Y. (2010): A Remarkable Case of a Shark-Bitten Elasmosaurid Plesiosaur. *Journal of Vertebrate Paleontology*, 30 (2): 592-597

SHIN, J.-Y. (2010): A New Species of Edaphodon (Chondrichthyes: Holocephali) from the Upper Cretaceous Haslam Formation, Vancouver Island, British Columbia, Canada. *Journal of Vertebrate Paleontology*, 30 (4): 1012-1018
Abstract: <http://dx.doi.org/10.1080/02724634.2010.483538>

- T, U, V, W, X, Y, Z -

TOMITA, T. & OJI, T. (2010): Habitat Reconstruction of Oligocene Elasmobranchs from Yamaga Formation, Ashiya Group, Western Japan. *Paleontological Research*, 14 (1): 69-80
Abstract: <http://dx.doi.org/10.2517/1342-8144-14.1.069>

TURNER, S. & MILLER, R.F. (2010): Reassessment of "Protodus" scoticus from the Early Devonian of Scotland. In: ELLIOTT, D.K. & MAISEY, J.G. & YU, X. & Desui MIAO (editors): *Morphology, Phylogeny and Paleobiogeography of Fossil Fishes*, Verlag Dr. Friedrich Pfeil: 123-144, 8 figs., 2 apps.

UNDERWOOD, C.J. & WARD, D.J. & KING, C. & ANTAR, S.M. & ZALMOUT, I.S. & GINGERICH, P.D. (2010): Shark and ray faunas in the Middle and Late Eocene of the Fayum Area, Egypt. *Proceedings of the Geologists' Association*, 122 (1): 47-66
Abstract: <http://dx.doi.org/10.1016/j.pgeola.2010.09.004>

VISAGGI, C.C. & GODFREY, S.J. (2010): Variation in Composition and Abundance of Miocene Shark Teeth from Calvert Cliffs, Maryland. *Journal of Vertebrate Paleontology*, 30 (1): 26-35
Abstract: <http://dx.doi.org/10.1080/02724630903409063>

WHITENACK, L.B. & GOTTFRIED, M.D. (2010): A Morphometric Approach for Addressing Tooth-Based Species Delimitation in Fossil Mako Sharks, *Isurus* (Elasmobranchii: Lamniformes). *Journal of Vertebrate Paleontology*, 30 (1): 17-25
Abstract: <http://dx.doi.org/10.1080/02724630903409055>

Rezent

Complete list (arrange in alphabetical order)

- A, B, C-

AALBERS, S.A. & BERNAL, D. & SEPULVEDA, C.A. (2010): The functional role of the caudal fin in the feeding ecology of the common thresher shark *Alopias vulpinus*. *Journal of Fish Biology*, 76 (7): 1863-1868

Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02616.x>

ABEL, R.L. & MACLAINE, J.S. & COTTON, R. & XUAN, V.B. & NICKELS, T.B. & CLARK, T.H. & WANG, Z. & COX, J.P.L. (2010): Functional morphology of the nasal region of a hammerhead shark? *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 464-475

Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.10.029>

AKHILESH, K.V. & HASHIM, M. & BINEESH, K.K. & SHANIS, C.P.R. & GANGA, U. (2010): New distributional records of deep-sea sharks from Indian waters. *Journal of the Marine Biological Association of India*, 52 (1): 29-34

ALLEN, G.R. & DUDGEON, C.L. (2010): *Hemiscyllium michaeli*, a new species of bamboo shark (Hemiscyllidae) from Papua New Guinea. *Aqua, International Journal of Ichthyology*, 16 (1): 19-30

ALMEIDA, M.P. & LINS, P.M.O. & CHARVET-ALMEIDA, P. & BARTHEM, R.B. (2010): Diet of the freshwater stingray *Potamotrygon motoro* (Chondrichthyes: Potamotrygonidae) on Marajó Island (Pará, Brazil). *Revista Brasileira de Biologia*, 70 (1): 155-162

ANDERSON, W.G. & DASIEWICZ, P.J. & LIBAN, S. & RYAN, C. & TAYLOR, J.R. & GROSELL, M. & WEIHRAUCH, D. (2010): Gastro-intestinal handling of water and solutes in three species of elasmobranch fish, the white-spotted bamboo shark, *Chiloscyllium plagiosum*, little skate, *Leucoraja erinacea* and the clear nose skate *Raja eglanteria*? *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 493-502

Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.09.020>

ANDREEVA, A.M. & FEDOROV, R.A. (2010): Features of the organization of low-molecular weight proteins from the blood and tissue fluid of the common stingray *Dasyatis pastinaca* (Chondrichthyes: Trygonidae). *Russian Journal of Marine Biology*, 36 (6): 469-472

Abstract: <http://dx.doi.org/10.1134/S1063074010060106>

ANDREWS, K.S. & WILLIAMS, G.D. & LEVIN, P.S. (2010): Seasonal and ontogenetic changes in movement patterns of sixgill sharks. *PLoS ONE*, 5 (9): e12549

Abstract: <http://dx.doi.org/10.1371/journal.pone.0012549>

ASCHLIMAN, N. & EBERT, D.A. & COMPAGNO, L.J.V. (2010): A New Legskate (Rajoidei: Genus *Cruriraja*) from Southern Africa. *Copeia*, 2010 (3): 364-372

Abstract: <http://dx.doi.org/10.1643/CI-09-215>

BAETA, F. & BATISTA, M. & MAIA, A. & COSTA, M.J. & CABRAL, H. (2010): Elasmobranch bycatch in a trammel net fishery in the Portuguese west coast. *Fisheries Research*, 102 (1-2): 123-129

Abstract: <http://dx.doi.org/10.1016/j.fishres.2009.10.016>

- BALLANTYNE, J.S. & ROBINSON, J.W. (2010):** Freshwater elasmobranchs: a review of their physiology and biochemistry. *Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology*, 180 (4): 475-493
Abstract: <http://dx.doi.org/10.1007/s00360-010-0447-0>
- BANSEMER, C.S. & BENNETT, M.B. (2010):** Retained fishing gear and associated injuries in the east Australian grey nurse sharks (*Carcharias taurus*): implications for population recovery. *Marine and Freshwater Research*, 61 (1): 97-103
Abstract: <http://dx.doi.org/10.1071/MF08362>
- BARBUTO, M. & GALIMBERTI, A. & FERRI, E. & LABRA, M. & MALANDRA, R. & GALLI, P. & CASIRAGHI, M. (2010):** DNA barcoding reveals fraudulent substitutions in shark seafood products: The Italian case of "palombo" (*Mustelus* spp.). *Food Research International*, 43 (1): 376-381
Abstract: <http://dx.doi.org/10.1016/j.foodres.2009.10.009>
- BAREMORE, I.E. (2010):** Reproductive aspects of the Atlantic angel shark *Squatina dumeril*. *Journal of Fish Biology*, 76 (7): 1682-1695
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02608.x>
- BAREMORE, I.E. & MURIE, D.J. & CARLSON, J.K. (2010):** Seasonal and size-related differences in diet of the Atlantic angel shark *Squatina dumeril* in the northeastern Gulf of Mexico. *Aquatic Biology*, 8: 125-136
Abstract: <http://dx.doi.org/10.3354/ab00214>
- BARKER, S.M. & WILLIAMSON, J.E. (2010):** Collaborative photo-identification and monitoring of grey nurse sharks (*Carcharias taurus*) at key aggregation sites along the eastern coast of Australia. *Marine and Freshwater Research*, 61 (9): 971-979
Abstract: <http://dx.doi.org/10.1071/MF09215>
- BARNETT, A. & ABRANTES, K.G. & STEVENS, J.D. & BRUCE, B.D. & SEMMENS, J.M. (2010):** Site fidelity and movements of sharks associated with ocean-farming. *PLoS ONE*, 5 (12): e15464
Abstract: <http://dx.doi.org/10.1371/journal.pone.0015464>
- BARNETT, A. & ABRANTES, K.G. & STEVENS, J.D. & BRUCE, B.D. & SEMMENS, J.M. (2010):** Fine-Scale Movements of the Broadnose Sevengill Shark and Its Main Prey, the Gummy Shark. *PLoS ONE*, 5 (12): e15464
Abstract: <http://dx.doi.org/10.1371/journal.pone.0015464>
- BARNETT, A. & STEVENS, J.D. & FRUSHER, S.D. & SEMMENS, J.M. (2010):** Seasonal occurrence and population structure of the broadnose sevengill shark *Notorynchus cepedianus* in coastal habitats of south-east Tasmania. *Journal of Fish Biology*, 77 (7): 1688-1701
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02810.x>
- BERNAL, D. (2010):** Pelagic Fishes. Chapter 112 In: *Encyclopedia of Fish Physiology*. (Eds. Cech, J., Farrell, A.). Elsevier Publishers. In press
- BERNAL, D. & DONLEY, J.M. & MCGILLIVRAY, D.G. & AALBERS, S.A. & SYME, D.A. & SEPULVEDA, C.A. (2010):** Function of the medial red muscle during sustained swimming in common thresher sharks: Contrast and convergence with thunniform swimmers? *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 454-463
Abstract: <http://dx.doi.org/10.1016/j.cbpa.2010.01.005>
- BLACKBURN, J.K. & MITCHELL, M.A. & BLACKBURN, M.-C.H. & CURTIS, A. & THOMPSON, B.A. (2010):** Evidence of Antibiotic Resistance in Free-Swimming, Top-Level Marine Predatory Fishes. *Journal of Zoo and Wildlife Medicine*, 41 (1): 7-16
Abstract: <http://dx.doi.org/10.1638/2007-0061.1>
- BOOMER, J.J. & PEDDEMORS, V. & STOW, A.J. (2010):** Genetic data show that *Carcharhinus tilstoni* is not confined to the tropics, highlighting the importance of a multifaceted approach to species

identification. *Journal of Fish Biology*, 77 (5): 1165-1172
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02770.x>

BOUGATEF, A. & BALTI, R. & NASRI, R. & JELLOULI, K. & SOUISSI, N. & NASRI, M. (2010): Biochemical properties of anionic trypsin acting at high concentration of NaCl purified from the intestine of a carnivorous fish: smooth hound (*Mustelus mustelus*). *Journal of Agricultural and Food Chemistry*, 58 (9): 5763-5769
Abstract: <http://dx.doi.org/10.1021/jf100534a>

BOUGATEF, A. & RAVALLEC, R. & NEDJAR-ARROUME, N. & BARKIA, A. & GUILLOCHON, D. & NASRI, M. (2010): Evidence of in vivo satietogen effect and control of food intake of smooth hound (*Mustelus mustelus*) muscle protein hydrolysate in rats. *Journal of Functional Foods*, 2 (1): 10-16
Abstract: <http://dx.doi.org/10.1016/j.jff.2009.11.001>

BROWN, A.C. & LEE, D.E. & BRADLEY, R.W. & ANDERSON, S. (2010): Dynamics of White Shark Predation on Pinnipeds in California: Effects of Prey Abundance *Copeia*, 2010 (2): 232-238
Abstract: <http://dx.doi.org/10.1643/CE-08-012>

BRUNNSCHWEILER, J.M. & QUEIROZ, N. & SIMS, D.W. (2010): Oceans apart? Short-term movements and behaviour of adult bull sharks *Carcharhinus leucas* in Atlantic and Pacific Oceans determined from pop-off satellite archival tagging. *Journal of Fish Biology*, 77 (6): 1343-1358
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02757.x>

BURGESS, G.H. & BUCH, R.H. & CARVALHO, F. & GARNER, B.A. & WALKER, C.J. (2010): Factors Contributing to Shark Attacks on Humans: A Volusia County, Florida, Case Study. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 541-566

CABALLERO-RIVERA, D. & CRUZ-NIEVES, O.A. & OYOLA-CINTRÓN, J. & OTERO-CRUZ, J.D. & TORRES-NÚÑEZ, D.A. & RODRÍGUEZ-ESPADA, D. & HOYO-RIVERA, N.D. & LASALDE-DOMICCI, J.A. (2010): Fourier Transform Coupled Tryptophan Scanning Mutagenesis of the Lipid Exposed DM3 And DM4 Transmembrane Domains of the Torpedo Californica Acetylcholine Receptor. *Biophysical Journal*, 98 (3 Supplement 1): 132a
Abstract: <http://dx.doi.org/10.1016/j.bpj.2009.12.712>

CABRERA-CHÁVEZ-COSTA, A.A. & GALVÁN-MAGAÑA, F. & ESCOBAR-SÁNCHEZ, O. (2010): Food habits of the silky shark *Carcharhinus falciformis* (Müller & Henle, 1839) off the western coast of Baja California Sur, Mexico. *Journal of Applied Ichthyology*, 26 (4): 499-503
Abstract: <http://dx.doi.org/10.1111/j.1439-0426.2010.01482.x>

CANNAS, R. & FOLLESA, M.C. & CABIDDU, S. & PORCU, C. & SALVADORI, S. & IGLEACUTESIAS, S.P. & DEIANA, A.M. & CAU, A. (2010): Molecular and morphological evidence of the occurrence of the Norwegian skate *Dipturus nidarosiensis* (Storm, 1881) in the Mediterranean Sea. *Marine Biology Research*, 6: 341-350
Abstract: <http://dx.doi.org/10.1080/17451000903428496>

CAPAPÉ, C. & DIATTA, Y. & NDIAYE, P. & REYNAUD, C. & ODDONE, M.C. (2010): New biological data on the brown ray, *Raja miraletus* (Chondrichthyes: Rajidae), off the coast of Senegal (eastern tropical Atlantic). *Ciencias Marinas*, 36 (3): 369-388

CÁRDENAS-PALOMO, N. & HERRERA-SILVEIRA, J. & REYES, O. (2010): (Spatial and temporal distribution of physicochemical features in the habitat of whale shark *Rhincodon typus* (Orectolobiformes: Rhincodontidae) in the north of Mexican Caribbean). *Revista de Biología Tropical*, 58 (1): 399-412

CARLSON, J.K. & RIBERA, M.M. & CONRATH, C.L. & HEUPEL, M.R. & BURGESS, G.H. (2010): Habitat use and movement patterns of bull sharks *Carcharhinus leucas* determined using pop-up satellite archival tags. *Journal of Fish Biology*, 77 (3): 661-675
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02707.x>

CARRERA, I. & ANADÓN, R. & QUINTANA-URZAINQUI, I. & POSE-MÉNDEZ, S. & RODRÍGUEZ-MOLDES, I. (2010): Development of descending supraspinal pathways in a shark and neurochemical characterization of projection neurons.

Abstract. *International Journal of Developmental Neuroscience*, 28 (8): 668

Abstract: <http://dx.doi.org/10.1016/j.ijdevneu.2010.07.080>

CARTAMIL, D. & WEGNER, N.C. & KACEV, D. & BEN-ADERET, N. & KOHIN, S. & GRAHAM, J.B. (2010): Movement patterns and nursery habitat of juvenile thresher sharks *Alopias vulpinus* in the Southern California Bight. *Marine Ecology Progress Series*, 404: 249-258

Abstract: <http://dx.doi.org/10.3354/meps08495>

CARTAMIL, D.P. & WEGNER, N.C. & AALBERS, S. & SEPULVEDA, C.A. & BAQUERO, A. & GRAHAM, J.B. (2010): Diel movement patterns and habitat preferences of the common thresher shark (*Alopias vulpinus*) in the Southern California Bight. *Marine and Freshwater Research*, 61 (5): 596-604

Abstract: <http://dx.doi.org/10.1071/MF09153>

CATLIN, J. & JONES, R. (2010): Whale shark tourism at Ningaloo Marine Park: A longitudinal study of wildlife tourism. *Tourism Management*, 31 (3): 386-394

CHEN, H. & KSHIRSAGAR, S. & JENSEN, I. & LAU, K. & SIMONSON, C. & SCHLUTER, S.F. (2010): Characterization of arrangement and expression of the beta-2 microglobulin locus in the sandbar and nurse shark. *Developmental and Comparative Immunology*, 34 (2): 189-195

Abstract: <http://dx.doi.org/10.1016/j.dci.2009.09.008>

CHEN, H.-G. & CHEN, H.-Y. & WANG, C.-S. & CHEN, S.-N. & SHIH, H.-H. (2010): Effects of various treatments on egg hatching of *Dendromonocotyle pipinna* (Monogenea: Monocotylidae) infecting the blotched fantail ray, *Taeniurops meyeri*, in Taiwan. *Veterinary Parasitology*, 171 (40271): 229-237

CLAES, J.M. & AKSNES, D.L. & MALLEFET, J. (2010): Phantom hunter of the fjords: Camouflage by counterillumination in a shark (*Etmopterus spinax*). *Journal of Experimental Marine Biology and Ecology*, 388 (1-2): 28-32

Abstract: <http://dx.doi.org/10.1016/j.jembe.2010.03.009>

CLAES, J.M. & KRÖNSTRÖM, J. & HOLMGREN, S. & MALLEFET, J. (2010): Nitric oxide in the control of luminescence from lantern shark (*Etmopterus spinax*) photophores. *Journal of Experimental Biology*, 213 (17): 3005-3011

Abstract: <http://dx.doi.org/10.1242/jeb.040410>

CLAES, J.M. & MALLEFET, J. (2010): The lantern shark's light switch: turning shallow water cryptic into midwater camouflage. *Biology Letters*, 6: 685-687

Abstract: <http://dx.doi.org/10.1098/rsbl.2010.0167>

CLAES, J.M. & MALLEFET, J. (2010): Functional physiology of lantern shark (*Etmopterus spinax*) luminescent pattern: differential hormonal regulation of luminous zones. *Journal of Experimental Biology*, 213 (11): 1852-1858

Abstract: <http://dx.doi.org/10.1242/jeb.041947>

CLUA, E. & SÉRET, B. (2010): Unprovoked fatal shark attack in Lifou Island (Loyalty Islands, New Caledonia, South Pacific) by a great white shark, *Carcharodon carcharias*. *American Journal of Forensic Medicine and Pathology*, 31 (3): 281-286

Abstract: <http://dx.doi.org/10.1097/PAF.0b013e3181ec7cb8>

COELHO, J.P. & SANTOS, H. & REIS, A.T. & FALCÃO, J. & RODRIGUES, E.T. & PEREIRA, M.E. & DUARTE, A.C. & PARDAL, M.A. (2010): Mercury bioaccumulation in the spotted dogfish (*Scyliorhinus canicula*) from the Atlantic Ocean. *Marine Pollution Bulletin*, 60 (8): 1372-1375

Abstract: <http://dx.doi.org/10.1016/j.marpolbul.2010.05.008>

COELHO, R. & ERZINI, K. (2010): Depth distribution of the velvet belly, *Etmopterus spinax*, in relation to growth and reproductive cycle: The case study of a deep-water lantern shark with a wide-

ranging critical habitat. *Marine Biology Research*, 6: 381-389
Abstract: <http://dx.doi.org/10.1080/17451000802644706>

COELHO, R. & REY, J. & GIL-DE-SOLA, L. & FERNANDEZ-DE-CARVALHO, J. & ERZINI, K. (2010): Comparing Atlantic and Mediterranean populations of the velvet belly lanternshark, *Etmopterus spinax*, with comments on the efficiency of density-dependent compensatory mechanisms. *Marine Biology Research*, 6: 373-380
Abstract: <http://dx.doi.org/10.1080/17451000903300885>

COLAUTTI, D. & BAIGUN, C. & CAZORLA, A.L. & DE VERTEBRADOS, Z. & LLOMPART, F. & MOLINA, J.M. & SUQUELE, P. & CALVO, S. (2010): Population biology and fishery characteristics of the smoothhound *Mustelus schmitti* in Anegada Bay, Argentina. *Fisheries Research*, 106 (3): 351-357
Abstract: <http://dx.doi.org/10.1016/j.fishres.2010.09.004>

COMPAGNO, L.J.V. & LAST, P.R. (2010): A new species of wedgefish, *Rhynchobatus springeri* (Rhynchobatoidei, Rhynchobatidae), from the Western Pacific. *CSIRO Marine and Atmospheric Research Paper*, 32: 77-88

COMPAGNO, L.J.V. & WHITE, W.T. & CAVANAGH, R.D. (2010): *Glyphis fowlerae* sp. nov., a new species of river shark (Carcharhiniformes; Carcharhinidae) from northeastern Borneo. *CSIRO Marine and Atmospheric Research Paper*, 32: 29-44

CONCHA, F. & BUSTAMANTE, C. & ODDONE, M.C. & HERNÁNDEZ, S. & LAMILLA, J. (2010): Egg capsules of the dusky catshark *Bythaelurus canescens* (Carcharhiniformes, Scyliorhinidae) from the south-eastern Pacific Ocean. *Journal of Fish Biology*, 77 (4): 963-971
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02736.x>

CONRATH, C.L. & MUSICK, J.A. (2010): Residency, space use and movement patterns of juvenile sandbar sharks (*Carcharhinus plumbeus*) within a Virginia summer nursery area. *Marine and Freshwater Research*, 61 (2): 223-235
Abstract: <http://dx.doi.org/10.1071/MF09078>

CURTIN, N.A. & LOU, F. & WOLEDGE, R.C. (2010): Sustained performance by red and white muscle fibres from the dogfish *Scyliorhinus canicula*. *Journal of Experimental Biology*, 213 (11): 1921-1929
Abstract: <http://dx.doi.org/10.1242/jeb.036012>

CUTMORE, S.C. & BENNETT, M.B. & CRIBB, T.H. (2010): A new tetraphyllidean genus and species, *Caulopaterra pagei* n. g., n. sp. (Tetraphyllidea: Phyllobothriidae), from the grey carpetshark *Chiloscyllium punctatum* Müller & Henle (Orectolobiformes: Hemiscylliidae). *Systematic Parasitology*, 77 (1): 13-21
Abstract: <http://dx.doi.org/10.1007/s11230-010-9252-0>

CUTMORE, S.C. & BENNETT, M.B. & CRIBB, T.H. (2010): *Staphylorhynchus cymatodes* (Gorgoderidae: Anaporrhutinae) from carcharhiniform, orectolobiform and myliobatiform elasmobranchs of Australasia: Low host specificity, wide distribution and morphological plasticity. *Parasitology International*, 59 (4): 579-586
Abstract: <http://dx.doi.org/10.1016/j.parint.2010.08.003>

- D, E, F, G -

DAGLEISH, M.P. & BAILY, J.L. & FOSTER, G. & REID, R.J. & BARLEY, J. (2010): The First Report of Disease in a Basking Shark (*Cetorhinus maximus*). *Journal of Comparative Pathology*, 143 (4): 284-288
Abstract: <http://dx.doi.org/10.1016/j.jcpa.2010.02.001>

DALLAS, L.J. & SHULTZ, A.D. & MOODY, A.J. & SLOMAN, K.A. & DANYLCHUK, A.J. (2010): Chemical excretions of angled bonefish *Albula vulpes* and their potential use as predation cues by

juvenile lemon sharks *Negaprion brevirostris*. *Journal of Fish Biology*, 77 (4): 947-962
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02738.x>

DAMALAS, D. & MEGALOFONO, P. (2010): Environmental effects on blue shark (*Prionace glauca*) and oilfish (*Ruvettus pretiosus*) distribution based on fishery-dependent data from the eastern Mediterranean Sea. *Journal of the Marine Biological Association of the United Kingdom*, 90: 467-480
Abstract: <http://dx.doi.org/10.1017/S0025315409991214>

DE BOECK, G. & EYCKMANS, M. & LARDON, I. & BOBBAERS, R. & SINHA, A.K. & BLUST, R. (2010): Metal accumulation and metallothionein induction in the spotted dogfish *Scyliorhinus canicula*. *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 503-508
Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.12.014>

DE BOECK, G. & WOOD, C.M. (2010): Biology of elasmobranchs: From genes to ecophysiology and behaviour? *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 415-416
Abstract: <http://dx.doi.org/10.1016/j.cbpa.2010.01.012>

DE MADDALENA, A. & HEIM, W. (2010): Sharks of New England. *Down East, Rockport*, 184 pp.
Paperback, ISBN: 978-089272-813-8.

DEAN, B. & BHUSHAN, B. (2010): Shark-skin surfaces for fluid-drag reduction in turbulent flow: a review. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 368 (1929): 4775-4806
Abstract: <http://dx.doi.org/10.1098/rsta.2010.0201>

DEAN, M.N. & SOCHA, J.J. & HALL, B.K. & SUMMERS, A.P. (2010): Canaliculi in the tessellated skeleton of cartilaginous fishes. *Journal of Applied Ichthyology*, 26 (2): 263-267
Abstract: <http://dx.doi.org/10.1111/j.1439-0426.2010.01417.x>

DENIAU, A.-L. & MOSSET, P. & PÉDRONO, F. & MITRE, R. & LE BOT, D. & LEGRAND, A.B. (2010): Multiple Beneficial Health Effects of Natural Alkylglycerols from Shark Liver Oil. *Marine Drugs*, 8 (7): 2175-2184
Abstract: <http://dx.doi.org/10.3390/md8072175>

DHAHRI, M. & MANSOUR, M.B. & BERTHOLON, I. & OLLIVIER, V. & BOUGHATTAS, N.A. & HASSINE, M. & JANDROT-PERRUS, M. & CHAUBET, F. & MAAROUFI, R.M. (2010): Anticoagulant activity of a dermatan sulfate from the skin of the shark *Scyliorhinus canicula*. *Blood coagulation & fibrinolysis : an international journal in haemostasis and thrombosis*, 21 (6): 547-557
Abstract: <http://dx.doi.org/10.1097/MBC.0b013e32833b643b>

DOWD, W.W. & HARRIS, B.N. & CECH, J.J. & KÜLTZ, D. (2010): Proteomic and physiological responses of leopard sharks (*Triakis semifasciata*) to salinity change. *Journal of Experimental Biology*, 213 (2): 210-224
Abstract: <http://dx.doi.org/10.1242/jeb.031781>

DRIGGERS, W.B. & BURGESS, G.H. & HAMILTON, A.N. & HOPKINS, N.M. & SCHOBERND, C.M. (2010): Squaliolus laticaudus in the Western North Atlantic Ocean: Distributional and Life History Observations. *Bulletin of Marine Science*, 86 (4): 831-838
Abstract: <http://dx.doi.org/10.5343/bms.2010.1009>

DUDLEY, S.F.J. & CLIFF, G. (2010): Shark Control: Methods, Efficacy, and Ecological Impact. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 567-592

DULVY, N.K. & FORREST, R.E. (2010): Life Histories, Population Dynamics, and Extinction Risks in Chondrichthyans. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 639-680

- DUNCAN, W.P. & DA COSTA, O.T.F. & SAKURAGUI, M.M. & FERNANDES, M.N. (2010):** Functional morphology of the gill in amazonian freshwater stingrays (Chondrichthyes: Potamotrygonidae): implications for adaptation to freshwater. *Physiological and Biochemical Zoology*, 83 (1): 19-32
Abstract: <http://dx.doi.org/10.1086/605458>
- DUNN, M.R. & SZABO, A. & MCVEAGH, M.S. & SMITH, P.J. (2010):** The diet of deepwater sharks and the benefits of using DNA identification of prey. *Deep Sea Research Part I: Oceanographic Research Papers*, 57 (7): 923-
Abstract: <http://dx.doi.org/10.1016/j.dsr.2010.02.006>
- DURÁN, A.C. & RODRÍGUEZ, C. & GIL DE SOLA, L. & FERNÁNDEZ, B. & ARQUÉ, J.M. & SANS-COMA, V. (2010):** Intimal thickening of coronary arteries in the rabbitfish, *Chimaera monstrosa* L. (Chondrichthyes: Holocephali). *Journal of Fish Diseases*, 33 (8): 675-682
Abstract: <http://dx.doi.org/10.1111/j.1365-2761.2010.01175.x>
- EBERT, D.A. & WHITE, W.T. & GOLDMAN, K.J. & COMPAGNO, L.J.V. & DALY-ENGEL, T.S. & WARD, R.D. (2010):** Resurrection and redescription of *Squalus suckleyi* (Girard, 1854) from the North Pacific, with comments on the *Squalus acanthias* subgroup (Squaliformes: Squalidae). *Zootaxa*, 2612: 22-40
- EBERT, D.A. & WINTON, M.V. (2010):** Chondrichthyans of High Latitude Seas. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 115-158
- EISLER, R. (2010):** Elasmobranchs. In: *Compendium of Trace Metals and Marine Biota*: 7-38
- EL NAGAR, a. & MCHUGH, M. & RAPP, T. & SIMS, D.W. & GENNER, M.J. (2010):** Characterisation of polymorphic microsatellite markers for skates (Elasmobranchii: Rajidae) from expressed sequence tags. *Conservation Genetics*, 11 (3): 1203-1206
Abstract: <http://dx.doi.org/10.1007/s10592-009-9919-8>
- ENEVER, R. & REVILL, A.S. & CASLAKE, R. & GRANT, A. (2010):** Discard mitigation increases skate survival in the Bristol Channel. *Fisheries Research*, 102 (1-2): 9-15
Abstract: <http://dx.doi.org/10.1016/j.fishres.2009.09.013>
- ESCOBAR-SÁNCHEZ, O. & GALVÁN-MAGAÑA, F. & ROSÍLES-MARTÍNEZ, R. (2010):** Mercury and selenium bioaccumulation in the smooth hammerhead shark, *Sphyrna zygaena* Linnaeus, from the Mexican Pacific Ocean. *Bulletin of Environmental Contamination and Toxicology*, 84 (4): 488-491
Abstract: <http://dx.doi.org/10.1007/s00128-010-9966-3>
- ESPINOZA, M. & FARRUGIA, T.J. & LOWE, C.G. (2010):** Influence of water temperature on site fidelity and habitat use of gray smooth-hound sharks in a newly restored estuarine habitat. *Bulletin of the Southern California Academy of Sciences*, 109 (2): 90
Abstract: <http://dx.doi.org/10.3160/0038-3872-109.2.68>
- ESSUMANG, D.K. (2010):** First determination of the levels of platinum group metals in *Manta birostris* (manta ray) caught along the Ghanaian coastline. *Bulletin of Environmental Contamination and Toxicology*, 84 (6): 720-725
Abstract: <http://dx.doi.org/10.1007/s00128-010-0019-8>
- EUZET, L. & DE BURON, I. (2010):** *Thaumatocotyle* (Monogenea: Monocotylidae) from Dasyatidae (Elasmobranchii) of the North American Atlantic coast: current issues resolved. *Journal of Parasitology*, 96 (5): 1010-1013
Abstract: <http://dx.doi.org/10.1645/GE-2521.1>
- EVANGELISTA, C. & MILLS, M. & SIEBECK, U.E. & COLLIN, S.P. (2010):** A comparison of the external morphology of the membranous inner ear in elasmobranchs. *Journal of Morphology*, 271 (4): 483-495
Abstract: <http://dx.doi.org/10.1002/jmor.10812>

EVANS, A.N. & HENNING, T. & GELSLEICHTER, J. & NUNEZ, B.S. (2010): Molecular classification of an elasmobranch angiotensin receptor: Quantification of angiotensin receptor and natriuretic peptide receptor mRNAs in saltwater and freshwater populations of the Atlantic stingray. *Comparative Biochemistry and Physiology - Part B: Biochemistry and Molecular Biology*, 157 (4): 423-431
Abstract: <http://dx.doi.org/10.1016/j.cbpb.2010.09.006>

EVANS, A.N. & NUNEZ, B.S. (2010): Regulation of mRNAs encoding the steroidogenic acute regulatory protein and cholesterol side-chain cleavage enzyme in the elasmobranch interrenal gland. *General and Comparative Endocrinology*, 168 (1): 121-132
Abstract: <http://dx.doi.org/10.1016/j.ygcen.2010.04.018>

EVANS, A.N. & RIMOLDI, J.M. & GADEPALLI, R.S.V. & NUNEZ, B.S. (2010): Adaptation of a corticosterone ELISA to demonstrate sequence-specific effects of angiotensin II peptides and C-type natriuretic peptide on 1 α -hydroxycorticosterone synthesis and steroidogenic mRNAs in the elasmobranch interrenal gland. *Journal of Steroid Biochemistry and Molecular Biology*, 120 (4-5): 149-154
Abstract: <http://dx.doi.org/10.1016/j.jsbmb.2010.03.025>

FANG, J. (2010): Timing is everything for sharks that smell in stereo. *Nature News, online*
Abstract: <http://dx.doi.org/10.1038/news.2010.288>

FARRELL, E.D. & MARIANI, S. & CLARKE, M.W. (2010): Reproductive biology of the starry smoothhound shark *Mustelus asterias*: geographic variation and implications for sustainable exploitation. *Journal of Fish Biology*, 77 (7): 1505-1525
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02771.x>

FARRELL, E.D. & MARIANI, S. & CLARKE, M.W. (2010): Age and growth estimates for the starry smoothhound (*Mustelus asterias*) in the Northeast Atlantic Ocean. *ICES Journal of Marine Science*, 67 (5): 931-939

FARRUGIA, T.J. & ESPINOZA, M. & LOWE, C.G. (2010): Abundance, habitat use and movement patterns of the shovelnose guitarfish (*Rhinobatos productus*) in a southern California estuary. Abstract *Bulletin of the Southern California Academy of Sciences*, 109 (2): 91
Abstract: <http://dx.doi.org/10.3160/0038-3872-109.2.68>

FELDHEIM, K.A. & CHAPMAN, D.D. & SIMPFENDORFER, C.A. & RICHARDS, V.P. & SHIVJI, M.S. & WILEY, T.R. & POULAKIS, G.R. & CARLSON, J.K. & ENG, R. & SAGARESE, S. (2010): Genetic tools to support the conservation of the endangered smalltooth sawfish, *Pristis pectinata*. *Conservation Genetics Resources*, 2 (1): 105-113
Abstract: <http://dx.doi.org/10.1007/s12686-010-9175-8>

- FELDHEIM, K.A. & CHAPMAN, D.D. & SWEET, D. & FITZPATRICK, S. & PRODOHL, P.A. & SHIVJI, M.S. & SNOWDEN, B. (2010):** Shark virgin birth produces multiple, viable offspring. *Journal of Heredity*, 101 (3): 374-377
Abstract: <http://dx.doi.org/10.1093/jhered/esp129>
- FERRANDO, S. & GALLUS, L. & GAMBARDELLA, C. & GHIGLIOTTI, L. & RAVERA, S. & VALLARINO, M. & VACCHI, M. & TAGLIAFIERRO, G. (2010):** Cell proliferation and apoptosis in the olfactory epithelium of the shark *Scyliorhinus canicula*. *Journal of Chemical Neuroanatomy*, 40 (4): 293-300
Abstract: <http://dx.doi.org/10.1016/j.jchemneu.2010.08.004>
- FERRANDO, S. & GALLUS, L. & GAMBARDELLA, C. & VACCHI, M. & TAGLIAFIERRO, G. (2010):** G protein alpha subunits in the olfactory epithelium of the holocephalan fish *Chimaera monstrosa*. *Neuroscience Letters*, 472 (1): 65-67
Abstract: <http://dx.doi.org/10.1016/j.neulet.2010.01.059>
- FERREIRA, C.M. & FIELD, C.L. & TUTTLE, A.D. (2010):** Hematological and plasma biochemical parameters of aquarium-maintained cownose rays. *Journal of Aquatic Animal Health*, 22 (2): 123-128
Abstract: <http://dx.doi.org/10.1577/H09-048.1>
- FERREIRO-GALVE, S. & RODRIGUEZ-MOLDES, I. & ANADON, R. & CANDAL, E. (2010):** Patterns of cell proliferation and rod photoreceptor differentiation in shark retinas. *Journal of Chemical Neuroanatomy*, 39 (1): 1-14
Abstract: <http://dx.doi.org/10.1016/j.jchemneu.2009.10.001>
- FERREIRO-GALVE, S. & RODRÍGUEZ-MOLDES, I. & CANDAL, E. (2010):** Calretinin immunoreactivity in the developing retina of sharks: comparison with cell proliferation and GABAergic system markers. *Experimental eye research*, 91 (3): 378-386
Abstract: <http://dx.doi.org/10.1016/j.exer.2010.06.011>
- FLEWELLING, L.J. & ADAMS, D.H. & NAAR, J.P. & ATWOOD, K.E. & GRANHOLM, A.A. & O'DEA, S.N. & LANDSBERG, J.H. (2010):** Brevetoxins in sharks and rays (Chondrichthyes, Elasmobranchii) from Florida coastal waters. *Marine Biology*, 157 (9): 1937-1953
Abstract: <http://dx.doi.org/10.1007/s00227-010-1463-z>
- FRICK, L.H. & REINA, R.D. & WALKER, T.I. (2010):** Stress related physiological changes and post-release survival of Port Jackson sharks (*Heterodontus portusjacksoni*) and gummy sharks (*Mustelus antarcticus*) following gill-net and longline capture in captivity. *Journal of Experimental Marine Biology and Ecology*, 385 (1): 29-37
Abstract: <http://dx.doi.org/10.1016/j.jembe.2010.01.013>
- FRICK, L.H. & WALKER, T.I. & REINA, R.D. (2010):** Trawl capture of Port Jackson sharks, *Heterodontus portusjacksoni*, and gummy sharks, *Mustelus antarcticus*, in a controlled setting: Effects of tow duration, air exposure and crowding. *Fisheries Research*, 106 (3): 344-350
Abstract: <http://dx.doi.org/10.1016/j.fishres.2010.08.016>
- FRISK, M.G. (2010):** Life History Strategies of Batoids. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 283-318
- GALÍNDEZ, E.J. & DÍAZ-ANDRADE, M.C. & AVACA, M.S. & ESTECONDO, S. (2010):** Morphological study of the oviductal gland in the smallnose fanskate *Sympterygia bonapartii* (Müller and Henle, 1841) (Chondrichthyes, Rajidae). *Revista Brasileira de Biologia*, 70 (2): 325-333
- GALLO, V. & CAVALCANTI, M.J. & DA SILVA, R.F.L. & DA SILVA, H.M.A. & PAGNONCELLI, D. (2010):** Panbiogeographical analysis of the shark genus *Rhizoprionodon* (Chondrichthyes, Carcharhiniformes, Carcharhinidae). *Journal of Fish Biology*, 76 (7): 1696-1713
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02609.x>
- GAMBARDELLA, C. & GALLUS, L. & RAVERA, S. & FASULO, S. & VACCHI, M. & FERRANDO, S. (2010):** First evidence of a leptin-like peptide in a cartilaginous fish. *Anatomical Record*, 293 (10):

1692-1697

Abstract: <http://dx.doi.org/10.1002/ar.21238>

GARDINER, J.M. & ATEMA, J. (2010): The Function of Bilateral Odor Arrival Time Differences in Olfactory Orientation of Sharks. *Current Biology*, 20 (13): 1187-1191

Abstract: <http://dx.doi.org/10.1016/j.cub.2010.04.053>

GELSLEICHTER, J. & WALKER, C.J. (2010): Pollutant Exposure and Effects in Sharks and Their Relatives. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 491-540

GILMOUR, K.M. & PERRY, S.F. (2010): Gas transfer in dogfish: A unique model of CO₂ excretion? *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 476-485

Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.10.043>

GLEISS, A.C. & NORMAN, B. WILSON, R.P. (2010): Moved by that sinking feeling: variable diving geometry underlies movement strategies in whale sharks. *Functional Ecology*, 2010: in press

Abstract: <http://dx.doi.org/10.1111/j.1365-2435.2010.01801.x>

GODIN, A.C. & WORM, B. (2010): Keeping the lead: how to strengthen shark conservation and management policies in Canada. *Marine Policy*, 34 (5): 995-1001

Abstract: <http://dx.doi.org/10.1016/j.marpol.2010.02.006>

GRAHAM, N.A.J. & SPALDING, M.D. & SHEPPARD, C.R.C. (2010): Reef shark declines in remote atolls highlight the need for multi-faceted conservation action. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 20 (5): 543-548

Abstract: <http://dx.doi.org/10.1002/aqc.1116>

GRIFFITHS, A.M. & SIMS, D.W. & COTTERELL, S.P. & EL.NAGAR, A. & ELLIS, J.R. & LYNHAMMAR, A. & McHUGH, M. & NEAT, F.C. & PADE, N.G. & QUEIROZ, N. & SERRA-PEREIRA, B. & RAPP, T. & WEARMOUTH, V.J. & GENNER, M.J. (2010): Molecular markers reveal spatially segregated cryptic species in a critically endangered fish, the common skate (*Dipturus batis*). *Proceedings of the Royal Society of London, Series B*, 277: 1497-1503

Abstract: <http://dx.doi.org/10.1098/rspb.2009.2111>

GRUBBS, R.D. (2010): Ontogenetic Shifts in Movements and Habitat Use. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 319-350

GUBILI, C. & BILGIN, R. & KALKAN, E. & KARHAN, S.Ü. & JONES, C.S. & SIMS, D.W. & KABASAKAL, H. & MARTIN, A.P. & NOBLE, L.R. (2010): Antipodean white sharks on a Mediterranean walkabout? Historical dispersal leads to genetic discontinuity and an endangered anomalous population. *Proceedings of the Royal Society of London, Series B: in press*

Abstract: <http://dx.doi.org/10.1098/rspb.2010.1856>

GUTTRIDGE, T.L. & GRUBER, S.H. & KRAUSE, J. & SIMS, D.W. (2010): Novel Acoustic Technology for Studying Free-Ranging Shark Social Behaviour by Recording Individuals' Interactions. *PLoS ONE*, 5 (2): e9324

Abstract: <http://dx.doi.org/10.1371/journal.pone.0009324>

HADFIELD, C.A. & HAINES, A.N. & CLAYTON, L.A. & WHITAKER, B.R. (2010): Cross matching of blood in carcharhiniform, lamniform, and orectolobiform sharks. *Journal of Zoo and Wildlife Medicine*, 41 (3): 480-486

Abstract: <http://dx.doi.org/10.1638/2009-0236.1>

HARRY, A.V. & SIMPFENDORFER, C.A. & TOBIN, A.J. (2010): Improving age, growth, and maturity estimates for aseasonally reproducing chondrichthyans. *Fisheries Research*, 106 (3): 393-403

Abstract: <http://dx.doi.org/10.1016/j.fishres.2010.09.010>

HEARN, A. & KETCHUM, J. & KLIMLEY, A.P. & ESPINOZA, E. & PEÑAHERRERA, C. (2010): Hotspots within hotspots? Hammerhead shark movements around Wolf Island, Galapagos Marine

Reserve *Marine Biology*, 157 (9): 1899-1915

Abstract: <http://dx.doi.org/10.1007/s00227-010-1460-2>

HEBERER, C. & AALBERS, S.A. & BERNAL, D. & KOHIN, S. & DIFIORE, B. & SEPULVEDA, C.A. (2010): Insights into catch-and-release survivorship and stress-induced blood biochemistry of common thresher sharks (*Alopias vulpinus*) captured in the southern California recreational fishery.

Fisheries Research, 106 (3): 495-500

Abstract: <http://dx.doi.org/10.1016/j.fishres.2010.09.024>

HEITHAUS, M.R. & FRID, A. & VAUDO, J.J. & WORM, B. & WIRSING, A.J. (2010): Unraveling the Ecological Importance of Elasmobranchs. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 611-638

HENDERSON, A.C. & ARKHIPKIN, A.I. (2010): Maturity index validation in the white-spotted skate *Bathyraja albomaculata*, from the Falkland Islands. *Journal of the Marine Biological Association of the United Kingdom*, 90 (5): 1015-1018

Abstract: <http://dx.doi.org/10.1017/S0025315410000160>

HERNÁNDEZ, S. & VÖGLER, R. & BUSTAMANTE, C. & LAMILLA, J. (2010): Review of the occurrence and distribution of the basking shark (*Cetorhinus maximus*) in Chilean waters. *Marine Biodiversity Records*, 3: e67

Abstract: <http://dx.doi.org/10.1017/S1755267210000540>

HERNDON, A. & GALLUCCI, V.F. & DEMASTER, D. & BURKE, W. (2010): The case for an international commission for the conservation and management of sharks (ICCMS). *Marine Policy*, 34 (6): 1239-1248

Abstract: <http://dx.doi.org/10.1016/j.marpol.2010.05.001>

HEUPEL, M.R. & SIMPFENDORFER, C.A. & FITZPATRICK, R. (2010): Large-scale movement and reef fidelity of grey reef sharks. *PloS one*, 5 (3): e9650

Abstract: <http://dx.doi.org/10.1371/journal.pone.0009650>

HEUPEL, M.R. & YEISER, B.G. & COLLINS, A.B. & ORTEGA, L. & SIMPFENDORFER, C.A. (2010): Long-term presence and movement patterns of juvenile bull sharks, *Carcharhinus leucas*, in an estuarine river system. *Marine and Freshwater Research*, 61 (1): 1-10

Abstract: <http://dx.doi.org/10.1071/MF09019>

HEYMANS, J.J. & HOWELL, K.L. & AYERS, M. & BURROWS, M.T. & GORDON, J.D.M. & JONES, E.G. & NEAT, F. (2010): Do we have enough information to apply the ecosystem approach to management of deep-sea fisheries? An example from the West of Scotland. *ICES Journal of Marine Science*, 68: 265-280

Abstract: <http://dx.doi.org/10.1093/icesjms/fsq065>

HOFF, G.R. (2010): Identification of skate nursery habitat in the eastern Bering Sea. *Marine Ecology Progress Series*, 403: 243-254

Abstract: <http://dx.doi.org/10.3354/meps08424>

HONDA, Y. & KONDO, H. & CAIPANG, C.M.A. & HIRONO, I. & AOKI, T. (2010): cDNA cloning of the immunoglobulin heavy chain genes in banded houndshark *Triakis scyllium*. *Fish & Shellfish Immunology*, 29 (5): 854-861

Abstract: <http://dx.doi.org/10.1016/j.fsi.2010.07.034>

HUSSEY, N.E. & BRUSH, J. & MCCARTHY, I.D. & FISK, A.T. (2010): delta15N and delta13C diet-tissue discrimination factors for large sharks under semi-controlled conditions. *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 445-453

Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.09.023>

HUSSEY, N.E. & WINTNER, S.P. & DUDLEY, S.F.J. & CLIFF, G. & COCKS, D.T. & MACNEIL, M.A. (2010): Maternal investment and size-specific reproductive output in carcharhinid sharks.

Journal of Animal Ecology, 79 (1): 184-193

Abstract: <http://dx.doi.org/10.1111/j.1365-2656.2009.01623.x>

INOUE, A. & AKIYOSHI, H. (2010): An immunohistochemical study of Carassius RF amide in the stomach, intestine, and pancreas of the Japanese butterfly ray, *Gymnura japonica*. *Ichthyological Research*, 57 (3): 223-230

Abstract: <http://dx.doi.org/10.1007/s10228-010-0156-4>

INOUE, J.G. & MIYA, M. & LAM, K. & TAY, B.-H. & DANKS, J.A. & BELL, J. & WALKER, T.I. & VENKATESH, B. (2010): Evolutionary origin and phylogeny of the modern holocephalans (Chondrichthyes: Chimaeriformes): a mitogenomic perspective. *Molecular Biology and Evolution*, 27 (11): 2576-2586

Abstract: <http://dx.doi.org/10.1093/molbev/msq147>

JACOBY, D.M.P. & BUSAWON, D.S. & SIMS, D.W. (2010): Sex and social networking: the influence of male presence on social structure of female shark groups. *Behavioral Ecology*, 21 (4): 808-818

Abstract: <http://dx.doi.org/10.1093/beheco/arq061>

JACQUES, P.J. (2010): The social oceanography of top oceanic predators and the decline of sharks: A call for a new field. *Progress In Oceanography*, 86 (40210): 192-203

Abstract: <http://dx.doi.org/10.1016/j.pocean.2010.04.001>

JANSE, M. & SCHRAMA, J.W. (2010): Reproductive cycle, nutrition and growth of captive blue spotted stingray, *Dasyatis kuhlii* (Dasyatidae). *Journal of the Marine Biological Association of the United Kingdom*, 90 (2): 353-360

Abstract: <http://dx.doi.org/10.1017/S002531540999035X>

KAJIURA, S.M. (2010): Pupil dilation and visual field in the piked dogfish, *Squalus acanthias*.

Environmental Biology of Fishes, 88 (2): 133-141

Abstract: <http://dx.doi.org/10.1007/s10641-010-9623-z>

KAJIURA, S.M. & CORNETT, A.D. & YOPAK, K.E. (2010): Sensory Adaptations to the Environment: Electroreceptors as a Case Study. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 393-434

KATSU, Y. & KOHNO, S. & NARITA, H. & URUSHITANI, H. & YAMANE, K. & HARA, A. & CLAUSS, T.M. & WALSH, M.T. & MIYAGAWA, S. & GUILLETTE, L.J. & IGUCHI, T. (2010): Cloning and functional characterization of Chondrichthyes, cloudy catshark, *Scyliorhinus torazame* and whale shark, *Rhincodon typus* estrogen receptors. *General and Comparative Endocrinology*, 168 (3): 496-504

Abstract: <http://dx.doi.org/10.1016/j.ygcen.2010.06.010>

KEMPER, J.M. & EBERT, D.A. & COMPAGNO, L.J.V. & DIDIER, D.A. (2010): *Chimaera notafriicana* sp. nov. (Chondrichthyes: Chimaeriformes: Chimaeridae), a new species of chimaera from southern Africa. *Zootaxa*, 2532: 55-63

KEMPER, J.M. & EBERT, D.A. & DIDIER, D.A. & COMPAGNO, L.J.V. (2010): Description of a new species of chimaerid, *Chimaera bahamaensis* from the Bahamas (Holocephali: Chimaeridae). *Bulletin of Marine Science*, 86 (3): 649-659

KING, J.R. & MCFARLANE, G.A. (2010): Movement patterns and growth estimates of big skate (*Raja binoculata*) based on tag-recapture data. *Fisheries Research*, 101 (1-2): 50-59

Abstract: <http://dx.doi.org/10.1016/j.fishres.2009.09.006>

KITAMURA, A. & OGAWA, K. & SHIMIZU, T. & KURASHIMA, A. & MANO, N. & TANIUCHI, T. & HIROSE, H. (2010): A new species of Calicotyle Diesing, 1850 (Monogenea: Monocotylidae) from the shortspine spurdog *Squalus mitsukurii* Jordan & Snyder and the synonymy of *Gymnocalicotyle Nybelin*, 1941 with this genus. *Systematic Parasitology*, 75 (2): 117-124

Abstract: <http://dx.doi.org/10.1007/s11230-009-9228-0>

- KITCHENER, P.D. & FULLER, J. & SNOW, P.J. (2010):** Central projections of primary sensory afferents to the spinal dorsal horn in the long-tailed stingray, *Himantura fai*. *Brain, Behavior and Evolution*, 76 (1): 60-70
Abstract: <http://dx.doi.org/10.1159/000319009>
- KITCHENER, P.D. & SNOW, P.J. (2010):** Spinal reflexes in the long-tailed stingray, *Himantura fai*. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology*, 196 (4): 263-270
Abstract: <http://dx.doi.org/10.1007/s00359-010-0512-x>
- KITCHEN-WHEELER, A.-M. (2010):** Visual identification of individual manta ray (*Manta alfredi*) in the Maldives Islands, Western Indian Ocean *Marine Biology Research*, 6: 351-363
Abstract: <http://dx.doi.org/10.1080/17451000903233763>
- KITTIPHATTANABAWON, P. & BENJAKUL, S. & VISESSANGUAN, W. & KISHIMURA, H. & SHAHIDI, F. (2010):** Isolation and Characterisation of collagen from the skin of brownbanded bamboo shark (*Chiloscyllium punctatum*). *Food Chemistry*, 119 (4): 1519-1526
Abstract: <http://dx.doi.org/10.1016/j.foodchem.2009.09.037>
- KITTIPHATTANABAWON, P. & BENJAKUL, S. & VISESSANGUAN, W. & SHAHIDI, F. (2010):** Comparative study on characteristics of gelatin from the skins of brownbanded bamboo shark and blacktip shark as affected by extraction conditions. *Food Hydrocolloids*, 24 (2-3): 164-171
Abstract: <http://dx.doi.org/10.1016/j.foodhyd.2009.09.001>
- KOTTELAT, M. (2010):** The nominal species of rays (Chondrichthyes) described by Stephan (1779). *Zootaxa*, 2646: 63-68
- KOUSTENI, V. & KONTOPOULOU, M. & MEGALOFONO, P. (2010):** Sexual maturity and fecundity of *Scyliorhinus canicula* (Linnaeus, 1758) in the Aegean Sea. *Marine Biology Research*, 6: 390-398
Abstract: <http://dx.doi.org/10.1080/17451000903233771>
- KRIWET, J. & ENDO, H. & STELBRINK, B. (2010):** On the occurrence of the Taiwan angel shark, *Squatina formosa* Shen & Ting, 1972 (Chondrichthyes, Squatinidae) from Japan. *Zoosystematics and Evolution*, 86 (1): 117-124
Abstract: <http://dx.doi.org/10.1002/zoos.200900016>
- KUBA, M.J. & BYRNE, R.A. & BURGHARDT, G.M. (2010):** A new method for studying problem solving and tool use in stingrays (*Potamotrygon castexi*). *Animal Cognition*: 13 (3): 507-513
Abstract: <http://dx.doi.org/10.1007/s10071-009-0301-5>
- KUCHTA, R. & CAIRA, J.N. (2010):** Three new species of *Echinobothrium* (Cestoda: Diphyllidea) from Indo-Pacific stingrays of the genus *Pastinachus* (Rajiformes: Dasyatidae). *Folia Parasitologica*, 57 (3): 185-196
- KYNE, P.M. & SIMPFENDORFER, C.A. (2010):** Deepwater chondrichthyans. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 37-114

- L, M, N, O -

- LAST, P.R. & FAHMI & ISHIHARA, H. (2010):** *Okamejei cairae* sp. nov. (Rajoidei: Rajidae), a new skate from the South China Sea. *CSIRO Marine and Atmospheric Research Paper*, 32: 89-100
- LAST, P.R. & FAHMI & NAYLOR, G.J.P. (2010):** *Pastinachus stellurostris* sp. nov., a new stingray (Elasmobranchii: Myliobatiformes) from Indonesian Borneo. *CSIRO Marine and Atmospheric Research Paper*, 32: 129-140

- LAST, P.R. & LIM, A.P.K. (2010):** A new species of skate *Okamejei jensenae* sp. nov. (Rajoidae: Rajidae) from the seas off Borneo, with a redescription of the Kwangtung Skate, *Dipturus kwangtungensis*. *CSIRO Marine and Atmospheric Research Paper*, 32: 101-114
- LAST, P.R. & MANJAJI-MATSUMOTO, B.M. (2010):** Description of a new stingray, *Pastinachus gracilicaudus* sp. nov. (Elasmobranchii: Myliobatiformes), based on material from the Indo-Malay Archipelago. *CSIRO Marine and Atmospheric Research Paper*, 32: 115-128
- LAST, P.R. & WHITE, W.T. & POGONOSKI, J.J. (2010):** A new wobbegong shark, *Orectolobus leptolineatus* sp. nov. (Orectolobiformes: Orectolobidae), from the Western Central Pacific. *CSIRO Marine and Atmospheric Research Paper*, 32: 1-16
- LAST, P.R. & WHITE, W.T. & PUCKRIDGE, M. (2010):** *Neotrygon ningalooensis* n. sp. (Myliobatoidei: Dasyatidae), a new maskray from Australia. *Aqua, International Journal of Ichthyology*, 16 (2): 37-50
- LIM, D.D. & MOTTA, P. & MARA, K. & MARTIN, A.P. (2010):** Phylogeny of hammerhead sharks (Family Sphyrnidae) inferred from mitochondrial and nuclear genes. *Molecular Phylogenetics and Evolution*, 55 (2): 572-579
Abstract: <http://dx.doi.org/10.1016/j.ympev.2010.01.037>
- LISNEY, T.J. (2010):** A review of the sensory biology of chimaeroid fishes (Chondrichthyes; Holocephali). *Reviews in Fish Biology and Fisheries*, 20 (4): 571-590
Abstract: <http://dx.doi.org/10.1007/s11160-010-9162-x>
- LITVINOV, F.F. (2010):** Management measures in elasmobranch fishery: crucial points in life history of pelagic and demersal species. *ICES CM 2010/E: 04: 1-20*
- LIU, Y. & IBRAHIM, A.S. & TAY, B.-H. & RICHARDSON, S.J. & BELL, J. & WALKER, T.I. & BRENNER, S. & VENKATESH, B. & DANKS, J.A. (2010):** Parathyroid hormone gene family in a cartilaginous fish, the elephant shark (*Callorhynchus milii*). *Journal of Bone and Mineral Research*, 25 (12): 2337-2347
Abstract: <http://dx.doi.org/10.1002/jbmr.178>
- LÓPEZ-CRUZ, R.I. & ZENTENO-SAVÍN, T. & GALVÁN-MAGAÑA, F. (2010):** Superoxide production, oxidative damage and enzymatic antioxidant defenses in shark skeletal muscle. *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 156 (1): 50-
Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.12.017>
- LOPPION, G. & LAVIGNE, R. & PINEAU, C. & AUVRAY, P. & SOURDAINE, P. (2010):** Proteomic analysis of the spermatogonial stem cell compartment in dogfish *Scyliorhinus canicula* L. *Comparative Biochemistry and Physiology - Part D: Genomics and Proteomics*, 5 (2): 157-
Abstract: <http://dx.doi.org/10.1016/j.cbd.2010.03.004>

- MacDONALD, E.E. & VOLKOFF, H. (2010):** Molecular cloning and characterization of preproorexin in winter skate (*Leucoraja ocellata*). *General and Comparative Endocrinology*, 169 (3): 192-196
Abstract: <http://dx.doi.org/10.1016/j.yggen.2010.09.014>
- MACDONALD, R.B. & DEBIAIS-THIBAUD, M. & MARTIN, K. & POITRAS, L. & TAY, B.-H. & VENKATESH, B. & EKKER, M. (2010):** Functional conservation of a forebrain enhancer from the elephant shark (*Callorhynchus milii*) in zebrafish and mice. *BMC Evolutionary Biology*, 10 (1): 157-157.
Abstract: <http://dx.doi.org/10.1186/1471-2148-10-157>
- MACESIC, L.J. & KAJIURA, S.M. (2010):** Comparative punting kinematics and pelvic fin musculature of benthic batoids. *Journal of Morphology*, 271 (10): 1219-1228
Abstract: <http://dx.doi.org/10.1002/jmor.10865>
- MALEK, M. & CAIRA, J.N. & HASELI, M. (2010):** Two new species of Paraoryzmatobothrium Ruhnke, 1994 (Cestoda: Tetraphyllidae) from the carcharhinid shark *Carcharhinus cf. dussumieri* (Müller & Henle) in the Persian Gulf. *Systematic Parasitology*, 76 (1): 59-68
- MANSOUR, M.B. & DHAHRI, M. & HASSINE, M. & AJZENBERG, N. & VENISSE, L. & OLLIVIER, V. & CHAUBET, F. & JANDROT-PERRUS, M. & MAAROUFI, R.M. (2010):** Highly sulfated dermatan sulfate from the skin of the ray *Raja montagui*: anticoagulant activity and mechanism of action. *Comparative Biochemistry and Physiology - Part B: Biochemistry and Molecular Biology*, 156 (3): 206-206.
Abstract: <http://dx.doi.org/10.1016/j.cbpb.2010.03.010>
- MARKAIDA, U. & SOSA-NISHIZAKI, O. (2010):** Food and feeding habits of the blue shark *Prionace glauca* caught off Ensenada, Baja California, Mexico, with a review on its feeding. *Journal of the Marine Biological Association of the United Kingdom*, 90 (5): 977-994
Abstract: <http://dx.doi.org/10.1017/S0025315409991597>
- MARSHALL, A.D. & BENNETT, M.B. (2010):** Reproductive ecology of the reef manta ray *Manta alfredi* in southern Mozambique. *Journal of Fish Biology*, 77 (1): 169-190
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02669.x>
- McCAULEY, D.J. & PAPASTAMATIOU, Y.P. & YOUNG, H.S. (2010):** An Observation of Mating in Free-Ranging Blacktip Reef Sharks, *Carcharhinus melanopterus*. *Pacific Science*, 64 (2): 349-352
Abstract: <http://dx.doi.org/10.2984/64.2.349>
- McCOMB, D.M. & FRANK, T.M. & HUETER, R.E. & KAJIURA, S.M. (2010):** Temporal Resolution and Spectral Sensitivity of the Visual System of Three Coastal Shark Species from Different Light Environments. *Physiological and Biochemical Zoology*, 83 (2): 299-307
Abstract: <http://dx.doi.org/10.1086/648394>
- MCELWAIN, A. & KOHL, J.W. & BOJKOVIC, J. & BENZ, G.W. (2010):** Distribution of *Kroeyerina elongata* (Kroyeriidae: Siphonostomatoida, Copepoda) in the olfactory sacs of the blue shark, c. *Journal of Parasitology*, 96 (5): 887-896
Abstract: <http://dx.doi.org/10.1645/GE-2361.1>
- MENNI, R.C. & JAUREGUIZAR, A.J. & STEHMANN, M. & LUCIFORA, L.O. (2010):** Marine biodiversity at the community level: zoogeography of sharks, skates, rays and chimaeras in the southwestern Atlantic. *Biodiversity and Conservation*, 19 (3): 775-796
Abstract: <http://dx.doi.org/10.1007/s10531-009-9734-z>

MEYER, C.G. & PAPASTAMATIOU, Y.P. & HOLLAND, K.N. (2010): A multiple instrument approach to quantifying the movement patterns and habitat use of tiger (*Galeocerdo cuvier*) and Galapagos sharks (*Carcharhinus galapagensis*) at French Frigate Shoals, Hawaii. *Marine Biology*, 157 (8): 1857-1868

Abstract: <http://dx.doi.org/10.1007/s00227-010-1457-x>

MILLS, S.C. & MOURIER & GALZIN, R. (2010): Plasma cortisol and 11-ketotestosterone enzyme immunoassay (EIA) kit validation for three fish species: the orange clownfish *Amphiprion percula*, the orangefin anemonefish *Amphiprion chrysopterus* and the blacktip reef shark *Carcharhinus melanopterus*. *Journal of Fish Biology*, 77 (3): 769-777

Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02693.x>

MOELLER, J.F. & MEREDITH, M. (2010): Differential co-localization with choline acetyltransferase in nervus terminalis suggests functional differences for GnRH isoforms in bonnethead sharks (*Sphyrna tiburo*). *Brain Research*, 1366: 44-53

Abstract: <http://dx.doi.org/10.1097/MBC.0b013e32833b643b>

MØLLER, P.R. & NIELSEN, J.G. & KNUDSEN, S.W. & POULSEN, J.Y. & SÜNKSEN, K. & JØRGENSEN, O.A. (2010): A checklist of the fish fauna of Greenland waters. *Zootaxa*, 2378: 1-84

MONTEALEGRE-QUIJANO, S. & VOOREN, C.M. (2010): Distribution and abundance of the life stages of the blue shark *Prionace glauca* in the Southwest Atlantic. *Fisheries Research*, 101 (3): 168-179

Abstract: <http://dx.doi.org/10.1016/j.fishres.2009.10.001>

MORGAN, A. & CARLSON, J.K. (2010): Capture time, size and hooking mortality of bottom longline-caught sharks. *Fisheries Research*, 101 (1-2): 32-37

Abstract: <http://dx.doi.org/10.1016/j.fishres.2009.09.004>

MOTTA, P.J. & MASLANKA, M. & HUETER, R.E. & DAVIS, R.L. & DE LA PARRAD, R. & MULVANYA, S.L. & HABEGGER, M.L. & STROTHER, J.A. & MARA, K.R. & GARDINER, J.M. & TYMINSKI, J.P. & ZEIGLER, L.D. (2010): Feeding anatomy, filter-feeding rate, and diet of whale sharks *Rhincodon typus* during surface ram filter feeding off the Yucatan Peninsula, Mexico. *Zoology*, 113 (4): 199-212

Abstract: <http://dx.doi.org/10.1016/j.zool.2009.12.001>

MOURATO, B.L. & COELHO, R. & AMORIM, A.F. & CARVALHO, F.H.V. & HAZIN, F. & BURGESS, G. (2010): Size at maturity and length-weight relationships of the blurred lantern shark *Etmopterus bigelowi* (Squaliformes: Etmopteridae) caught off southeastern Brazil. *Ciencias Marinas*, 36 (4): 323-331

MULL, C.G. & LOWE, C.G. & YOUNG, K.A. (2010): Seasonal reproduction of female round stingrays (*Urobatis halleri*): Steroid hormone profiles and assessing reproductive state. *General and Comparative Endocrinology*, 166 (2): 379-387

Abstract: <http://dx.doi.org/10.1016/j.ygcen.2009.12.009>

MULLEY, J.F. & HOLLAND, W.H. (2010): Parallel retention of Pdx2 genes in cartilaginous fish and coelacanths. *Molecular Biology and Evolution*, 27: 2386-2391

Abstract: <http://dx.doi.org/10.1093/molbev/msq121>

MURADO, M.A. & FRAGUAS, J. & MONTEMAYOR, M.I. & VAZQUEZ, J.A. & GONZALEZ, P. (2010): Preparation of highly purified chondroitin sulphate from skate (*Raja clavata*) cartilage by-products. *Process. Biochemical Engineering Journal*, 49 (1): 126-132

Abstract: <http://dx.doi.org/10.1016/j.bej.2009.12.006>

MURRAY, M.J. (2010): Endoscopy in Sharks. *Veterinary Clinics of North America: Exotic Animal Practice*, 13 (2): 301-313

Abstract: <http://dx.doi.org/10.1016/j.cvex.2010.01.008>

NAKADA, T. & WESTHOFF, C.M. & YAMAGUCHI, Y. & HYODO, S. & LI, X. & MURO, T. & KATO, A. & NAKAMURA, N. & HIROSE, S. (2010): Rhesus glycoprotein p2 (Rhp2) is a novel member of the

Rh family of ammonia transporters highly expressed in shark kidney. *Journal of Biological Chemistry*, 285 (4): 2653-2664

Abstract: <http://dx.doi.org/10.1074/jbc.M109.052068>

NAM, D.-H. & ADAMS, D.H. & FLEWELLING, L.J. & BASU, N. (2010): Neurochemical alterations in lemon shark (*Negaprion brevirostris*) brains in association with brevetoxin exposure. *Aquatic Toxicology*, 99 (3): 351-359

Abstract: <http://dx.doi.org/10.1016/j.aquatox.2010.05.014>

NAVARRO-GARCIA, G. & RAMIREZ-SUAREZ, J.C. & COTA-QUINONES, E. & MARQUEZ-FARIAS, F. & BRINGAS-ALVARADO, L. (2010): Storage stability of liver oil from two ray (*Rhinoptera bonasus* and *Aetobatus narinari*) species from the Gulf of Mexico. *Food Chemistry*, 119 (4): 1578-1583

Abstract: <http://dx.doi.org/10.1016/j.foodchem.2009.09.045>

NAVIA, A.F. & CORTÉS, E. & MEJÍA-FALLA, P.A. (2010): Topological analysis of the ecological importance of elasmobranch fishes: A food web study on the Gulf of Tortugas, Colombia. *Ecological Modelling*, 221 (24): 2918-2926

Abstract: <http://dx.doi.org/10.1016/j.ecolmodel.2010.09.006>

NEWMAN, S.P. & HANDY, R.D. & GRUBER, S.H. (2010): Diet and prey preference of juvenile lemon sharks *Negaprion brevirostris*. *Marine Ecology Progress Series*, 398: 221-234

Abstract: <http://dx.doi.org/10.3354/meps08334>

NG, H.H. & TAN, H.H. & YEO, D.C.J. & NG, P.K.L. (2010): Stingers in a strange land: South American freshwater stingrays (*Potamotrygonidae*) in Singapore. *Biological Invasions*, 12 (8): 2385-2388

Abstract: <http://dx.doi.org/10.1007/s10530-009-9663-5>

NUSNBAUM, M. & DERBY, C.D. (2010): Effects of Sea Hare Ink Secretion and Its Escapin-Generated Components on a Variety of Predatory Fishes. *Biological Bulletin*, 218: 282-292

OLIVEIRA, P. & HAZIN, F.H.V. & CARVALHO, F. & REGO, M. & COELHO, R. & PIERCY, A. & BURGESS, G. (2010): Reproductive biology of the crocodile shark *Pseudocarcharias kamoharai*. *Journal of Fish Biology*, 76 (7): 1655-1670

Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02606.x>

OLSON, P.D. & CAIRA, J.N. & JENSEN, K. & OVERSTREET, R.M. & PALM, H.W. & BEVERIDGE, I. (2010): Evolution of the trypanorhynch tapeworms: Parasite phylogeny supports independent lineages of sharks and rays? *International Journal for Parasitology*, 40 (2): 223-242

Abstract: <http://dx.doi.org/10.1016/j.ijpara.2009.07.012>

O'SHEA, O.R. & KINGSFORD, M.J. & SEYMOUR, J. (2010): Tide-related periodicity of manta rays and sharks to cleaning stations on a coral reef. *Marine and Freshwater Research*, 61 (1): 65-73

Abstract: <http://dx.doi.org/10.1071/MF08301>

OULION, S. & DEBIAIS-THIBAUD, M. & D'AUBENTON-CARAFI, Y. & THERMES, C. & DA SILVA, C. & BERNARD-SAMAIN, S. & GAVORY, F. & WINCKER, P. & MAZAN, S. & CASANE, D. (2010): Evolution of Hox gene clusters in gnathostomes: insights from a survey of a shark (*Scyliorhinus canicula*) transcriptome. *Molecular Biology and Evolution*, 27 (12): 2829-2838

Abstract: <http://dx.doi.org/10.1093/molbev/msq172>

OVENDEN, J.R. & MORGAN, J.A.T. & KASHIWAGI, T. & BRODERICK, D. & SALINI, J. (2010): Towards better management of Australia's shark fishery: genetic analyses reveal unexpected ratios of cryptic blacktip species *Carcharhinus tilstoni* and *C. limbatus*. *Marine and Freshwater Research*, 61 (2): 253-262

Abstract: <http://dx.doi.org/10.1071/MF09151>

- P, Q, R, S -

PADILLA-MORALES, L.F. & MORALES-PEREZ, C.L. & DE LA CRUZ-RIVERA, P. & LOPEZ-CRUZ, L.M. & ASMAR-ROVIRA, G. & STEVENS, R. & QUESADA, O. & LASALDE-DOMINICCI, J.A. (2010): Efficient Isolation and Characterization of Nicotinic Acetylcholine Receptor from Torpedo Californica using Lipid Analog. *Biophysical Journal*, 98 (3): 132a-133a
Abstract: <http://dx.doi.org/10.1016/j.bpj.2009.12.716>

PAPASTAMATIOU, Y.P. & FRIEDLANDER, A.M. & CASELLE, J.E. & LOWE, C.G. (2010): Long-term movement patterns and trophic ecology of blacktip reef sharks (*Carcharhinus melanopterus*) at Palmyra Atoll. *Journal of Experimental Marine Biology and Ecology*, 386 (1): 94-102
Abstract: <http://dx.doi.org/10.1016/j.jembe.2010.02.009>

PAPASTAMATIOU, Y.P. & ITANO, D.G. & DALE, J.J. & MEYER, C.G. & HOLLAND, K.N (2010): Site fidelity and movements of sharks associated with ocean-farming cages in Hawaii. *Marine and Freshwater Research*, 61 (12): 1366-1375
Abstract: <http://dx.doi.org/10.1071/MF10056>

PAPASTAMATIOU, Y.P. & WETHERBEE, B.M. & O'SULLIVAN, J. & GOODMANLOWE, G.D. & LOWE, C.G. (2010): Foraging ecology of Cookiecutter Sharks (*Isistius brasiliensis*) on pelagic fishes in Hawaii, inferred from prey bite wounds. *Environmental Biology of Fishes*, 88 (4): 361-368
Abstract: <http://dx.doi.org/10.1007/s10641-010-9649-2>

PARK-HOLOHAN, S-J. & WEST, T.G. & WOLEDGE, R.C. & FERENCZI, M.A. & BARCLAY, C.J. & CURTIN, N.A. (2010): Effect of phosphate and temperature on force exerted by white muscle fibres from dogfish. *Journal of Muscle Research and Cell Motility*, 31 (1): 35-44
Abstract: <http://dx.doi.org/10.1007/s10974-010-9198-5>

PARTON, A. & BAYNE, C.J. & BARNES, D.W. (2010): Analysis and functional annotation of expressed sequence tags from in vitro cell lines of elasmobranchs: Spiny dogfish shark (*Squalus acanthias*) and little skate (*Leucoraja erinacea*). *Comparative Biochemistry and Physiology - Part D: Genomics and Proteomics*, 5 (3): 199-206
Abstract: <http://dx.doi.org/10.1016/j.cbd.2010.04.004>

PAYÁN, L.F. & MEJÍA-FALLA, P.A. & NAVIA, A.F. & LOZANO, R.A. (2010): New records of Gorgona guitarfish *Rhinobatos prahli* on the Colombian Pacific coast. *Marine Biodiversity Records*, 3: e52
Abstract: <http://dx.doi.org/10.1017/S1755267210000114>

PEREYRA, S. & GARCÍA, G. & MILLER, P. & OVIEDO, S. & DOMINGO, A. (2010): Low genetic diversity and population structure of the Narrownose shark (*Mustelus schmitti*). *Fisheries Research*, 106 (3): 468-473
Abstract: <http://dx.doi.org/10.1016/j.fishres.2010.09.022>

PÉREZ-JIMÉNEZ, J.C. & SOSA-NISHIZAKI, O. (2010): Determining reproductive parameters for population assessments of two smoothhounds (*Mustelus californicus* and *Mustelus lunulatus*) from the northern Gulf of California, Mexico. *Bulletin of Marine Science*, 86 (1): 1-11

PETHYBRIDGE, H. & COSSA, D. & BUTLER, E.C.V. (2010): Mercury in 16 demersal sharks from southeast Australia: Biotic and abiotic sources of variation and consumer health implications. *Marine Environmental Research*, 69 (1): 18-26
Abstract: <http://dx.doi.org/10.1016/j.marenvres.2009.07.006>

PETHYBRIDGE, H. & DALEY, R. & VIRTUE, P. & NICHOLS, P. (2010): Lipid composition and partitioning of deepwater chondrichthyans: inferences of feeding ecology and distribution. *Marine Biology*, 157 (6): 1367-1384
Abstract: <http://dx.doi.org/10.1007/s00227-010-1416-6>

PIERCE, S.J. & BENNETT, M.B. (2010): Destined to decline? Intrinsic susceptibility of the threatened estuary stingray to anthropogenic impacts. *Marine and Freshwater Research*, 61: 1468-1481
Abstract: <http://dx.doi.org/10.1071/MF10073>

- PIERCE, S.J. & MÉNDEZ-JIMÉNEZ, A. & COLLINS, K. & ROSERO-CAICEDO, M. & MONADJEM, A. (2010):** Developing a Code of Conduct for whale shark interactions in Mozambique. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 20: 782-788
Abstract: <http://dx.doi.org/10.1002/aqc.1149>
- PIERCY, A.N. & CARLSON, J.K. & PASSEROTTI, M.S. (2010):** Age and growth of the great hammerhead shark, *Sphyrna mokarran*, in the north-western Atlantic Ocean and Gulf of Mexico. *Marine and Freshwater Research*, 61 (9): 992-998
Abstract: <http://dx.doi.org/10.1071/MF09227>
- PIOVANO, S. & CLO, S. & GIACOMA, C. (2010):** Reducing longline bycatch: The larger the hook, the fewer the stingrays. *Biological Conservation*, 143 (1): 261-264
Abstract: <http://dx.doi.org/10.1016/j.biocon.2009.10.001>
- PLANK, S.M. & LOWE, C.G. & FELDHEIM, K.A. & WILSON, R.R. & BRUSSLAN, J.A. (2010):** Population genetic structure of the round stingray *Urobatis halleri* (Elasmobranchii: Rajiformes) in southern California and the Gulf of California. *Journal of Fish Biology*, 77 (2): 329-340
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02677.x>
- POLKINGHORNE, A. & SCHMIDT-POSTHAUS, H. & MEIJER, A. & LEHNER, A. & VAUGHAN, L. (2010):** Novel Chlamydiales associated with epitheliocystis in a leopard shark *Triakis semifasciata*. *Diseases of Aquatic Organisms*, 91 (1): 75-81
Abstract: <http://dx.doi.org/10.3354/dao02255>
- PORTER, M.E. & LONG, J.H. (2010):** Vertebrae in compression: Mechanical behavior of arches and centra in the gray smooth-hound shark (*Mustelus californicus*). *Journal of Morphology*, 271 (3): 366-375
Abstract: <http://dx.doi.org/10.1002/jmor.10803>
- PORTNOY, D.S. (2010):** Molecular Insights into Elasmobranch Reproductive Behavior for Conservation and Management. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 435-458
- PORTNOY, D.S. & McDOWELL, J.R. & HEIST, E.J. & MUSICK, J.A. & GRAVES, J.E. (2010):** World phylogeography and male-mediated gene flow in the sandbar shark, *Carcharhinus plumbeus*. *Molecular Ecology*, 19 (10): 1994-2010
Abstract: <http://dx.doi.org/10.1111/j.1365-294X.2010.04626.x>
- POWTER, D.M. & GLADSTONE, W. & PLATELL, M. (2010):** The influence of sex and maturity on the diet, mouth morphology and dentition of the Port Jackson shark, *Heterodontus portusjacksoni*. *Marine and Freshwater Research*, 61 (1): 74-85
Abstract: <http://dx.doi.org/10.1071/MF09021>
- QUIROZ, J.C. & WIFF, R. & CANECO, B. (2010):** Incorporating uncertainty into estimation of natural mortality for two species of Rajidae fished in Chile. *Fisheries Research*: 102 (3): 297-304
Abstract: <http://dx.doi.org/10.1016/j.fishres.2010.01.001>
- REDON, E. & BOSSEBOEUF, A. & ROCANCOURT, C. & DA SILVA, C. & WINCKER, P. & MAZAN, S. & SOURDAINE, P. (2010):** Stage-specific gene expression during spermatogenesis in the dogfish (*Scyliorhinus canicula*). *Reproduction*, 140 (1): 57-71
Abstract: <http://dx.doi.org/10.1530/REP-10-0021>
- REISS, K.L. & BONNAN, M.F. (2010):** Ontogenetic scaling of caudal fin shape in *Squalus acanthias* (Chondrichthyes, Elasmobranchii): a geometric morphometric analysis with implications for caudal fin functional morphology. *Anatomical Record*, 293 (7): 1184-1191
Abstract: <http://dx.doi.org/10.1002/ar.21155>
- RENSHAW, G.M.C. & WISE, G. & DODD, P.R. (2010):** Ecophysiology of neuronal metabolism in transiently oxygen-depleted environments: Evidence that GABA is accumulated pre-synaptically in the

cerebellum. *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 486-492

Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.10.039>

REY, J. & COELHO, R. & LLORIS, D. & SEACUTERET, B. & GIL-DE-SOLA, L. (2010): Distribution pattern of *Galeus atlanticus* in the Alboracuten Sea (south western Mediterranean) and some sexual character comparison with *Galeus melastomus*. *Marine Biology Research*, 6: 364-372

Abstract: <http://dx.doi.org/10.1080/17451000903042487>

RILEY, M.J. & HALE, M.S. & HARMAN, A. & REES, R.G. (2010): Analysis of whale shark *Rhincodon typus* aggregations near South Ari Atoll, Maldives Archipelago. *Aquatic Biology*, 8: 145-150

Abstract: <http://dx.doi.org/10.3354/ab00215>

ROSA, R.S. & CHARVET-ALMEIDA, P. & DIBAN QUIJADA, C.C. (2010): Biology of the South American Potamotrygonid Stingrays. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 241-282

RYTKÖNEN, K.T. & RENSHAW, G.M.C. & ASHTON, K.J. & WILLIAMS-PRITCHARD, G. & LEDER, E.H. & NIKINMAA, M. (2010): Elasmobranch qPCR reference genes: a case study of hypoxia preconditioned epaulette sharks. *BMC Molecular Biology*, 11 (1): 27-

Abstract: <http://dx.doi.org/10.1186/1471-2199-11-27>

SÁEZ, S.B. & PEQUEÑO, G. (2010): Taxonomic dental keys for the Chilean taxa of the Superorder Squalomorphi (Chondrichthyes: Elasmobranchii). *Latin American Journal of Aquatic Research*, 38 (3): 474-484

Abstract: <http://dx.doi.org/10.3856/vol38-issue3-fulltext-11>

SAGARESE, S.R. & FRISK, M.G. (2010): An investigation on the effect of photoperiod and temperature on vertebral band deposition in little skate *Leucoraja erinacea*. *Journal of Fish Biology*, 77 (4): 935-946

Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02734.x>

SAMPSON, L. & GALVÁN-MAGANA, F. & DE SILVA-DAÁVILA, R. & AGUÍNIGA-GARCÍA, S. & O'SULLIVAN, J.B. (2010): Diet and trophic position of the devil rays *Mobula thurstoni* and *Mobula japonica* as inferred from stable isotope analysis. *Journal of the Marine Biological Association of the United Kingdom*, 90 (5): 969-976

Abstract: <http://dx.doi.org/10.1017/S0025315410000548>

SAWADA, T. & INOUE, S. (2010): Ultrastructure of irregular collagen fibrils of shark mandible. *Acta Zoologica (Stockholm)*, 92 (1): 62-66

Abstract: <http://dx.doi.org/10.1111/j.1463-6395.2009.00443.x>

SCACCO, U. & LA MESA, G. & VACCHI, M. (2010): Body morphometrics, swimming diversity and niche in demersal sharks: a comparative case study from the Mediterranean Sea. *Scientia Marina*, 74 (1): 37-51

SCHLUESSEL, V. & BENNETT, M.B. & BLECKMANN, H. & COLLIN, S.P. (2010): The role of olfaction throughout juvenile development: functional adaptations in elasmobranchs. *Journal of Morphology*, 271 (4): 451-461

Abstract: <http://dx.doi.org/10.1002/jmor.10809>

SCHLUESSEL, V. & BENNETT, M.B. & COLLIN, S.P. (2010): Diet and reproduction in the white-spotted eagle ray *Aetobatus narinari* from Queensland, Australia and the Penghu Islands, Taiwan. *Marine and Freshwater Research*, 61 (11): 1278-1289

Abstract: <http://dx.doi.org/10.1071/MF09261>

SÉRET, B. (2010): Guide des requins, des raies et des chimères des pêches françaises. *Direction de la Pêche Maritime et de L'aquaculture*, 154 pp

- SÉRET, B. & FENCHEL, T. & UIBLEIN, F. (2010):** European Research Focus on Sharks and Rays. *Marine Biology Research*, 6: 339-340
Abstract: <http://dx.doi.org/10.1080/17451001003657729>
- SHIVJI, M.S. (2010):** DNA Forensic Applications in Shark Management and Conservation. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 593-610
- SIMS, D.W. (2010):** Tracking and Analysis Techniques for Understanding Free-Ranging Shark Movements and Behavior. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 351-392
- SKOMAL, G.B. & BERNAL, D. (2010):** Physiological Responses to Stress in Sharks. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 459-490
- SLEEMAN, J.C. & MEEKAN, M.G. & WILSON, S.G. & POLOVINA, J.J. & STEVENS, J.D. & BOGGS, G.S. & BRADSHAW, C.J.A. (2010):** To go or not to go with the flow: Environmental influences on whale shark movement patterns. *Journal of Experimental Marine Biology and Ecology*, 390 (2): 84-98
Abstract: <http://dx.doi.org/10.1016/j.jembe.2010.05.009>
- SMITH, K. & SCARR, M. & SCARPACI, C. (2010):** Grey nurse shark (*Carcharias taurus*) diving tourism: Tourist compliance and shark behaviour at Fish Rock, Australia. *Environmental Management*, 46 (5): 699-710
Abstract: <http://dx.doi.org/10.1007/s00267-010-9561-8>
- SPAET, J.L.Y. & KESSEL, S.T. & GRUBER, S.H. (2010):** Learned hook avoidance of lemon sharks (*Negaprion brevirostris*) based on electroreception and shock treatment. *Marine Biology Research*, 6: 399-407
Abstract: <http://dx.doi.org/10.1080/17451000903039749>
- SPEED, C.W. & FIELD, I.C. & MEEKAN, M.G. & BRADSHAW, C.J.A. (2010):** Complexities of coastal shark movements and their implications for management. *Marine Ecology Progress Series*, 408: 275-293
Abstract: <http://dx.doi.org/10.3354/meps08581>
- SPEERS-ROESCH, BEN. & TREBERG, JASON.R. (2010):** The unusual energy metabolism of elasmobranch fishes. *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 417-434
Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.09.031>
- SPERONE, E. & MICARELLI, P. & ANDREOTTI, S. & SPINETTI, S. & ANDREANI, A. & SERENA, F. & BRUNELLI, E. & TRIPEPI, S. (2010):** Social interactions among bait-attracted white sharks at Dyer Island (South Africa). *Marine Biology Research*, 6: 408-414
Abstract: <http://dx.doi.org/10.1080/17451000903078648>
- SPRINGAUF, A. & GRUNDER, S. (2010):** Characterization of Shark ASIC1b, an Ancient Form of an Acid-Sensing Ion Channel. *Biophysical Journal*, 98 (3): 702a-702a
Abstract: <http://dx.doi.org/10.1016/j.bpj.2009.12.3853>
- SPRINGAUF, A. & GRÜNDER, S. (2010):** An acid-sensing ion channel from shark (*Squalus acanthias*) mediates transient and sustained responses to protons. *Journal of Physiology*, 588 (5): 809-820
Abstract: <http://dx.doi.org/10.1113/jphysiol.2009.182931>
- STELBRINK, B. & VON RINTELEN, T. & CLIFF, G. & KRIWET, J. (2010):** Molecular systematics and global phylogeography of angel sharks (Genus *Squatina*). *Molecular Phylogenetics and Evolution*, 54 (2): 395-404
Abstract: <http://dx.doi.org/10.1016/j.ympev.2009.07.029>

STEVENS, J.D. (2010): Epipelagic Oceanic Elasmobranchs. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 3-36

STEVENS, J.D. & BRADFORD, R.W. & WEST, G.J. (2010): Satellite tagging of blue sharks (*Prionace glauca*) and other pelagic sharks off eastern Australia: depth behaviour, temperature experience and movements. *Marine Biology*, 157 (3): 575-591
Abstract: <http://dx.doi.org/10.1007/s00227-009-1343-6>

STRAUBE, N. & IGLÉSIAS, S.P. & SELLOS, D.Y. & KRIWET, J. & SCHLIEWEN, U.K. (2010): Molecular phylogeny and node time estimation of bioluminescent Lantern Sharks (Elasmobranchii: Etmopteridae). *Molecular Phylogenetics and Evolution*, 56 (3): 905-917
Abstract: <http://dx.doi.org/10.1016/j.ympev.2010.04.042>

STRID, A. & ATHANASSIADIS, I. & ATHANASIADOU, M. & SVAVARSSON, J. & PÄPKE, O. & BERGMAN, A. (2010): Neutral and phenolic brominated organic compounds of natural and anthropogenic origin in northeast Atlantic Greenland shark (*Somniosus microcephalus*). *Environmental Toxicology and Chemistry*, 29 (12): 2653-2659
Abstract: <http://dx.doi.org/10.1002/etc.330>

- T, U, V, W, X, Y, Z -

THEODOSIOU, N.A. & SIMEONE, A. (2010): Evidence for a rudimentary colon in the elasmobranch, *Leucoraja erinacea*. *Developmental Biology*, 344 (1): 533
Abstract: <http://dx.doi.org/10.1016/j.ydbio.2010.05.404>

TIRARD, P. & MANNING, M.J. & JOLLIT, I. & DUFFY, C. & BORSA, P. (2010): Records of Great White Sharks (*Carcharodon carcharias*) in New Caledonian Waters. *Pacific Science*, 64 (4): 567-576
Abstract: <http://dx.doi.org/10.2984/64.4.567>

TORRES-ROJAS, Y.E. & HERNÁNDEZ-HERRERA, A. & GALVÁN-MAGAÑA, F. & ALATORRE-RAMÍREZ, V.G. (2010): Stomach content analysis of juvenile, scalloped hammerhead shark *Sphyrna lewini* captured off the coast of Mazatlán, Mexico. *Aquatic Ecology*, 44 (1): 301-308
Abstract: <http://dx.doi.org/10.1007/s10452-009-9245-8>

TOVAR-ÁVILA, J. & DAY, R.W. & WALKER, T.I. (2010): Using rapid assessment and demographic methods to evaluate the effects of fishing on *Heterodontus portusjacksoni* off far-eastern Victoria, Australia. *Journal of Fish Biology*, 77 (7): 1564-1578
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02788.x>

TRIBUZIO, C.A. & KRUSE, G.H. & FUJIOKA, J.T. (2010): Age and growth of spiny dogfish (*Squalus acanthias*) in the Gulf of Alaska: analysis of alternative growth models. *Fishery Bulletin*, 106 (2): 119-135

- TSAI, W.P. & LIU, K.-M. & JOUNG, S.-J. (2010):** Demographic analysis of the pelagic thresher shark, *Alopias pelagicus*, in the north-western Pacific using a stochastic stage-based model. *Marine and Freshwater Research*, 61 (9): 1056-1066
Abstract: <http://dx.doi.org/10.1071/MF09303>
- VAN RIJN, J.A. & REINA, R.D. (2010):** Distribution of leukocytes as indicators of stress in the Australian swellshark, *Cephaloscyllium laticeps*. *Fish & Shellfish Immunology*, 29 (3): 534-538
Abstract: <http://dx.doi.org/10.1016/j.fsi.2010.04.016>
- VAUDO, J.J. & MATICH, P. & HEITHAUS, M.R. (2010):** Mother-offspring isotope fractionation in two species of placental sharks. *Journal of Fish Biology*, 77 (7): 1724-1727
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02810.x>
- VAUGHAN, D.B. & CHISHOLM, L.A. (2010):** A new species of *Neoheterocotyle* Hargis, 1955 (Monogenea: Monocotylidae) from the gills of *Rhinobatos annulatus* Müller & Henle (Rhinobatidae) off the southern tip of Africa. *Systematic Parasitology*, 77 (3): 205-213
Abstract: <http://dx.doi.org/10.1023/A:1006315005942>
- VELIKANOV, A.Y. (2010):** The record of the white shark *Carcharodon carcharias* (Lamnidae) from Aniva Bay, Sakhalin. *Journal of Ichthyology*, 50 (4): 347-350
Abstract: <http://dx.doi.org/10.1134/S0032945210040089>
- VERÍSSIMO, A. & McDOWELL, J.R. & GRAVES, J.E. (2010):** Global population structure of the spiny dogfish *Squalus acanthias*, a temperate shark with an antitropical distribution. *Molecular Ecology*, 19 (8): 1651-1662
Abstract: <http://dx.doi.org/10.1111/j.1365-294X.2010.04598.x>
- VIGNON, M. & SASAL, P. & JOHNSON, R.L. & GALZIN, R. (2010):** Impact of shark-feeding tourism on surrounding fish populations off Moorea Island (French Polynesia). *Marine and Freshwater Research*, 61 (2): 163-169
Abstract: <http://dx.doi.org/10.1071/MF09079>
- WARD-PAIGE, C.A. & MORA, C. & LOTZE, H.K. & PATTENGILL-SEMMENS, C. & MCCLENACHAN, L. & ARIAS-CASTRO, E. & MYERS, R.A. (2010):** Large-Scale Absence of Sharks on Reefs in the Greater-Caribbean: A Footprint of Human Pressures *PLoS ONE*, 5 (8): e11968
Abstract: <http://dx.doi.org/10.1371/journal.pone.0011968>
- WEGNER, N.C. & SEPULVEDA, C.A. & OLSON, K.R. & HYNDMAN, K.A. & GRAHAM, J.B. (2010):** Functional morphology of the gills of the shortfin mako, *Isurus oxyrinchus*, a lamnid shark. *Journal of Morphology*, 271 (8): 937-948
Abstract: <http://dx.doi.org/10.1002/jmor.10845>
- WHITE, W.T. & DHARMADI (2010):** Aspects of maturation and reproduction in hexanchiform and squaliform sharks. *Journal of Fish Biology*, 76 (6): 1362-1378
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02560.x>
- WHITE, W.T. & KYNE, P.M. (2010):** The status of chondrichthyan conservation in the Indo-Australasian region. *Journal of Fish Biology*, 76 (9): 2090-2117
Abstract: <http://dx.doi.org/10.1111/j.1095-8649.2010.02654.x>
- WHITE, W.T. & LAST, P.R. & LIM, A.P.K. (2010):** Rediscovery of the rare and endangered Borneo Shark *Carcharhinus borneensis* (Bleeker, 1858) (Carcharhiniformes: Carcharhinidae). *CSIRO Marine and Atmospheric Research Paper*, 32: 17-28
- WHITE, W.T. & LAST, P.R. & NAYLOR, G.J.P. (2010):** *Scoliodon macrorhynchus* (Bleeker, 1852), a second species of spadenose shark from the Western Pacific (Carcharhiniformes: Carcharhinidae). *CSIRO Marine and Atmospheric Research Paper*, 32: 61-76
- WHITE, W.T. & LAST, P.R. & NAYLOR, G.J.P. & HARRIS, M. (2010):** Resurrection and redescription of the Borneo Broadfin Shark *Lamiopsis tephrodes* (Fowler, 1905) (Carcharhiniformes: Carcharhinidae). *CSIRO Marine and Atmospheric Research Paper*, 32: 45-60

WHITE, W.T. & LAST, P.R. & NAYLOR, G.J.P. & JENSEN, K. & CAIRA, J.N. (2010): Clarification of *Aetobatus ocellatus* (Kuhl, 1823) as a valid species, and a comparison with *Aetobatus narinari* (Euphrasen, 1790) (Rajiformes: Myliobatidae). *CSIRO Marine and Atmospheric Research Paper*, 32: 141-164

WHITE, W.T. & SOMMERVILLE, E. (2010): Elasmobranchs of Tropical Marine Ecosystems. In: J.C. Carrier, J.A. Musick and M.R. Heithaus (Eds) *Sharks and Their Relatives II: Biodiversity, Adaptive Physiology, and Conservation*. CRC Press, Boca Raton: 159-240

WHITENACK, L.B. & SIMKINS, D.C. & MOTTA, P.J. & HIRAI, M. & KUMAR, A. (2010): Young's modulus and hardness of shark tooth biomaterials. *Archives of Oral Biology*, 55 (3): 203-209
Abstract: <http://dx.doi.org/10.1016/j.archoralbio.2010.01.001>

WHITTAMORE, J.M. & BLOOMER, C. & HANNA, G.M. & MCCARTHY, I.D. (2010): Evaluating ultrasonography as a non-lethal method for the assessment of maturity in oviparous elasmobranchs. *Marine Biology*, 157 (12): 2613-2624
Abstract: <http://dx.doi.org/10.1007/s00227-010-1523-4>

WILGA, C.D. (2010): Hyoid and pharyngeal arch function during ventilation and feeding in elasmobranchs: Conservation and modification in function. *Journal of Applied Ichthyology*, 26 (2): 162-166
Abstract: <http://dx.doi.org/10.1111/j.1439-0426.2010.01397.x>

WILLIAMS, E.H. & BUNKLEY-WILLIAMS, L. & EBERT, D.A. (2010): An accidental attachment of *Elthusa raynaudii* (Isopoda, Cymothoidae) in *Etmopterus* sp. (Squaliformes, Etmopteridae). *Acta Parasitologica*, 55 (1): 99-101
Abstract: <http://dx.doi.org/10.2478/s11686-010-0006-6>

WIRSING, A.J. & RIPPLE, W.J. (2010): A comparison of shark and wolf research reveals similar behavioral responses by prey. *Frontiers in Ecology and the Environment*, 2010: in press
Abstract: <http://dx.doi.org/10.1890/090226>

WOOD, C.M. & WALSH, P.J. & KAJIMURA, M. & McCLELLAND, G. & CHEW, S.F. (2010): The influence of feeding and fasting on plasma metabolites in the dogfish shark (*Squalus acanthias*). *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 155 (4): 435-444
Abstract: <http://dx.doi.org/10.1016/j.cbpa.2009.09.006>

YOPAK, K.E. & LISNEY, T.J. & DARLINGTON, R.B. & COLLIN, S.P. & MONTGOMERY, J.C. & FINLAY, B.L. (2010): A conserved pattern of brain scaling from sharks to primates. *Proceedings of the National Academy of Sciences of the United States of America*, 107 (29): 12946-12951
Abstract: <http://dx.doi.org/10.1073/pnas.1002195107>

Index (only genus)

Aetobatus	- 23 -, - 27 -, - 30 -
Alopias	- 7 -, - 10 -, - 17 -, - 29 -
Bathyraja	- 17 -
Bythaelurus	- 11 -
Callorhynchus	- 20 -, - 21 -
Carcharhinus	- 9 -, - 10 -, - 11 -, - 17 -, - 21 -, - 22 -, - 23 -, - 24 -, - 25 -, - 29 -
Carcharias	- 4 -, - 8 -, - 27 -
Carcharodon	- 1 -, - 10 -, - 28 -, - 29 -
Cephaloscyllium	- 29 -
Cetorhinus	- 12 -, - 17 -
Chiloscyllium	- 7 -, - 11 -, - 19 -
Chimaera	- 13 -, - 15 -, - 18 -
Cretoxyrhina	- 6 -
Cruriraja	- 7 -
Dasyatis	- 7 -, - 18 -
Dipturus	- 9 -, - 16 -, - 20 -
Edaphodon	- 6 -
Etmopterus	- 10 -, - 11 -, - 22 -, - 30 -
Galeocerdo	- 22 -
Galeus	- 26 -
Glyphis	- 11 -
Gymnura	- 18 -
Hemiscyllium	- 7 -
Heterodontus	- 15 -, - 25 -, - 28 -
Himantura	- 19 -
Isistius	- 24 -
Isurus	- 6 -, - 29 -
Kathemacanthus	- 4 -
Lamiopsis	- 30 -
Lamna	- 5 -
Leucoraja	- 7 -, - 21 -, - 24 -, - 26 -, - 28 -
Manta	- 14 -, - 19 -, - 21 -
Mobula	- 26 -
Mustelus	- 8 -, - 9 -, - 11 -, - 14 -, - 15 -, - 24 -, - 25 -
Myliobatis	- 2 -
Negaprion	- 12 -, - 23 -, - 27 -
Neotrygon	- 20 -
Notorynchus	- 8 -
Okamejei	- 20 -
Orectoloboides	- 2 -
Orectolobus	- 20 -
Palaeobates	- 6 -
Palaeoxyris	- 2 -, - 3 -
Pastinachus	- 19 -, - 20 -
Potamotrygon	- 7 -, - 19 -
Prionace	- 12 -, - 21 -, - 22 -, - 28 -
Pristis	- 14 -
Protodus	- 6 -
	- 31 -

Pseudocarcharias	- 23 -
Ptychodus	- 4 -, - 6 -
Raja	- 7 -, - 9 -, - 18 -, - 21 -, - 22 -
Rhincodon	- 9 -, - 18 -, - 22 -, - 26 -
Rhinobatos	- 14 -, - 24 -, - 29 -
Rhinoptera	- 23 -
Rhizoprionodon	- 15 -
Rhynchobatus	- 11 -
Scoliodon	- 29 -
Scyliorhinus	- 11 -, - 12 -, - 15 -, - 18 -, - 19 -, - 20 -, - 23 -, - 25 -
Seretolepis	- 4 -
Somniosus	- 28 -
Sphyrna	- 13 -, - 22 -, - 25 -, - 28 -
Squaliolus	- 13 -
Squalus	- 13 -, - 18 -, - 19 -, - 24 -, - 26 -, - 28 -, - 29 -, - 30 -
Squatina	- 8 -, - 19 -, - 28 -
Sympterygia	- 15 -
Taeniurops	- 10 -
Thrinacodus	- 3 -
Torpedo	- 9 -, - 24 -
Triakis	- 12 -, - 17 -, - 25 -
Tribodus	- 5 -
Urobatis	- 4 -, - 22 -, - 25 -
Welcommia	- 4 -